



PHILIPS


Interact Ready lighting

Slow business or **grow business?**

Real professionals boost their business with **Philips connected lighting** that works with the **Interact Pro dashboard and app**

**REAL
PROs**
**REAL
QUALITY**

interact
ready.



"Philips connected lighting offers benefits that conventional systems can only dream of. It is now possible to install lighting that enhances comfort, saves energy, and provides data insights for further optimization and savings."

4

Changing the lighting industry

New opportunities of connected lighting for small and medium sized enterprises.

6

Your benefits

Discover what Philips Interact Ready lighting and the Interact Pro dashboard and app can do for you and your customers.

8

Built for success


Philips connected lighting that's Interact Ready works seamlessly with the Interact Pro intuitive app and dashboard.

12

Philips Interact Ready luminaires, lamps and components

Discover the connected lighting products that work with Interact Pro.

Smart lighting brings you new business opportunities



14

Product specifications

Get the full specifications for every product in the range.

Turn on a game-changer

World class connected lighting that puts the power of IoT in your hands

Many business owners will go the extra mile to get the very best out of their most important assets – their people. The working environment has a direct impact on their morale and productivity. There are many ways to achieve a better workplace – **and one of them is through the right lighting.**

Why upgrade to connected lighting?

Connected lighting means that LED lights with **integrated sensors** are connected to **application software**. As a result, it's possible to automate and optimize light settings for different areas within the building, allow users to **personalize light settings** and business owners to collect anonymized data on **energy and cost performance**.

With the new **Interact Pro dashboard and app**, connected lighting is now available to **small and medium enterprises** with up to 200 light points – at a price that makes upgrading a no-brainer. It seamlessly works with our **Interact Ready** CoreLine luminaires and MasterConnect LED tubes which offer a direct point-for-point replacement of conventional lights.

philips.com/interact-ready

How the connected lighting system comes together

Philips Interact Ready lighting

PHILIPS *interact ready.*



Smart luminaires



Smart lamps



Smart sensors



Smart wall-switches


Works with

Interact Pro software


interact Pro



Interact Pro gateway



Interact Pro app



Interact Pro dashboard

Bright benefits for your customers

Installing lights – enjoying advantages

Saving energy and costs while providing the **best possible light to work**, create and do business in: **Connected lighting** is all this and more. Preparing for this **next chapter in lighting** means investing in productivity, sustainability, innovation and image.

The benefits for your customer:

- ✓ **Optimized and personalized light** levels for daily business, supporting employees, tasks, safety and security
- ✓ **Maximum energy and cost savings** via schedules, motion and daylight sensing
- ✓ Demonstrate **social responsibility**
- ✓ Monitor lighting and energy with the **Interact Pro dashboard** for further optimization

With connected lighting you can offer your customers a smart upgrade of conventional lights. Recommending and installing connected lighting solutions also gives you the chance to become their trusted expert in this new and expanding field.

The benefits for you:

- ✓ **World class connected lighting** for small- and medium-sized enterprises
- ✓ **Easy to install**, no need for separate antennas, radio boxes or signal cables
- ✓ Speedy set up with the intuitive **Interact Pro app**
- ✓ Get invaluable data from the **Interact Pro dashboard** and **become a trusted advisor**
- ✓ The Interact Pro app and dashboard were seamlessly with our Interact Ready luminaires and lamps

Built for **success**

The **Interact Pro dashboard and app** work with a range of Philips luminaires and lamps and a set of wireless switches and sensors that are Interact Ready. You can customize the software's settings for specific workspaces. Whether you're connecting 20 light points or 200, Interact Pro helps everyone to work smarter.



More performance – less hassle:

Technical support
during business hours

Installers

- ✓ Project and user management administration
- ✓ Easy joining of light sources
- ✓ Linked light source and accessories information
- ✓ Creation of rooms, zones, on/off/dim and customization

Business owners

- ✓ Lighting scene management and scheduling
- ✓ Energy consumption feedback
- ✓ Various user rights settings



- ✓ Link to (Wifi) router via Ethernet cable
- ✓ Connect up to 200 light points

Installers

- ✓ Save time and money by making fewer unnecessary trips
- ✓ Guarantee and provide a professional service level to customers
- ✓ Improve relationships with customers by taking a proactive approach in providing data-driven advice
- ✓ Identify and respond to issues like performance problems or forecasted device failures ahead of time
- ✓ Identify and order the correct parts as soon as they're needed

Business owners

- ✓ Desktop view of information provided in the Interact Pro app
- ✓ Adapt lighting, set scenes and adjust schedule settings
- ✓ Manage user rights and monitor energy usage

For more information on Interact Pro, visit
interact-lighting.com/pro



Nowhere or everywhere?

With **Interact Pro** and **Philips luminaires** and **lamps that are Interact Ready** you can offer your customers lighting environments as unique as their business. From **industry** to **office** to **parking spaces** – enjoy numerous possible application areas and create **smarter, more efficient workspaces** for your customers and a **brand new stream of business** for you.



Industry



Office




Parking

interact
ready.



CoreLine panel



CoreLine recessed
luminaire



CoreLine surface-
mounted luminaire



CoreLine
waterproof



CoreLine
batten



CoreLine slim downlight



CoreLine downlight



MasterConnect
LED tubes



Office motion
sensor



Wireless switch

Philips lighting for every task and taste

No matter what your customer's lighting needs are, Philips offers a wide product range of **Interact Ready luminaires and lamps** created for a maximum of performance personalization and design.

All components, including wireless sensors and wall switches are interoperable, upgradeable and made to **provide customers with the light, comfort and convenience their business deserves.**

- ✓ Energy-saving, robust and reliable
- ✓ Hole-for-hole replacement of conventional lighting
- ✓ No additional components or wiring needed
- ✓ Future proof: easy software updates over the air
- ✓ Independent intelligent behavior of luminaires and lamps simplifies setup and ensures reliable function
- ✓ No compatibility issues due to thorough testing
- ✓ Affordable solution for small and medium enterprises

Interact
Ready
for action!

Overview products



Product	Wattage	Lifetime	Luminous	Color temperature	CRI	Product description	EOC code
CoreLine downlight Interact Ready	22W	50,000 hrs	2100 lm	3000 K	≥ 80	DN130B LED20S/830 IA1 WH	39709800
	22W	50,000 hrs	2100 lm	4000 K	≥ 80	DN130B LED20S/840 IA1 WH	39710400
	22W	50,000 hrs	2100 lm	3000 K	≥ 80	DN131B LED20S/830 IA1 ALU	39711100
	22W	50,000 hrs	2100 lm	4000 K	≥ 80	DN131B LED20S/840 IA1 ALU	39712800
	26W	50,000 hrs	2100 lm	3000 K	≥ 80	DN130B LED20S/830 ELB3 IA1 WH	40053800
	26W	50,000 hrs	2100 lm	4000 K	≥ 80	DN130B LED20S/840 ELB3 IA1 WH	40054500
	26W	50,000 hrs	2100 lm	3000 K	≥ 80	DN131B LED20S/830 ELB3 IA1 ALU	40055200
	26W	50,000 hrs	2100 lm	4000 K	≥ 80	DN131B LED20S/840 ELB3 IA1 ALU	40056900
CoreLine slim downlight Interact Ready	27 W	50,000 hrs	2000 lm	3000 K	≥ 80	DN135B LED20S/830 IA1 WH	38922299
	27 W	50,000 hrs	2000 lm	4000 K	≥ 80	DN135B LED20S/840 IA1 WH	38924699
CoreLine panel Interact Ready	35 W	50,000 hrs	3600 lm	4000K	≥ 80	RC132V LED36S/840 W60L60 IA1 NOC	38516300
	35 W	50,000 hrs	3400 lm	3000K	≥ 80	RC132V LED34S/830 W60L60 IA1 NOC	38517000
	35 W	50,000 hrs	3600 lm	4000K	≥ 80	RC133V LED36S/840 W62L62 IA1 NOC	38518700
	35 W	50,000 hrs	3600 lm	4000K	≥ 80	RC132V LED36S/840 W30L120 IA1 NOC	38519400
	35 W	50,000 hrs	3600 lm	4000K	≥ 80	RC132V LED36S/840 W60L60 IA1 OC	38520000
	35 W	50,000 hrs	3400 lm	3000K	≥ 80	RC132V LED34S/830 W60L60 IA1 OC	38521700
	35 W	50,000 hrs	3600 lm	4000K	≥ 80	RC133V LED36S/840 W62L62 IA1 OC	38522400
	35 W	50,000 hrs	3600 lm	4000K	≥ 80	RC132V LED36S/840 W30L120 IA1 OC	38523100
	40 W	50,000 hrs	3600 lm	4000K	≥ 80	RC132V LED36S/840 W60L60 ELB3 IA1 NOC	40133700
	40 W	50,000 hrs	3600 lm	4000K	≥ 80	RC132V LED36S/840 W30L120 ELB3 IA1 NOC	40134400
	40 W	50,000 hrs	3600 lm	4000K	≥ 80	RC132V LED36S/840 W60L60 ELB3 IA1 OC	40135100
	40 W	50,000 hrs	3600 lm	4000K	≥ 80	RC132V LED36S/840 W30L120 ELB3 IA1 OC	40136800
CoreLine waterproof Interact Ready	30 W	50,000 hrs	4000 lm	4000K	≥ 80	WT120C G2 LED40S/840 IA1 L1200	39713500
	34.5 W	50,000 hrs	4000 lm	4000K	≥ 80	WT120C G2 LED40S/840 IA1 ELB3 L1200	39980100
	45.5 W	50,000 hrs	6000 lm	4000K	≥ 80	WT120C G2 LED60S/840 IA1 L1500	39714200
	50 W	50,000 hrs	6000 lm	4000K	≥ 80	WT120C G2 LED60S/840 IA1 ELB3 L1500	39981800
CoreLine batten Interact Ready	36 W	50,000 hrs	4100 lm	4000 K	≥ 80	BN124C LED41S/840 IA1 TW1 L1200	33733399
	44 W	50,000 hrs	5300 lm	4000 K	≥ 80	BN124C LED53S/840 IA1 TW1 L1500	33734099
CoreLine recessed luminaire Interact Ready	35.5W	50,000 hrs	3700 lm	4000 K	≥ 80	RC134B LED37S/840 W60L60 IA1 OC	99648500
	35.5W	50,000 hrs	3700 lm	4000 K	≥ 80	RC134B LED37S/840 W60L60 IA1 NOC	99649200
	35.5W	50,000 hrs	3700 lm	4000 K	≥ 80	RC134B LED37S/830 W60L60 IA1 NOC	99650800
	35.5W	50,000 hrs	3700 lm	4000 K	≥ 80	RC134B LED37S/830 W60L60 IA1 OC	99651500
	35.5W	50,000 hrs	3700 lm	4000 K	≥ 80	RC135B LED37S/840 W62L62 IA1 OC	99652200
	35.5W	50,000 hrs	3700 lm	4000 K	≥ 80	RC134B LED37S/840 W30L120 IA1 NOC	99653900
	35.5W	50,000 hrs	3700 lm	4000 K	≥ 80	RC134B LED37S/840 W30L120 IA1 OC	99654600
	35.5W	50,000 hrs	3700 lm	4000 K	≥ 80	RC135B LED37S/840 W62L62 IA1 NOC	99655300
	35.5W	50,000 hrs	3700 lm	4000 K	≥ 80	RC134B LED37S/830 W30L120 IA1 OC	99656000
	35.5W	50,000 hrs	3700 lm	4000 K	≥ 80	RC134B LED37S/830 W30L120 IA1 NOC	99657700
CoreLine recessed luminaire Interact Ready with emergency lighting (ELB3)*	39W	50,000 hrs	3700 lm	4000 K	≥ 80	RC134B LED37S/840 W60L60 ELB3 IA1 NOC	99658400
	39W	50,000 hrs	3700 lm	4000 K	≥ 80	RC134B LED37S/840 W60L60 ELB3 IA1 OC	99659100
	39W	50,000 hrs	3700 lm	4000 K	≥ 80	RC134B LED37S/840 W30L120 ELB3 IA1 OC	99660700
	39W	50,000 hrs	3700 lm	4000 K	≥ 80	RC134B LED37S/840 W30L120 ELB3 IA1 NOC	99661400

Product	Wattage	Lifetime	Luminous	Color temperature	CRI	Product description	EOC code
CoreLine surface-mounted luminaire Interact Ready	35.5W	50,000 hrs	3700 lm	4000K	≥ 80	SM134V LED37S/840 W20L120 IA1 NOC	99662100
	35.5W	50,000 hrs	3700 lm	4000K	≥ 80	SM134V LED37S/840 W20L120 IA1 OC	99663800
	35.5W	50,000 hrs	3700 lm	3000K	≥ 80	SM134V LED37S/830 W20L120 IA1 NOC	99664500
	35.5W	50,000 hrs	3700 lm	4000K	≥ 80	SM134V LED37S/840 W60L60 IA1 NOC	99665200
	35.5W	50,000 hrs	3700 lm	3000K	≥ 80	SM134V LED37S/830 W20L120 IA1 OC	99666900
	35.5W	50,000 hrs	3700 lm	4000K	≥ 80	SM134V LED37S/840 W60L60 IA1 OC	99667600
	35.5W	50,000 hrs	3700 lm	3000K	≥ 80	SM134V LED37S/830 W60L60 IA1 NOC	99668300
	35.5W	50,000 hrs	3700 lm	3000K	≥ 80	SM134V LED37S/830 W60L60 IA1 OC	99669000
	35.5W	50,000 hrs	3700 lm	3000K	≥ 80	SM134V LED37S/830 W60L60 IA1 OC	99669000
CoreLine surface-mounted Interact Ready with emergency lighting (ELB3)	39W	50,000 hrs	3700 lm	4000K	≥ 80	SM134V LED37S/840 W20L120 ELB3 IA1 OC	99670600
	39W	50,000 hrs	3700 lm	4000K	≥ 80	SM134V LED37S/840 W20L120 ELB3 IA1 NOC	99671300
	39W	50,000 hrs	3700 lm	4000K	≥ 80	SM134V LED37S/840 W60L60 ELB3 IA1 NOC	99672000
	39W	50,000 hrs	3700 lm	4000K	≥ 80	SM134V LED37S/840 W60L60 ELB3 IA1 OC	99673700
MasterConnect LEDtube T8 Ultra Output	16.5 W	50,000 hrs	2300 lm	3000 K	≥ 80	MAScon LEDtube IA 1200mm UO 16.5W830 T8	77342000
	16.5 W	50,000 hrs	2500 lm	4000 K	≥ 80	MAScon LEDtube IA 1200mm UO 16.5W840 T8	77344400
	16.5 W	50,000 hrs	2500 lm	6500 K	≥ 80	MAScon LEDtube IA 1200mm UO 16.5W865 T8	77346800
	25.5 W	50,000 hrs	3400 lm	3000 K	≥ 80	MAScon LEDtube IA 1500mm UO 25.5W830 T8	77348200
	25.5 W	50,000 hrs	3700 lm	4000 K	≥ 80	MAScon LEDtube IA 1500mm UO 25.5W840 T8	77350500
	25.5 W	50,000 hrs	3700 lm	6500 K	≥ 80	MAScon LEDtube IA 1500mm UO 25.5W865 T8	77352900

Product	Product description	EOC code
Switch Interact Ready	UID8450/10 ZGP Switch Dim 2B	44931800
Occupancy sensor Interact Ready	OCC SENSOR IA CM IP42 WH	77752700
For more information, visit www.philips.com/interact-ready		

interact Pro

Product	Product description	EOC code
Interact Pro wireless gateway	LCN1840/05 Wireless Gateway EU	77579000

