





Find out why real pros rely on Philips CoreLine: the full range of innovative high quality and easy-to-use LED lighting solutions for every project where light really matters.





When lighting really matters, you want to offer your customers the absolute best in quality and choice. The Philips CoreLine gives you all that and more with a full range of easy to install LED luminaires for every application and situation.

Enjoy more performance and variety with Philips CoreLine – the complete range of high quality LED lighting that's **setting the reference in the market**.



www.philips.com/coreline





# Easy-to-install


The efficient design of the CoreLine fixtures enables replacement of existing lights, with **no need for expensive re-wiring or new ceiling configurations**.



## **Innovative**

With **Philips CoreLine** you get much more than high quality and easy-to-install lighting solutions – you get LED lighting that's setting **the reference** in the industry. That's why CoreLine luminaires are the first Interact Ready LED luminaires and work seamlessly with the **intuitive Interact Pro app and dashboard**. It has never been easier to bring the power of connected lighting to small and medium-sized enterprises.

How the connected lighting system comes together





# High quality


At the heart of CoreLine's **high-quality light** is LED technology. Lasting up to 75,000 hours, its **long lifetime** enables you to meet every demand and provide the best lighting solution for every costumer.

#### CoreLine – an LED light for every need



# · Industry

- · Hard-working lighting with costs and safety in mind
- · Lighting that works harder while saving more
- Durable, cost-effective for more safety and health



# Office

- Productivity-enhancing lighting that people like working in
- Lighting that optimizes space and productivity
- · Smart, optimal lighting for more productivity and well-being



# Parking

- · Robust lighting that heightens safety while lowering costs
- Lighting that puts safety and convenience first
- Tough, safety-first lighting for more visibility and savings





CoreLine recessed spot



CoreLine slim downlight

# ·Retail

- Welcoming lighting that keeps customers coming back
- · Lighting that enhances the shopping experience
- Warm, inviting lighting for more sales and satisfaction



# Outdoor

- Save energy and improve road safety
- Reduce CO<sub>2</sub> emissions for a greener, more sustainable city
- Connect new and existing street lights quickly and easily

# Industry

- ✓ Reduce costs
- ✓ Optimize operations
- Enhance health and safety
- ✓ Improve sustainability

# CoreLine highbay

For warehouses and general manufacturing areas with medium/high height ceilings

- · Highly efficient with up to 140lm/W
- Long service life of 70,000 hrs at L70
- · Single point mounting system for simple installation
- · Low glare rating and color rendering of >80
- · Suitable for replacement of 250W/400W conventional highbays



# Availabe in three sizes:

- · Ø 385 mm
- · Ø 450 mm
- Ø 510 mm



Optional DALI dimming for further energy savings





# CoreLine waterproof

Waterproof luminaire for applications such as parking garages, warehouses or general lighting

- · Energy savings and longer lifetime reduce operating costs
- Refreshed, robust design enabling smarter, simpler and faster installation
- Uniform, wide-beam light distribution, which supports easy and attractive lighting design
- Optional motion detection, emergency lighting, DALI and waterproof external connector (WEC)







interact ready.

New

Energy-efficient and long lifetime: up to 140lm/W and 50khrs L75 lifetime Many options available: L600/1200/1500, up to 8000lm, 4000K Enhanced product architecture with improved electrical and mechanical design (longer sliders, better metal locks, toolless electrical connections)





# CoreLine trunking

# Designed for supermarkets, warehouses and assembly areas

- · Reduced maintenance and best lumens per € solution
- Excellent beam shapes and sparkle for product enhancement
- Lifetime: 50.000 hours L80

Highly efficient and reliable LED boards



Advanced optics enable precise and energy-saving beam shapes

DALI and emergency lighting options available



### CoreLine batten

# LED luminaires especially suitable for assembly lines and cove lighting

- Interact Ready version: integrated wireless antenna for use with Interact Pro app and dashboard
- · General lighting replacing conventional TL-D
- · Installation flexibility and lengths same as TL-D
- Excellent performance and light quality with frosted diffuser
- Direct replacement for conventional battens in terms of light performance, installation, flexibility and length
- Lifetime: 50,000 hours L70



interact ready.



TL-D

DALI and emergency lighting options available





# Offices

- ✓ Optimize operations
- Enhance productivity
- ✓ Support sustainability goals
- ✓ Optimize space

### CoreLine recessed luminaire

Recessed office LED luminaire for general lighting applications

- Interact Ready version: integrated wireless antenna for use with Interact Pro app and dashboard
- Easy connection (with looping)
- Flicker-free thanks to high performance driver
- Lifetime: 50,000 hours L70



**Slim design** with a height of less than 35 mm

Office compliant optic available – OC version

Suitable for plaster ceiling installation



### CoreLine surface mounted luminaire

Surface mounted LED luminaire for general lighting applications

- Easy connection (with looping)
- Interact Ready version: integrated wireless antenna for use with Interact Pro app and dashboard
- · Slim design and <47 mm height
- Lifetime: 50,000 hours L70

interact ready.



as an accessory



ceilings (see above)

DALI and emergency lighting options available





# CoreLine panel

#### Recessed office LED luminaire for general lighting applications

- Interact Ready version: integrated wireless antenna for use with Interact Pro app and dashboard
- Slim and robust housing made from aluminum
- Flicker-free luminaire with high-performance driver
- · Office compliant versions available (UGR<19)
- · Recessed, surface mounted and suspended applications
- · Optional emergency lighting
- · 4300lm light output up to 123lm/W
- Lifetime: 50,000 hours L75

interact ready.



Mounting accessoires available



Easy installation

# Different sizes available:

- 600 × 600 mm
- 622 × 622 mm
- 300 × 1200 mm
- 300 × 600 mm





# CoreLine downlight

# The perfect downlight for use in general lighting applications

- Interact Ready version: integrated wireless antenna for use with Interact Pro app and dashboard
- · Covers more professional applications due to dimming options and different optics (white and high gloss reflector)
- · Reliable DALI and innovative connectivity options (Interact)
- IP54 and emergency lighting versions optionally available
- Lifetime: 50,000 hours L70
- · Up to 115 lm/W



interact
ready.





# Two sizes and lumen outputs available:

- Ø 150 mm 1100lm
- Ø 200 mm 2200lm



# Parking

- ✓ Optimize operations
- Enhance safety
- ✓ Decreased operational costs

New

✓ Improve visibility

# CoreLine waterproof

Waterproof luminaire for applications such as parking garages, warehouses or general lighting

- · Energy savings and longer lifetime reduce operating costs
- · Refreshed, robust design enabling smarter, simpler and faster installation
- Uniform, wide-beam light distribution, which supports easy and attractive lighting design
- Optional motion detection, emergency lighting, DALI and waterproof external connector (WEC)







interact ready.

Energy-efficient and long lifetime: up to 140lm/W and 50khrs L75 lifetime Many options available: L600/1200/1500, up to 8000lm, 4000K Enhanced product architecture with improved electrical and mechanical design (longer sliders, better metal locks, toolless electrical connections)





### CoreLine wall-mounted

#### For circulation areas such as hallways and staircases

- · Universal solution covering various application requirements
- · Direct replacement of traditional wall-mounted luminaires
- · Delivering the right visual comfort in common areas
- Water- and vandalproof as standard (IP65/IK08)
- · Optional motion detection with grouping function
- · Optional emergency lighting and DALI versions
- Lifetime: 50,000 hours L70











### CoreLine batten

#### For production areas with low ceilings

- · General lighting replacing conventional TL-D
- Lifetime: 50,000 hours L70
- · Installation flexibility and lengths same as TL-D
- Excellent performance and light quality thanks to frosted diffuser
- · Available wattage: 19W, 38W, 60W



Reliable integrated LED technology, ensuring maintenance-free installation and a long lifetime

Frosted diffuser ensures visual comfort





# Retail

- ✓ Enhance experience
- ✓ Engage customers
- ✓ Improve sustainability
- ✓ Optimize operations

# CoreLine projector

#### Accent lighting for retail or hospitality areas

- Modern design that blends in to most interiors
- · Direct replacement of traditional CDM projectors
- · Connectable to standard 3C track systems
- Medium beam (23D) or wide beam angle (36D) available
- Energy efficient: up to 90lm/W
- Lifetime: 50,000 hours L70





Recessed lens providing visual comfort









# CoreLine recessed spot

#### Recessed spot for accent lighting purposes

- Interact Ready version: integrated wireless antenna for use with Interact Pro app and dashboard
- · High-end materials for decorative applications and special anti-glare optics
- Flicker-free luminaire with high-performance driver
- Dimmable on wide range of wall-dimmers
- · Multiple rims available in white, aluminium and black
- · Slim design fits most ceiling types
- Lifetime: 50,000 hours L70





#### Three lumen outputs available:

- 650lm
- · 900lm
- · 1200lm



# CoreLine slim downlight

#### The ultra thin downlight for general lighting applications with limited built-in-height

- · Interact Ready version: integrated wireless antenna for use with Interact Pro app and dashboard
- · 'Surface of light' downlight solution
- · Product height of less than 50 mm
- · Recessed and surface mounted version available
- · Slim design fits most ceiling types
- Lifetime: 50,000 hours L70



Easy installation



#### Three sizes and lumen outputs available:

- Ø 68 mm/650lm
- Ø 150 mm/1100lm
- · Ø 200 mm/2100lm





interact

ready.

# Outdoor

- ✓ Enhance experience
- ✓ Engage customers
- ✓ Improve sustainability
- ✓ Optimize operations

### CoreLine bollard

Professional bollard that gives guidance at night time and integrates well in most urban landscapes such as parks, squares and playgrounds, thanks to its discreet design

- Comfortable light
- · Easy to install
- · Saves energy compared to conventional lamps

Available with symmetric and asymmetric optic. Ground section anchor accessory.

- 1000lm system output
- 1 m height
- IP65 / IK10

Available in warm white and neutral white



## CoreLine malaga

Designed for general road, street and residential application

- Reliable quality: aluminum die-cast housing and tempered flat glass
- · Maintainable, driver can be replaced
- IP65 and IK08 provide durable operation



Available in **two optics** (DM and DW) and **two sizes** 

Easy return on investment. The investment in the luminaire, by saving lamp changes required for SON-T lamp luminaires, is already re-payed.

Energy savings of 50% reduce yearly running costs of the installation.

Available in 3700lm, 5500lm, 7500lm and 11000lm.





## CoreLine tempo

Professional floodlight for general outdoor lighting, perfect for sports facilities, parking lots and industrial areas

- · Replacement of conventional floodlights up to 400W
- · High-performance asymmetrical and symmetrical optics
- U-shaped universal mounting bracket and external quick 3-pole IP68 connector
- Reliable quality: Die-casting aluminum housing guarantees robustness, vibration-proof, wind force protection



# Product available in 4 types/sizes:

- · <u>CoreLine tempo small</u> BVP110 - Length 285 mm
- CoreLine tempo medium BVP125 - Length 383 mm
- <u>CoreLine tempo large</u> BVP130 - Length 486 mm
- CoreLine tempo X-large BVP140 - Length: 583 mm

Click on product type to download family leaflet

Warm white and neutral white available

Seaside resistant treatment and swimming pool protection options available



