

©2019 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify.

PILA_LinearHighBay_spec 06/20 page 1 of 2

Product offering

Catalog Code	Description	UPC Code	Case Qty. (pc/carton)	Pallet Qty. (pc/pallet)
LH24L40KU	High Bay, 183W, 24000 LUMENS, 4000K, 120-277V	190096131082	4	36

Technical specifications

Nominal power	183W	
Nominal lumens	24000lm	
Input voltage	120-277V, 50/60Hz	
сст	4000K	
CRI	>80	
Material and finishing	White painted finish, steel housing and wireway cover, polycarbonate diffuser	
Mounting	Suspended only: 3.5ft hanging cable kit included	
Weight	8.4lb (3.8kg)	
IP/IK rating	IP20 / IK02	

Operating temperature range	14F to 104F (-10C to 40C)	
Lifetime	30K hrs @ L70 B50 @ Ta 25°C	
Compliance	cETLus listed for use in damp locations	
Warranty	3-year limited warranty	

Linear High Bay

Project:			
Location:			
Cat.No:			
Type:			
Notes:			

The Pila LH LED linear high bay is a sturdy, low glare suspended luminaire.It is the perfect option for economical general illumination of warehouses, light industrial, big box retail, and storage areas.








Luminaire



Dimensions







©2019 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify.

www.pila-led.com/en-us www.pila-led.com/en-ca www.pila-led.com/fr-ca

PILA_LinearHighBay_spec 06/20 page 2 of 2