



# Energy savings, compact size

## PL-L Energy Advantage

Philips Linear Compact Fluorescent Lamps offer designers, specifiers and end-users new levels of efficiencies and versatility in sizes, configurations and application possibilities. With so many elegant fixtures available to complement their small size, high light output and advanced technology, Philips Energy Advantage lamps are fast becoming the preferred choice when maximum efficiency and sleek design solutions are required.

### Benefits

- 20% energy savings when compared to PL-L 40W
- Sustainable lighting solution - only 1.4mg of mercury per lamp
- Direct replacement for PL-L 40W lamp - no new ballast required
- Instant Start ballast\*
- \* On Instant Start ballast - a Standard PL-L 40W only draws 32 Watts, so the actual savings is 7 Watts (32W - 25W = 7W)

### Features


- Save energy without changing a ballast
- Broad range of color temperatures
- High light output in a compact size
- Excellent color rendering

### Application

- Ideal for applications requiring maximum energy savings


# PL-L Energy Advantage

## Versions



LPPR PLLXEW 40W

## Dimensional drawing



Product	D (max)	D1 (max)	A (max)	B (max)	C (max)
PL-L 40W/830/XEW/4P/IS 25W 1CT/25	39.0 mm	18.0 mm	539.2 mm	565.0 mm	571.6 mm
PL-L 40W/835/XEW/4P/IS 25W 1CT/25	39.0 mm	18.0 mm	539.2 mm	565.0 mm	571.6 mm
PL-L 40W/841/XEW/4P/IS 25W 1CT/25	39.0 mm	18.0 mm	539.2 mm	565.0 mm	571.6 mm

General Information	
Cap-Base	2G11
Light Technical	
Luminous Flux	2.600 lm
Operating and Electrical	
Lamp Current (Nom)	0.285 A
Controls and Dimming	
Dimmable	Yes
Approval and Application	
Mercury (Hg) Content (Nom)	1.4 mg

## Light Technical

Order Code	Full Product Name	Color Designation	Correlated Color Temperature (Nom)	Color rendering index (CRI)
927908383021	PL-L 40W/830/XEW/4P/I S 25W 1CT/25	Warm White (WW)	3000 K	>80

Order Code	Full Product Name	Color Designation	Correlated Color Temperature (Nom)	Color rendering index (CRI)
927908383521	PL-L 40W/835/XEW/4P/I S 25W 1CT/25	White (WH)	3500 K	82

# PL-L Energy Advantage

Order Code	Full Product Name	Color	Correlated Color	Color
		Designation	Temperature (Nom)	rendering index (CRI)
927908384121	PL-L 40W/841/XEW/4P/I S 25W 1CT/25	Cool White (CW)	4100 K	80

## Operating and Electrical

Order Code	Full Product Name	Power Consumption
927908383021	PL-L 40W/830/XEW/4P/IS 25W 1CT25	29.0 W
927908383521	PL-L 40W/835/XEW/4P/IS 25W 1CT/25	29.0 W

Order Code	Full Product Name	Power Consumption
927908384121	PL-L 40W/841/XEW/4P/IS 25W 1CT/25	29 W

