




Digital ignitors for maximum reliability

HID ignitors for series systems

HID ignitors for series systems

Benefits

- Easy installation and wiring
- Can operate with both semi-parallel and series ballasts
- Digital ignitors ensure maximum reliability

Features

- Ignitors equipped with screw terminal blocks as standard
- Series ignitor will only work in series circuits


Application

- Outdoor lighting (most popular application: road and tunnel lighting)

Versions




GPPR SN 0002



GPPR SUD PHL 0001

HID ignitors for series systems

Versions




GPPR SI 0001




GPPR SI 0003


Dimensional drawing



Product	D1	C1	A1	A2	B1
SI 51 220-240V 50/60Hz	4.3 mm	38.0 mm	84.5 mm	65.0 mm	41.0 mm
SI 52 220-240V 50/60Hz	4.3 mm	38.0 mm	84.5 mm	65.0 mm	41.0 mm




Product	D1	C1	A1	A2	B1
SI 54 380-415V 50/60Hz	4.3 mm	38.0 mm	114.5 mm	95.0 mm	41.0 mm




Product	D1	C1	A1	A2	B1
SN 56 220-240V 50/60Hz	4.3 mm	38.0 mm	114.5 mm	95.0 mm	41.0 mm
SN 59 220-240V 50/60Hz	4.3 mm	38.0 mm	114.5 mm	95.0 mm	41.0 mm

HID ignitors for series systems


Dimensional drawing




Product	D1	C1	A1	A2	B1
SND 88 400V 50/60Hz	4.3 mm	38.5 mm	114.5 mm	95.0 mm	41.5 mm



Product	D1	C1	A1	A2	B1
SND 57 220-240V 50/60Hz	4.3 mm	38.5 mm	84.5 mm	65.0 mm	41.5 mm
SND 58 220-240V 50/60Hz	4.3 mm	38.5 mm	84.5 mm	65.0 mm	41.5 mm




Product	C1	A1	A3	B1
SUD 40-S 220-240V 50/60Hz	32 mm	78 mm	62 mm	36 mm



Product	C1	A1	B1
SX 73 220-240V 50/60Hz	38.5 mm	85.5 mm	41.5 mm

HID ignitors for series systems

Dimensional drawing



Product	D1	C1	A1	A2	B1
SX 76 220-240V 50/60Hz	4.3 mm	38.0 mm	114.5 mm	95.0 mm	41.0 mm

Product details



SND 88 & 89

Operating and Electrical

Input Frequency	50 to 60 Hz
-----------------	-------------

Operating and Electrical

Order Code	Full Product Name	Input Voltage	Line Frequency
913619669966	SN 56 220-240V 50/60Hz	220 to 240 V	-
913619149966	SI 54 380-415V 50/60Hz	380 to 415 V	50 to 60 Hz
913700184966	SND 57 220-240V 50/60Hz	220 to 240 V	50 to 60 Hz
913700185166	SND 58 220-240V 50/60Hz	220 to 240 V	50 to 60 Hz
913700615067	SND 88 400V 50/60Hz	400 V	50 to 60 Hz
913700193591	SUD 40-S 220-240V 50/60Hz	220 to 240 V	50 to 60 Hz

Order Code	Full Product Name	Input Voltage	Line Frequency
913619519966	SI 51 220-240V 50/60Hz	220 to 240 V	50 to 60 Hz
913619659966	SN 59 220-240V 50/60Hz	220 to 240 V	50 to 60 Hz
913650050566	SX 76 220-240V 50/60Hz	220 to 240 V	50 to 60 Hz
913700625466	SX 73 220-240V 50/60Hz	220 to 240 V	50 to 60 Hz
913619529966	SI 52 220-240V 50/60Hz	220 to 240 V	50 to 60 Hz

Mechanical and Housing

Order Code	Full Product Name	Housing
913619669966	SN 56 220-240V 50/60Hz	SNI-115
913619149966	SI 54 380-415V 50/60Hz	SNI-115
913700184966	SND 57 220-240V 50/60Hz	SNI-85
913700185166	SND 58 220-240V 50/60Hz	SNI-85
913700615067	SND 88 400V 50/60Hz	SNI-115
913700193591	SUD 40-S 220-240V 50/60Hz	-

Order Code	Full Product Name	Housing
913619519966	SI 51 220-240V 50/60Hz	SNI-85
913619659966	SN 59 220-240V 50/60Hz	SNI-115
913650050566	SX 76 220-240V 50/60Hz	SNI-115
913700625466	SX 73 220-240V 50/60Hz	SNI-85
913619529966	SI 52 220-240V 50/60Hz	SNI-85

HID ignitors for series systems

