



# MASTER LEDspot LV - The ideal solution for spot lighting

## MASTER LEDspot LV

Delivering a warm, halogen-like accent beam, MASTER LEDspot LV is an ideal retrofit solution for spot and general lighting applications in the hospitality industry. It is particularly suited to public areas such as receptions, lobbies, corridors, stairwells and washrooms, where the light is on all the time. The robustly designed MASTER LEDspot offers a choice of beam angles for a clearly defined beam spread. There is no UV or IR in the beam, making it suitable for illuminating heat-sensitive objects (food, organic materials, paintings, etc.). The patented intelligent driver enables broad compatibility with existing electromagnetic and electronic halogen transformers. The dimmable versions drive further efficiencies, while helping to create the desired atmosphere.

### Benefits

### Features

### Application

### Warnings and Safety

# MASTER LEDspot LV

## Versions




GU5.3 MR16



GU5.3 MR16

## Dimensional drawing



Product	D	C
MASTER LED 4-35W 2700K MR16 24D	50 mm	49 mm
MASTER LED 5.5-50W 3000K MR16 24D	50.2 mm	49 mm
MASTER LED 5.5-50W 4000K MR16 36D	50.2 mm	49 mm
MASTER LED 5.5-50W 2700K MR16 24D	50.2 mm	49 mm
MASTER LED 5.5-50W 2700K MR16 36D	50.2 mm	49 mm
MASTER LED 5.5-50W 4000K MR16 24D	50.2 mm	49 mm

### Controls and Dimming

Dimmable	No
----------	----

### Operating and Electrical

Voltage (Nom)	12 V
Starting Time (Nom)	0.5 s

### General Information

Cap-Base	GU5.3
Nominal Lifetime (Nom)	25000 h
Switching Cycle	50000X

### Light Technical

Color Rendering Index (Nom)	80
Llmf At End Of Nominal Lifetime (Nom)	70 %

### Mechanical and Housing

Bulb Shape	MR16
------------	------

## Approval and Application

Order Code	Full Product Name	Energy Consumption kWh/1000 h	Energy Efficiency Label (EEL)
929001145908	MASTER LED 5.5-50W 2700K MR16 24D	-	-
929001146108	MASTER LED 5.5-50W 2700K MR16 36D	-	-
929001146708	MASTER LED 5.5-50W 3000K MR16 24D	-	-
929001146808	MASTER LED 5.5-50W 4000K MR16 24D	-	-
929001146908	MASTER LED 5.5-50W 4000K MR16 36D	-	-
929001147408	MASTER LED 4-35W 2700K MR16 24D	4 kWh	A+

## Operating and Electrical

# MASTER LEDspot LV

Order Code	Full Product Name	Wattage Equivalent	Power (Rated) (Nom)
929001145908	MASTER LED 5.5-50W 2700K MR16 24D	50 W	5.5 W
929001146108	MASTER LED 5.5-50W 2700K MR16 36D	50 W	5.5 W
929001146708	MASTER LED 5.5-50W 3000K MR16 24D	50 W	5.5 W

Order Code	Full Product Name	Wattage Equivalent	Power (Rated) (Nom)
929001146808	MASTER LED 5.5-50W 4000K MR16 24D	50 W	5.5 W
929001146908	MASTER LED 5.5-50W 4000K MR16 36D	50 W	5.5 W
929001147408	MASTER LED 4-35W 2700K MR16 24D	35 W	4 W

## Light Technical (1/2)

Order Code	Full Product Name	Beam		Correlated Color	
		Angle (Nom)	Color Code	Temperature (Nom)	Luminous Flux (Nom)
929001145908	MASTER LED 5.5-50W 2700K MR16 24D	24°	827	2700 K	415 lm
929001146108	MASTER LED 5.5-50W 2700K MR16 36D	36°	827	2700 K	415 lm
929001146708	MASTER LED 5.5-50W 3000K MR16 24D	24°	830	3000 K	425 lm

Order Code	Full Product Name	Beam		Correlated Color	
		Angle (Nom)	Color Code	Temperature (Nom)	Luminous Flux (Nom)
929001146808	MASTER LED 5.5-50W 4000K MR16 24D	24°	841	4000 K	450 lm
929001146908	MASTER LED 5.5-50W 4000K MR16 36D	36°	841	4000 K	450 lm
929001147408	MASTER LED 4-35W 2700K MR16 24D	24°	827	2700 K	240 lm




## Light Technical (2/2)

Order Code	Full Product Name	Luminous Intensity (Nom)
929001145908	MASTER LED 5.5-50W 2700K MR16 24D	1800 cd
929001146108	MASTER LED 5.5-50W 2700K MR16 36D	1000 cd
929001146708	MASTER LED 5.5-50W 3000K MR16 24D	1800 cd


Order Code	Full Product Name	Luminous Intensity (Nom)
929001146808	MASTER LED 5.5-50W 4000K MR16 24D	1800 cd
929001146908	MASTER LED 5.5-50W 4000K MR16 36D	1000 cd
929001147408	MASTER LED 4-35W 2700K MR16 24D	1000 cd

## Temperature

Order Code	Full Product Name	T-Case Maximum (Nom)
929001145908	MASTER LED 5.5-50W 2700K MR16 24D	95 °C
929001146108	MASTER LED 5.5-50W 2700K MR16 36D	95 °C
929001146708	MASTER LED 5.5-50W 3000K MR16 24D	95 °C
929001146808	MASTER LED 5.5-50W 4000K MR16 24D	95 °C
929001146908	MASTER LED 5.5-50W 4000K MR16 36D	95 °C
929001147408	MASTER LED 4-35W 2700K MR16 24D	65 °C




# MASTER LEDspot LV




120

# MASTER LEDspot LV


## Accent Diagrams




**MASTER LED 5.5-50W MR16 GU5.3 2700K**  
415lm 24D




**MASTER LED 5.5-50W MR16 GU5.3 2700K**  
415lm 36D




**MASTER LED 5.5-50W MR16 GU5.3 3000K**  
425lm 24D




**MASTER LED 5.5-50W MR16 GU5.3 4000K**  
450lm 24D




**MASTER LED 5.5-50W MR16 GU5.3 4000K**  
450lm 36D




## Beam Diagrams



**MASTER LED 5.5-50W MR16 GU5.3 2700K**  
415lm 24D




**MASTER LED 5.5-50W MR16 GU5.3 2700K**  
415lm 36D




**MASTER LED 5.5-50W MR16 GU5.3 3000K**  
425lm 24D

# MASTER LEDspot LV


## Beam Diagrams



MASTER LED 5.5-50W MR16 GU5.3 4000K  
450lm 24D



MASTER LED 5.5-50W MR16 GU5.3 4000K  
450lm 36D



SDBE\_LEDspotL\_0112-Beam diagram

