



MASTER LEDspot PAR – The energy-saving alternative for lighting in public areas

MASTER LEDspot PAR

With its robust design and warm-white beam of light, these new-generation PAR lamps are ideal for general lighting and spot lighting in the hospitality industry. There is a choice of dimmable and non-dimmable versions. They are especially suitable for public areas such as lobbies, corridors, stairwells, where the light is always on. Compatible with existing fixtures with an E27 holder and designed for retrofit replacement of halogen/incandescent lamps, MASTER LEDspot PAR deliver huge energy savings and minimize maintenance cost without any reduction in brightness. The IP44-rated outdoor version of the PAR 38 lamp is one of the few energy-saving alternatives to incandescent PAR38 outdoor lamps available today. The dimmable PAR 20 is a perfect replacement for an incandescent spot.

Benefits

- Up to 80% energy saving compared to halogen lamps
- Retrofittable and compatible with existing fixtures with E27 holder
- Lower maintenance costs

Features

- Lifetime of 45,000 hours
- Dimmable
- UV- and IR-free light for less heat and protection for heat-sensitive objects
- Free of mercury and hazardous materials

MASTER LEDspot PAR



Application

- Especially suitable for public areas like lobbies, corridors, stairwells and restaurants/bars

Versions



Dimensional drawing




Product	D	C
MAS LEDspot D 13-100W E27 927 PAR38 25D	122 mm	134 mm

Product	D	C
Master LED PAR30L 32W 30D 857	95.5 mm	129 mm
Master LED PAR30L 32W 30D 840	95.5 mm	129 mm
Master LED PAR30L 40W 30D 840	95.5 mm	129 mm
Master LED PAR30L 40W 15D 840	95.5 mm	129 mm
Master LED PAR30L 40W 15D 857	95.5 mm	129 mm
Master LED PAR30L 40W 30D 857	95.5 mm	129 mm
Master LED PAR30L 40W 30D 827	95.5 mm	129 mm
Master LED PAR30L 40W 15D 827	95.5 mm	129 mm
Master LED PAR30L 40W 15D 830	95.5 mm	129 mm
Master LED PAR30L 40W 30D 830	95.5 mm	129 mm

MASTER LEDspot PAR

Dimensional drawing



Product	D	C
MAS LEDspot D 6-50W E27 827 PAR20 25D	64 mm	85 mm

Approval and Application	
Energy Efficiency Label (EEL)	A+
Operating and Electrical	
Input Frequency	50 to 60 Hz
Voltage (Nom)	220-240 V
Starting Time (Nom)	0.5 s
General Information	
Cap-Base	E27
Nominal Lifetime (Nom)	25000 h
Light Technical	
Llmf At End Of Nominal Lifetime (Nom)	70 %

Approval and Application

Order Code	Full Product Name	Energy Consumption kWh/1000 h
929001317408	MAS LEDspot D 6-50W E27 827 PAR20 25D	6 kWh
929001322508	MAS LEDspot D 13-100W E27 927 PAR38 25D	13 kWh
929001354808	Master LED PAR30L 32W 30D 840	32 kWh
929001354908	Master LED PAR30L 32W 30D 857	32 kWh
929001374308	Master LED PAR30L 40W 15D 827	40 kWh

Order Code	Full Product Name	Energy Consumption kWh/1000 h
929001374408	Master LED PAR30L 40W 15D 830	40 kWh
929001374508	Master LED PAR30L 40W 15D 840	40 kWh
929001374608	Master LED PAR30L 40W 15D 857	40 kWh
929001374708	Master LED PAR30L 40W 30D 827	40 kWh
929001374808	Master LED PAR30L 40W 30D 830	40 kWh
929001374908	Master LED PAR30L 40W 30D 840	40 kWh
929001375008	Master LED PAR30L 40W 30D 857	40 kWh

Controls and Dimming

Order Code	Full Product Name	Dimmable
929001317408	MAS LEDspot D 6-50W E27 827 PAR20 25D	Yes
929001322508	MAS LEDspot D 13-100W E27 927 PAR38 25D	Yes
929001354808	Master LED PAR30L 32W 30D 840	No
929001354908	Master LED PAR30L 32W 30D 857	No
929001374308	Master LED PAR30L 40W 15D 827	No
929001374408	Master LED PAR30L 40W 15D 830	No

Order Code	Full Product Name	Dimmable
929001374508	Master LED PAR30L 40W 15D 840	No
929001374608	Master LED PAR30L 40W 15D 857	No
929001374708	Master LED PAR30L 40W 30D 827	No
929001374808	Master LED PAR30L 40W 30D 830	No
929001374908	Master LED PAR30L 40W 30D 840	No
929001375008	Master LED PAR30L 40W 30D 857	No

Operating and Electrical

MASTER LEDspot PAR

Order Code	Full Product Name	Wattage Equivalent	Power (Rated) (Nom)
929001317408	MAS LEDspot D 6-50W E27 827 PAR20 25D	50 W	6 W
929001322508	MAS LEDspot D 13-100W E27 927 PAR38 25D	100 W	13 W
929001354808	Master LED PAR30L 32W 30D 840	50 W	32 W
929001354908	Master LED PAR30L 32W 30D 857	50 W	32 W
929001374308	Master LED PAR30L 40W 15D 827	70 W	40 W
929001374408	Master LED PAR30L 40W 15D 830	70 W	40 W

Order Code	Full Product Name	Wattage Equivalent	Power (Rated) (Nom)
929001374508	Master LED PAR30L 40W 15D 840	70 W	40 W
929001374608	Master LED PAR30L 40W 15D 857	70 W	40 W
929001374708	Master LED PAR30L 40W 30D 827	70 W	40 W
929001374808	Master LED PAR30L 40W 30D 830	70 W	40 W
929001374908	Master LED PAR30L 40W 30D 840	70 W	40 W
929001375008	Master LED PAR30L 40W 30D 857	70 W	40 W

General Information

Order Code	Full Product Name	Switching Cycle
929001317408	MAS LEDspot D 6-50W E27 827 PAR20 25D	-
929001322508	MAS LEDspot D 13-100W E27 927 PAR38 25D	-
929001354808	Master LED PAR30L 32W 30D 840	50000X
929001354908	Master LED PAR30L 32W 30D 857	50000X
929001374308	Master LED PAR30L 40W 15D 827	50000X
929001374408	Master LED PAR30L 40W 15D 830	50000X

Order Code	Full Product Name	Switching Cycle
929001374508	Master LED PAR30L 40W 15D 840	50000X
929001374608	Master LED PAR30L 40W 15D 857	50000X
929001374708	Master LED PAR30L 40W 30D 827	50000X
929001374808	Master LED PAR30L 40W 30D 830	50000X
929001374908	Master LED PAR30L 40W 30D 840	50000X
929001375008	Master LED PAR30L 40W 30D 857	50000X

Light Technical

Order Code	Full Product Name	Beam Angle (Nom)	Colour Code	Correlated Colour Temperature (Nom)	Colour		
					Rendering Index (Nom)	Luminous Flux (Nom)	Luminous Intensity (Nom)
929001317408	MAS LEDspot D 6-50W E27 827 PAR20 25D	25 °	827	2700 K	80	520 lm	1500 cd
929001322508	MAS LEDspot D 13-100W E27 927 PAR38 25D	25 °	927	2700 K	90	1000 lm	4000 cd
929001354808	Master LED PAR30L 32W 30D 840	30 °	840	4000 K	82	3000 lm	-
929001354908	Master LED PAR30L 32W 30D 857	30 °	857	5700 K	82	3000 lm	-
929001374308	Master LED PAR30L 40W 15D 827	15 °	827	2700 K	82	3850 lm	38500 cd
929001374408	Master LED PAR30L 40W 15D 830	15 °	830	3000 K	82	4000 lm	40000 cd
929001374508	Master LED PAR30L 40W 15D 840	15 °	840	4000 K	82	4200 lm	42000 cd
929001374608	Master LED PAR30L 40W 15D 857	15 °	857	5700 K	82	4200 lm	42000 cd
929001374708	Master LED PAR30L 40W 30D 827	30 °	827	2700 K	82	4300 lm	13000 cd
929001374808	Master LED PAR30L 40W 30D 830	30 °	830	3000 K	82	4500 lm	13500 cd
929001374908	Master LED PAR30L 40W 30D 840	30 °	840	4000 K	82	4600 lm	14000 cd
929001375008	Master LED PAR30L 40W 30D 857	30 °	857	5700 K	82	4600 lm	14000 cd

Mechanical and Housing

Order Code	Full Product Name	Bulb Shape
929001317408	MAS LEDspot D 6-50W E27 827 PAR20 25D	PAR20
929001322508	MAS LEDspot D 13-100W E27 927 PAR38 25D	PAR38
929001354808	Master LED PAR30L 32W 30D 840	PAR30L
929001354908	Master LED PAR30L 32W 30D 857	PAR30L

Order Code	Full Product Name	Bulb Shape
929001374308	Master LED PAR30L 40W 15D 827	PAR30L
929001374408	Master LED PAR30L 40W 15D 830	PAR30L
929001374508	Master LED PAR30L 40W 15D 840	PAR30L
929001374608	Master LED PAR30L 40W 15D 857	PAR30L








MASTER LEDspot PAR

Order Code	Full Product Name	Bulb Shape
929001374708	Master LED PAR30L 40W 30D 827	PAR30L
929001374808	Master LED PAR30L 40W 30D 830	PAR30L



Order Code	Full Product Name	Bulb Shape
929001374908	Master LED PAR30L 40W 30D 840	PAR30L
929001375008	Master LED PAR30L 40W 30D 857	PAR30L

Temperature




Order Code	Full Product Name	T-Case Maximum (Nom)
929001317408	MAS LEDspot D 6-50W E27 827 PAR20 25D	-
929001322508	MAS LEDspot D 13-100W E27 927 PAR38 25D	-
929001354808	Master LED PAR30L 32W 30D 840	79 °C
929001354908	Master LED PAR30L 32W 30D 857	79 °C
929001374308	Master LED PAR30L 40W 15D 827	90 °C
929001374408	Master LED PAR30L 40W 15D 830	90 °C
929001374508	Master LED PAR30L 40W 15D 840	90 °C
929001374608	Master LED PAR30L 40W 15D 857	90 °C
929001374708	Master LED PAR30L 40W 30D 827	90 °C
929001374808	Master LED PAR30L 40W 30D 830	90 °C
929001374908	Master LED PAR30L 40W 30D 840	90 °C
929001375008	Master LED PAR30L 40W 30D 857	90 °C



MASTER LEDspot PAR



Accent Diagrams




MASTER LEDspot PAR 50W E27 827 25D

MASTER LEDspot PAR 100W E27 827 25D


LEDspot PAR30L E27 32W 4000K 30D

MASTER LEDspot PAR


Accent Diagrams




LEDspot PAR30L E27 5700K 30D




LEDspot MAS 37W E27 PAR30L 827 15D ND




LEDspot MAS 37W E27 PAR30L 830 15D ND




LEDspot E27 PAR30L 35W 4000K




LEDspot E27 PAR30L 35W 6000K




LEDspot MAS 41W E27 PAR30L 827 30D ND



LEDspot MAS 41W E27 PAR30L 830 30D ND




LEDspot E27 PAR30L 40W 4000K




LEDspot E27 PAR30L 40W 6000K


Beam Diagrams



MASTER LEDspot PAR 50W E27 827 25D




MASTER LEDspot PAR 100W E27 827 25D




LEDspot PAR30L E27 32W 4000K 30D

MASTER LEDspot PAR


Beam Diagrams




LEDspot PAR30L E27 5700K 30D




LEDspot MAS 37W E27 PAR30L 827 15D ND




LEDspot MAS 37W E27 PAR30L 830 15D ND




LEDspot E27 PAR30L 35W 4000K




LEDspot E27 PAR30L 35W 6000K




LEDspot MAS 41W E27 PAR30L 827 30D ND



LEDspot MAS 41W E27 PAR30L 830 30D ND



LEDspot E27 PAR30L 40W 4000K



LEDspot E27 PAR30L 40W 6000K

