



Product Description

Blue (/52) TL/TL-D

Tubular or compact single-ended low-pressure mercury vapour fluorescent lamps

Benefits

- Optimal spectrum for photo-oxidative process to convert unconjugated bilirubin into a watersoluble form
- Optimal spectrum for photo-oxidative process to convert unconjugated bilirubin into a watersoluble form

Features

- Emission peak at 450 nm
- Emit radiation for therapeutic and other applications

Application

- Medical treatment of jaundice in new-born babies (hyperbilirubinaemia), Crigler - Najjar (CN) syndrome
- Medical treatment of jaundice in new-born babies (hyperbilirubinaemia)

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Blue (/52) TL/TL-D


Versions



XPPR XUATL G13


XPPR XUATLD 0002

Dimensional drawing



Product	D (max)	A (max)	B (max)	B (min)	C (max)
TL 20W/52 SLV/25	40.5 mm	589.8 mm	596.9 mm	594.5 mm	604 mm

Product	D (max)	A (max)	B (max)	B (min)	C (max)
TL-D 18W/52	28 mm	589.8 mm	596.9 mm	594.5 mm	604 mm



General Information

Cap-Base G13

Light Technical

Color Code 52

Operating and Electrical

Lamp Current (Nom) 0.36 A

Voltage (Nom) 59 V

Light Technical

Blue (/52) TL/TL-D

Order Code	Full Product Name	Luminous Flux
928003505203	TL 20W/52 SLV/25	318 lm

Order Code	Full Product Name	Luminous Flux
928048005211	TL-D 18W/52	395 lm

Operating and Electrical

Order Code	Full Product Name	Power Consumption
928003505203	TL 20W/52 SLV/25	19.3 W

Order Code	Full Product Name	Power Consumption
928048005211	TL-D 18W/52	18 W

Controls and Dimming

Order Code	Full Product Name	Dimmable
928003505203	TL 20W/52 SLV/25	No

Order Code	Full Product Name	Dimmable
928048005211	TL-D 18W/52	Yes

Mechanical and Housing

Order Code	Full Product Name	Bulb Shape
928003505203	TL 20W/52 SLV/25	T38

Order Code	Full Product Name	Bulb Shape
928048005211	TL-D 18W/52	T26

Approval and Application

Order Code	Full Product Name	Mercury (Hg) Content (Nom)
928003505203	TL 20W/52 SLV/25	8.0 mg

Order Code	Full Product Name	Mercury (Hg) Content (Nom)
928048005211	TL-D 18W/52	13.0 mg

