



## **Dynalite Multipurpose Controllers**

Within any project, many different lighting load types may be required to achieve a desired result. Each of these load types may require a different style of control. The Philips Dynalite range of multipurpose controllers allows customization of output types via different output module units. When using DIN-rail multipurpose controllers, a specific type of control can be chosen for each circuit: relay, leading-edge dimmer, trailing-edge dimmer, ballast control, controller with out-of-the-box functionality, fan control, and blind/screen control. In any combination, multiple load types can be controlled from a single device. This simplifies installation and prevents wasted capacity of circuits that are not required.

#### **Benefits**

- Controllers support distributed intelligence, i.e. each device has a CPU with presets and can act as a stand-alone control unit
- Controllers support distributed intelligence, i.e. each device has a CPU with presets and can act as a stand-alone control unit
- $\cdot$  Some devices have out-of-the-box functionality with re-configuration capability
- $\cdot \ \mathsf{Some} \ \mathsf{devices} \ \mathsf{have} \ \mathsf{out} \mathsf{-of} \mathsf{-the} \mathsf{-box} \ \mathsf{functionality} \ \mathsf{with} \ \mathsf{re} \mathsf{-configuration} \ \mathsf{capability}$
- Simplified network messages and commissioning process
- · Simplified network messages and commissioning process

#### **Features**

- Controllers can directly drive the different lighting groups within projects
- $\cdot$  Controllers can directly drive the different lighting groups within projects
- Controllers support an industry-standard RS485 port to communicate with other devices on the DyNet network, as well as with 3rd-party devices like HVAC, network devices, user interfaces
- Controllers support an industry-standard RS485 port to communicate with other devices on the DyNet network, as well as with 3rd-party devices like HVAC, network devices, user interfaces
- · Available in both DIN-rail and wall-box configurations
- · Available in both DIN-rail and wall-box configurations
- Devices can store over 170 presets, allowing recall of complex switching logic from simple network messages
- Devices can store over 170 presets, allowing recall of complex switching logic from simple network messages
- · Preset scenarios are stored within each relay device
- · Preset scenarios are stored within each relay device

#### **Application**

- Depends on the lighting system in which the controls are used
- · Depends on the lighting system in which the controls are used

#### Versions



DMC2 Multipurpose Modular Controller



DMC4-CE Multipurpose Modular Controller





DMR316 FR UL

## Versions

DMR610 GL UL



DSM4 XX



DCM DYNET Communications
Module



DMD316 UL



DSM2 XX Supply module





DDMC802 8 x 2A Multipurpose Modular Controller



DGBM200 2 Channel Signal dimmer driver module

#### Versions



DGLM402 4 x 2 A Leading edge dimmer module



DGRM204 2 x 4 A Relay control module



DGTM402 4 x 2 A Trailing edge dimmer module



DGLM202 2 x 2 A Leading edge dimmer module





DGTM1041 x 4 A Trailing edge dimmer module




DGTM202 2 x 2 A Trailing edge dimmer module

## Dimensional drawing











#### Dimensional drawing


. .




- -




. .




. .







- -




- -




. .



## Dimensional drawing





#### **Product details**



DMC2 Multipurpose Modular Controller - Front



DMC2 Multipurpose Modular Controller - exploded view



DMC2 Multipurpose Modular Controller - open



DMC4-CE Multipurpose Modular Controller - exploded view



DMC4-CE Multipurpose Modular Controller - front



DMC4 Complete BottomOpen Front

## **Product details**



DMC4 DSM4 DMR316 DMD316 DMR610 DMP603 BottomClose



DMC4 DSM4 DMR316 DMD316 DMR610 DMP603 BottomOpen



DMC4 DSM4 DMR316 DMD316 DMR610 DMP603



DMC4 DSM4 DMR316 DMD316 DMR610 DMP603 Front



DMC4 DSM4 DMR316 DMD316 DMR610 Front



DMC4 DSM4 DMR316 DMD316



DMC4 DSM4 DMR316



DMC4 DSM4 DMR316 Front

## **Product details**



DMC4 DSM4 Front



DMC4 Empty BottomOpen



DMC4 UL BS



DMC4 UL Empty



DMC4 UL Empty Front



DMD316 FR UL Front



DMP603 GL UL Front



DMR316 FR UL Front

## **Product details**

DMR610 GL UL Front

DSM4 XX Front





DCM-DYNET Communications module

DMP310\_GL\_UL Front





DMD316\_UL Front DMR316\_UL Front





DSM2\_XX Supply Module Front

DDMC802 front detail





9

## **Product details**



DGBM200 2 Channel Signal dimmer driver module




DGLM402 4 x 2 A Leading edge dimmer module

DGRM204 2 x 4 A Relay control module







DGTM402 4 x 2 A Trailing edge dimmer module



DGLM202 2 x 2 A Leading edge dimmer module



DGTM1041 x 4 A Trailing edge dimmer module



DGTM202 2 x 2 A Trailing edge dimmer module



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.