



RoadFlair – Sleek and superior Beyond anticipation

RoadFlair

Designed for major and city roads, Philips RoadFlair is a new and exciting product set to brighten your streets beyond imagination. Smartly-designed to bring cities the highest savings possible with best-in-class lumen per watt, this road lighting production comes at a competitive price bound to excite. Philips RoadFlair brings energy efficiency, improves a city's sustainability drive and delivers significant cost reduction in urban environments. The right road luminaire coupled with the right lighting application will create the best environment for your municipality, benefiting local communities and boosting tourism and businesses.

Benefits

- High lumen efficacy 120 to 140 lumen per watt – much higher than currently available solutions
- Unique functional design Sleek, light-weight and well-designed luminaire
- Control and dimming ready Supports CityTouch connect application, 7-Pin Nema socket and standard outdoor dimming protocols
- Value for money Most competitive product in its segment Perfect for renovation, upgrading projects
- Best-in-class LED lighting technology at an unmatched, competitive price
- Equipped with Service tag, a QR-based identification system that makes each luminaire uniquely identifiable and provides maintenance, installation and spare part information

Features

- Excellent thermal management operating Temperature -40 to 50C
- Exposed Optic - Transparent and weather resistant grade polycarbonate optics
- Multiple optic - Options to meet all road and street lighting application requirements
- Lightweight housing design
- Available in 3000K, 4000K, 5000K and 5700K CCT options
- 10kV or 15kV Surge protection Device

Application

- Pedestrian Road
- Highway Road
- Residential Road
- Interchange


Versions




RoadFlair BRP394 DM

RoadFlair

Dimensional drawing



Dimensional drawing



Product details

BRP393 back



General Information

CE mark	CE mark
Driver included	Yes

Light Technical

Color rendering index (CRI)	>70
Standard tilt angle side entry	-
Standard tilt angle posttop	-

Mechanical and Housing

Housing Color	Gray
---------------	------

Approval and Application

Mech. impact protection code	IK08
Ingress protection code	IP66

General Information

Order Code	Full Product Name	Flammability mark	Light source replaceable
01861398	BRP390 LED81/NW 57W 220-240V DM	For mounting on normally flammable surfaces	No
01861498	BRP390 LED74/NW 52W 220-240V DM	For mounting on normally flammable surfaces	No
01861598	BRP390 LED68/NW 48W 220-240V DM	For mounting on normally flammable surfaces	No
01861698	BRP390 LED62/NW 46W 220-240V DM	For mounting on normally flammable surfaces	No
01861798	BRP390 LED56/NW 41W 220-240V DM	For mounting on normally flammable surfaces	No
01861898	BRP390 LED50/NW 36W 220-240V DM	For mounting on normally flammable surfaces	No
73182000	BRP391 LED112/NW 80W 220-240V DM PSR	For mounting on normally flammable surfaces	No
01862098	BRP391 LED105/NW 75W 220-240V DM PSR	For mounting on normally flammable surfaces	No
01862198	BRP391 LED100/NW 70W 220-240V DM PSR	For mounting on normally flammable surfaces	No
01862298	BRP391 LED93/NW 67W 220-240V DM PSR	For mounting on normally flammable surfaces	No
51915200	BRP391 LED87/NW 63W 220-240V DM PSR	For mounting on normally flammable surfaces	No
01865198	BRP390 LED76/WW 57W 220-240V DM	For mounting on normally flammable surfaces	No
01865298	BRP390 LED70/WW 52W 220-240V DM	For mounting on normally flammable surfaces	No
01865398	BRP390 LED64/WW 48W 220-240V DM	For mounting on normally flammable surfaces	No
01865598	BRP390 LED52/WW 41W 220-240V DM	For mounting on normally flammable surfaces	No
01865698	BRP390 LED46/WW 36W 220-240V DM	For mounting on normally flammable surfaces	No
01865798	BRP391 LED105/WW 80W 220-240V DM PSR	For mounting on normally flammable surfaces	No
01865998	BRP391 LED93/WW 70W 220-240V DM PSR	For mounting on normally flammable surfaces	No
01866198	BRP391 LED81/WW 63W 220-240V DM PSR	For mounting on normally flammable surfaces	No
01862498	BRP392 LED224/NW 158W 220-240V DM PSR	For mounting on normally flammable surfaces	No
73178300	BRP392 LED212/NW 150W 220-240V DM PSR	For mounting on normally flammable surfaces	No
73170700	BRP392 LED200/NW 138W 220-240V DM PSR	For mounting on normally flammable surfaces	No
01862798	BRP392 LED186/NW 130W 220-240V DM PSR	For mounting on normally flammable surfaces	No
01862898	BRP392 LED174/NW 121W 220-240V DM PSR	For mounting on normally flammable surfaces	No
01862998	BRP392 LED161/NW 113W 220-240V DM PSR	For mounting on normally flammable surfaces	No

Order Code	Full Product Name	Flammability mark	Light source replaceable
73179000	BRP392 LED150/NW 104W 220-240V DM PSR	For mounting on normally flammable surfaces	No
73171400	BRP392 LED136/NW 96W 220-240V DM PSR	For mounting on normally flammable surfaces	No
01863298	BRP392 LED124/NW 88W 220-240V DM PSR	For mounting on normally flammable surfaces	No
01863398	BRP393 LED323/NW 225W 220-240V DM PSR	For mounting on normally flammable surfaces	No
01863698	BRP393 LED286/NW 200W 220-240V DM PSR	For mounting on normally flammable surfaces	No
73180600	BRP393 LED261/NW 183W 220-240V DM PSR	For mounting on normally flammable surfaces	No
01864098	BRP393 LED236/NW 166W 220-240V DM PSR	For mounting on normally flammable surfaces	No
01866298	BRP392 LED210/WW 158W 220-240V DM PSR	For mounting on normally flammable surfaces	No
01866398	BRP392 LED200/WW 150W 220-240V DM PSR	For mounting on normally flammable surfaces	No
01866698	BRP392 LED163/WW 121W 220-240V DM PSR	For mounting on normally flammable surfaces	No
01866798	BRP392 LED151/WW 113W 220-240V DM PSR	For mounting on normally flammable surfaces	No
73183700	BRP392 LED140/WW 104W 220-240V DM PSR	For mounting on normally flammable surfaces	No
01866998	BRP392 LED128/WW 96W 220-240V DM PSR	For mounting on normally flammable surfaces	No
01867098	BRP392 LED116/WW 88W 220-240V DM PSR	For mounting on normally flammable surfaces	No
01867198	BRP393 LED303/WW 225W 220-240V DM PSR	For mounting on normally flammable surfaces	No
01867898	BRP393 LED221/WW 166W 220-240V DM PSR	For mounting on normally flammable surfaces	No
73176900	BRP394 LED449/NW 316W 220-240V DM PSR	For mounting on normally flammable surfaces	No
01864698	BRP394 LED385/NW 268W 220-240V DM PSR	For mounting on normally flammable surfaces	No
01867998	BRP394 LED421/WW 316W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401603608	BRP391 LED73/NW 47W DWV P7T SRB SA LM6	-	-
911401603708	BRP391 LED107/NW 74W DWV P7T SRB SA LM6	-	-
911401603808	BRP392 LED201/NW 137W DWV P7T SRB SA LM6	-	-
911401603908	BRP393 LED305/NW 221W DWV P7T SRB SA LM6	-	-

Light Technical

Order Code	Full Product Name	Light source color	Correlated Color Temperature (Nom)		Luminous Flux
			Optical cover type	Optical cover type	
01861398	BRP390 LED81/NW 57W 220-240V DM	740 neutral white	4000 K	Polycarbonate micro lens optic	8,123 lm
01861498	BRP390 LED74/NW 52W 220-240V DM	740 neutral white	4000 K	Polycarbonate micro lens optic	7,498 lm
01861598	BRP390 LED68/NW 48W 220-240V DM	740 neutral white	4000 K	Polycarbonate micro lens optic	6,874 lm
01861698	BRP390 LED62/NW 46W 220-240V DM	740 neutral white	4000 K	Polycarbonate micro lens optic	6,249 lm
01861798	BRP390 LED56/NW 41W 220-240V DM	740 neutral white	4000 K	Polycarbonate micro lens optic	5,624 lm
01861898	BRP390 LED50/NW 36W 220-240V DM	740 neutral white	4000 K	Polycarbonate micro lens optic	4,999 lm
73182000	BRP391 LED112/NW 80W 220-240V DM PSR	740 neutral white	4000 K	Polycarbonate micro lens optic	11,201 lm
01862098	BRP391 LED105/NW 75W 220-240V DM PSR	740 neutral white	4000 K	Polycarbonate micro lens optic	10,579 lm
01862198	BRP391 LED100/NW 70W 220-240V DM PSR	740 neutral white	4000 K	Polycarbonate micro lens optic	9,957 lm
01862298	BRP391 LED93/NW 67W 220-240V DM PSR	740 neutral white	4000 K	Polycarbonate micro lens optic	9,334 lm
51915200	BRP391 LED87/NW 63W 220-240V DM PSR	740 neutral white	4000 K	Polycarbonate micro lens optic	8,712 lm

Order Code	Full Product Name	Light source color	Correlated Color Temperature (Nom)		Luminous Flux
			Optical cover type	Optical cover type	
01865198	BRP390 LED76/WW 57W 220-240V DM	730 warm white	3000 K	Polycarbonate micro lens optic	7,615 lm
01865298	BRP390 LED70/WW 52W 220-240V DM	730 warm white	3000 K	Polycarbonate micro lens optic	7,030 lm
01865398	BRP390 LED64/WW 48W 220-240V DM	730 warm white	3000 K	Polycarbonate micro lens optic	6,444 lm
01865598	BRP390 LED52/WW 41W 220-240V DM	730 warm white	3000 K	Polycarbonate micro lens optic	5,272 lm
01865698	BRP390 LED46/WW 36W 220-240V DM	730 warm white	3000 K	Polycarbonate micro lens optic	4,687 lm
01865798	BRP391 LED105/WW 80W 220-240V DM PSR	730 warm white	3000 K	Polycarbonate micro lens optic	10,501 lm
01865998	BRP391 LED93/WW 70W 220-240V DM PSR	730 warm white	3000 K	Polycarbonate micro lens optic	9,335 lm
01866198	BRP391 LED81/WW 63W 220-240V DM PSR	730 warm white	3000 K	Polycarbonate micro lens optic	8,167 lm
01862498	BRP392 LED224/NW 158W 220-240V DM PSR	740 neutral white	4000 K	Polycarbonate micro lens optic	22,495 lm
73178300	BRP392 LED212/NW 150W 220-240V DM PSR	740 neutral white	4000 K	Polycarbonate micro lens optic	21,246 lm
73170700	BRP392 LED200/NW 138W	740 neutral white	4000 K	Polycarbonate micro lens optic	19,914 lm

Order Code	Full Product Name	Light source color	Correlated Color Temperature (Nom)		Optical cover type	Luminous Flux
01862798	220-240V DM PSR					
	BRP392	740	4000 K	Polycarbonate	18,669 lm	
	LED186/NW	neutral		micro lens optic		
	130W	white				
01862898	220-240V DM PSR					
	BRP392	740	4000 K	Polycarbonate	17,425 lm	
	LED174/NW	neutral		micro lens optic		
	121W	white				
01862998	220-240V DM PSR					
	BRP392	740	4000 K	Polycarbonate	16,179 lm	
	LED161/NW	neutral		micro lens optic		
	113W	white				
73179000	220-240V DM PSR					
	BRP392	740	4000 K	Polycarbonate	14,935 lm	
	LED150/NW	neutral		micro lens optic		
	104W	white				
73171400	220-240V DM PSR					
	BRP392	740	4000 K	Polycarbonate	13,690 lm	
	LED136/NW	neutral		micro lens optic		
	96W	white				
01863298	220-240V DM PSR					
	BRP392	740	4000 K	Polycarbonate	12,446 lm	
	LED124/NW	neutral		micro lens optic		
	88W	white				
01863398	220-240V DM PSR					
	BRP393	740	4000 K	Polycarbonate	32,360 lm	
	LED323/NW	neutral		micro lens optic		
	225W	white				
01863698	220-240V DM PSR					
	BRP393	740	4000 K	Polycarbonate	28,626 lm	
	LED286/NW	neutral		micro lens optic		
	200W	white				
73180600	220-240V DM PSR					
	BRP393	740	4000 K	Polycarbonate	26,136 lm	
	LED261/NW	neutral		micro lens optic		
	183W	white				

Order Code	Full Product Name	Light source color	Correlated Color		
			Temperature (Nom)	Optical cover type	Luminous Flux
01864098	BRP393	740	4000 K	Polycarbonate	23,647 lm
	LED236/NW	neutral		micro lens optic	
	166W	white			
	220-240V DM PSR				
01866298	BRP392	730	3000 K	Polycarbonate	21,089 lm
	LED210/WW	warm		micro lens optic	
	158W	white			
	220-240V DM PSR				
01866398	BRP392	730	3000 K	Polycarbonate	19,918 lm
	LED200/WW	warm		micro lens optic	
	150W	white			
	220-240V DM PSR				
01866698	BRP392	730	3000 K	Polycarbonate	16,336 lm
	LED163/WW	warm		micro lens optic	
	121W	white			
	220-240V DM PSR				
01866798	BRP392	730	3000 K	Polycarbonate	15,168 lm
	LED151/WW	warm		micro lens optic	
	113W	white			
	220-240V DM PSR				
73183700	BRP392	730	3000 K	Polycarbonate	14,002 lm
	LED140/WW	warm		micro lens optic	
	104W	white			
	220-240V DM PSR				
01866998	BRP392	730	3000 K	Polycarbonate	12,835 lm
	LED128/WW	warm		micro lens optic	
	96W	white			
	220-240V DM PSR				
01867098	BRP392	730	3000 K	Polycarbonate	11,668 lm
	LED116/WW	warm		micro lens optic	
	88W	white			
	220-240V DM PSR				
01867198	BRP393	730	3000 K	Polycarbonate	30,338 lm
	LED303/WW	warm		micro lens optic	
	225W	white			
	220-240V DM PSR				
01867898	BRP393	730	3000 K	Polycarbonate	22,169 lm
	LED221/WW	warm		micro lens optic	
	166W	white			

Order Code	Full Product Name	Light source color	Correlated Color		Luminous Flux
			Temperature (Nom)	Optical cover type	
73176900	220-240V DM PSR				
	BRP394	740	4000 K	Polycarbonate	44,991 lm
	LED449/NW	neutral		micro lens optic	
	316W	white			
01864698	220-240V DM PSR				
	BRP394	740	4000 K	Polycarbonate	38,583 lm
	LED385/NW	neutral		micro lens optic	
	268W	white			
01867998	220-240V DM PSR				
	BRP394	730	3000 K	Polycarbonate	42,179 lm
	LED421/WW	warm		micro lens optic	
	316W	white			
911401603608	220-240V DM PSR				
	BRP391	Neutral	4000 K	Clear dome	7,300 lm
	LED73/NW	white			
	47W DWV P7T SRB SA LM6				

Operating and Electrical

Order Code	Full Product Name	Power Consumption
01861398	BRP390 LED81/NW 57W 220-240V DM	57 W
01861498	BRP390 LED74/NW 52W 220-240V DM	52 W
01861598	BRP390 LED68/NW 48W 220-240V DM	48 W
01861698	BRP390 LED62/NW 46W 220-240V DM	46 W
01861798	BRP390 LED56/NW 41W 220-240V DM	41 W
01861898	BRP390 LED50/NW 36W 220-240V DM	36 W
73182000	BRP391 LED112/NW 80W 220-240V DM PSR	80 W
01862098	BRP391 LED105/NW 75W 220-240V DM PSR	75 W
01862198	BRP391 LED100/NW 70W 220-240V DM PSR	70 W
01862298	BRP391 LED93/NW 67W 220-240V DM PSR	67 W
51915200	BRP391 LED87/NW 63W 220-240V DM PSR	63 W
01865198	BRP390 LED76/WW 57W 220-240V DM	57 W
01865298	BRP390 LED70/WW 52W 220-240V DM	52 W
01865398	BRP390 LED64/WW 48W 220-240V DM	48 W
01865598	BRP390 LED52/WW 41W 220-240V DM	41 W
01865698	BRP390 LED46/WW 36W 220-240V DM	36 W
01865798	BRP391 LED105/WW 80W 220-240V DM PSR	80 W
01865998	BRP391 LED93/WW 70W 220-240V DM PSR	70 W
01866198	BRP391 LED81/WW 63W 220-240V DM PSR	63 W
01862498	BRP392 LED224/NW 158W 220-240V DM PSR	158 W
73178300	BRP392 LED212/NW 150W 220-240V DM PSR	150 W
73170700	BRP392 LED200/NW 138W 220-240V DM PSR	138 W
01862798	BRP392 LED186/NW 130W 220-240V DM PSR	130 W
01862898	BRP392 LED174/NW 121W 220-240V DM PSR	121 W

Order Code	Full Product Name	Light source color	Correlated Color		Luminous Flux
			Temperature (Nom)	Optical cover type	
911401603708	BRP391	Neutral	4000 K	Clear dome	10,700 lm
	LED107/NW	white			
	74W DWV P7T				
	SRB SA LM6				
911401603808	BRP392	Neutral	4000 K	Clear dome	20,100 lm
	LED201/NW	white			
	137W DWV				
	P7T SRB SA LM6				
911401603908	BRP393	Neutral	4000 K	Clear dome	30,500 lm
	LED305/NW	white			
	221W DWV				
	P7T SRB SA LM6				

Order Code	Full Product Name	Power Consumption
01862998	BRP392 LED161/NW 113W 220-240V DM PSR	113 W
73179000	BRP392 LED150/NW 104W 220-240V DM PSR	104 W
73171400	BRP392 LED136/NW 96W 220-240V DM PSR	96 W
01863298	BRP392 LED124/NW 88W 220-240V DM PSR	88 W
01863398	BRP393 LED323/NW 225W 220-240V DM PSR	225 W
01863698	BRP393 LED286/NW 200W 220-240V DM PSR	200 W
73180600	BRP393 LED261/NW 183W 220-240V DM PSR	183 W
01864098	BRP393 LED236/NW 166W 220-240V DM PSR	166 W
01866298	BRP392 LED210/WW 158W 220-240V DM PSR	158 W
01866398	BRP392 LED200/WW 150W 220-240V DM PSR	150 W
01866698	BRP392 LED163/WW 121W 220-240V DM PSR	121 W
01866798	BRP392 LED151/WW 113W 220-240V DM PSR	113 W
73183700	BRP392 LED140/WW 104W 220-240V DM PSR	104 W
01866998	BRP392 LED128/WW 96W 220-240V DM PSR	96 W
01867098	BRP392 LED116/WW 88W 220-240V DM PSR	88 W
01867198	BRP393 LED303/WW 225W 220-240V DM PSR	225 W
01867898	BRP393 LED221/WW 166W 220-240V DM PSR	166 W
73176900	BRP394 LED449/NW 316W 220-240V DM PSR	316 W
01864698	BRP394 LED385/NW 268W 220-240V DM PSR	268 W
01867998	BRP394 LED421/WW 316W 220-240V DM PSR	316 W
911401603608	BRP391 LED73/NW 47W DWV P7T SRB SA LM6	47 W
911401603708	BRP391 LED107/NW 74W DWV P7T SRB SA LM6	74 W
911401603808	BRP392 LED201/NW 137W DWV P7T SRB SA LM6	137 W
911401603908	BRP393 LED305/NW 221W DWV P7T SRB SA LM6	221 W

Controls and Dimming

Order Code	Full Product Name	Dimmable
01861398	BRP390 LED81/NW 57W 220-240V DM	No
01861498	BRP390 LED74/NW 52W 220-240V DM	No
01861598	BRP390 LED68/NW 48W 220-240V DM	No
01861698	BRP390 LED62/NW 46W 220-240V DM	No
01861798	BRP390 LED56/NW 41W 220-240V DM	No
01861898	BRP390 LED50/NW 36W 220-240V DM	No
73182000	BRP391 LED112/NW 80W 220-240V DM PSR	Yes
01862098	BRP391 LED105/NW 75W 220-240V DM PSR	Yes
01862198	BRP391 LED100/NW 70W 220-240V DM PSR	Yes
01862298	BRP391 LED93/NW 67W 220-240V DM PSR	Yes
51915200	BRP391 LED87/NW 63W 220-240V DM PSR	Yes
01865198	BRP390 LED76/WW 57W 220-240V DM	No
01865298	BRP390 LED70/WW 52W 220-240V DM	No
01865398	BRP390 LED64/WW 48W 220-240V DM	No
01865598	BRP390 LED52/WW 41W 220-240V DM	No
01865698	BRP390 LED46/WW 36W 220-240V DM	No
01865798	BRP391 LED105/WW 80W 220-240V DM PSR	Yes
01865998	BRP391 LED93/WW 70W 220-240V DM PSR	Yes
01866198	BRP391 LED81/WW 63W 220-240V DM PSR	Yes
01862498	BRP392 LED224/NW 158W 220-240V DM PSR	Yes
73178300	BRP392 LED212/NW 150W 220-240V DM PSR	Yes
73170700	BRP392 LED200/NW 138W 220-240V DM PSR	Yes
01862798	BRP392 LED186/NW 130W 220-240V DM PSR	Yes
01862898	BRP392 LED174/NW 121W 220-240V DM PSR	Yes

Order Code	Full Product Name	Dimmable
01862998	BRP392 LED161/NW 113W 220-240V DM PSR	Yes
73179000	BRP392 LED150/NW 104W 220-240V DM PSR	Yes
73171400	BRP392 LED136/NW 96W 220-240V DM PSR	Yes
01863298	BRP392 LED124/NW 88W 220-240V DM PSR	Yes
01863398	BRP393 LED323/NW 225W 220-240V DM PSR	Yes
01863698	BRP393 LED286/NW 200W 220-240V DM PSR	Yes
73180600	BRP393 LED261/NW 183W 220-240V DM PSR	Yes
01864098	BRP393 LED236/NW 166W 220-240V DM PSR	Yes
01866298	BRP392 LED210/WW 158W 220-240V DM PSR	Yes
01866398	BRP392 LED200/WW 150W 220-240V DM PSR	Yes
01866698	BRP392 LED163/WW 121W 220-240V DM PSR	Yes
01866798	BRP392 LED151/WW 113W 220-240V DM PSR	Yes
73183700	BRP392 LED140/WW 104W 220-240V DM PSR	Yes
01866998	BRP392 LED128/WW 96W 220-240V DM PSR	Yes
01867098	BRP392 LED116/WW 88W 220-240V DM PSR	Yes
01867198	BRP393 LED303/WW 225W 220-240V DM PSR	Yes
01867898	BRP393 LED221/WW 166W 220-240V DM PSR	Yes
73176900	BRP394 LED449/NW 316W 220-240V DM PSR	Yes
01864698	BRP394 LED385/NW 268W 220-240V DM PSR	Yes
01867998	BRP394 LED421/WW 316W 220-240V DM PSR	Yes
911401603608	BRP391 LED73/NW 47W DWV P7T SRB SA LM6	Yes
911401603708	BRP391 LED107/NW 74W DWV P7T SRB SA LM6	Yes
911401603808	BRP392 LED201/NW 137W DWV P7T SRB SA LM6	Yes
911401603908	BRP393 LED305/NW 221W DWV P7T SRB SA LM6	Yes

Application Conditions

Order Code	Full Product Name	Maximum dim level
01861398	BRP390 LED81/NW 57W 220-240V DM	-
01861498	BRP390 LED74/NW 52W 220-240V DM	-
01861598	BRP390 LED68/NW 48W 220-240V DM	-
01861698	BRP390 LED62/NW 46W 220-240V DM	-
01861798	BRP390 LED56/NW 41W 220-240V DM	-
01861898	BRP390 LED50/NW 36W 220-240V DM	-
73182000	BRP391 LED112/NW 80W 220-240V DM PSR	10%
01862098	BRP391 LED105/NW 75W 220-240V DM PSR	10%
01862198	BRP391 LED100/NW 70W 220-240V DM PSR	10%
01862298	BRP391 LED93/NW 67W 220-240V DM PSR	10%
51915200	BRP391 LED87/NW 63W 220-240V DM PSR	10%
01865198	BRP390 LED76/WW 57W 220-240V DM	-
01865298	BRP390 LED70/WW 52W 220-240V DM	-
01865398	BRP390 LED64/WW 48W 220-240V DM	-
01865598	BRP390 LED52/WW 41W 220-240V DM	-
01865698	BRP390 LED46/WW 36W 220-240V DM	-
01865798	BRP391 LED105/WW 80W 220-240V DM PSR	10%
01865998	BRP391 LED93/WW 70W 220-240V DM PSR	10%
01866198	BRP391 LED81/WW 63W 220-240V DM PSR	10%
01862498	BRP392 LED224/NW 158W 220-240V DM PSR	10%
73178300	BRP392 LED212/NW 150W 220-240V DM PSR	10%
73170700	BRP392 LED200/NW 138W 220-240V DM PSR	10%

Order Code	Full Product Name	Maximum dim level
01862798	BRP392 LED186/NW 130W 220-240V DM PSR	10%
01862898	BRP392 LED174/NW 121W 220-240V DM PSR	10%
01862998	BRP392 LED161/NW 113W 220-240V DM PSR	10%
73179000	BRP392 LED150/NW 104W 220-240V DM PSR	10%
73171400	BRP392 LED136/NW 96W 220-240V DM PSR	10%
01863298	BRP392 LED124/NW 88W 220-240V DM PSR	10%
01863398	BRP393 LED323/NW 225W 220-240V DM PSR	10%
01863698	BRP393 LED286/NW 200W 220-240V DM PSR	10%
73180600	BRP393 LED261/NW 183W 220-240V DM PSR	10%
01864098	BRP393 LED236/NW 166W 220-240V DM PSR	10%
01866298	BRP392 LED210/WW 158W 220-240V DM PSR	10%
01866398	BRP392 LED200/WW 150W 220-240V DM PSR	10%
01866698	BRP392 LED163/WW 121W 220-240V DM PSR	10%
01866798	BRP392 LED151/WW 113W 220-240V DM PSR	10%
73183700	BRP392 LED140/WW 104W 220-240V DM PSR	10%
01866998	BRP392 LED128/WW 96W 220-240V DM PSR	10%
01867098	BRP392 LED116/WW 88W 220-240V DM PSR	10%
01867198	BRP393 LED303/WW 225W 220-240V DM PSR	10%
01867898	BRP393 LED221/WW 166W 220-240V DM PSR	10%
73176900	BRP394 LED449/NW 316W 220-240V DM PSR	10%
01864698	BRP394 LED385/NW 268W 220-240V DM PSR	10%
01867998	BRP394 LED421/WW 316W 220-240V DM PSR	10%

Order Code	Full Product Name	Maximum dim level
911401603608	BRP391 LED73/NW 47W DWV P7T SRB SA LM6	-
911401603708	BRP391 LED107/NW 74W DWV P7T SRB SA LM6	-

Order Code	Full Product Name	Maximum dim level
911401603808	BRP392 LED201/NW 137W DWV P7T SRB SA LM6	-
911401603908	BRP393 LED305/NW 221W DWV P7T SRB SA LM6	-

