



The most affordable LED panel delivering comfortable light with excellent uniformity. Slimmer then it's predecessor, it is durable, energy efficient and with 3 years warranty

SmartBright Direct Panel G2

The new Philips Smartbright Direct panel offers exceptional value. It is Perfect for your everyday ceiling lighting installations. It is available in 2 standard sizes and 2 different CCT options to suit your need.

Benefits

- \cdot 30K hrs, 3 year warranty
- Flicker Free Ripple $\leq 5\%$
- · CRI 80

SmartBright Direct Panel G2

Features

- 30K hrs, 3 years warranty
- · Suitable for different mounting applications: Recessed, PCV, Suspension
- · CRI 80
- · SDCM ≤5
- Surge protection: 1KV/0.5KV

Application

- Offices
- Hospitality
- Fashion


Versions




RC048 W60L60 front

RC048 W30L120 front

Dimensional drawing





Product details

RC048 W30L120 back

RC048 W60L60 back





General Information		
CE mark	CE mark	
Flammability mark	For mounting on	
	normally	
	flammable	
	surfaces	
Light Technical		
Correlated Color Temperature (Nom)	4000 K	
Optical cover type	Acrylate	
Color rendering index (CRI)	>80	
Operating and Electrical		
Input Voltage	220 to 240 V	
Line Frequency	50 or 60 Hz	
Temperature		
Ambient temperature range	-10 to +35 °C	
Controls and Dimming		
Dimmable	No	
Mechanical and Housing		
Housing Color	White RAL 9003	
Americal and Amelication		
Approval and Application	Cafata alaaa II	
Protection class IEC	Safety class II	
Mech. impact protection code	IK02	
Ingress protection code	IP20	
Initial Performance (IEC Complian	n+1	
Initial Performance (IEC Complian		
Initial chromaticity	(0.38, 0.38) SDCM≤5	
Luminaua Suur talauan aa		
Luminous flux tolerance	+/-10%	

Light Technical

Order Code	Full Product Name	Luminous Efficacy (rated) (Nom)	Luminous Flux
911401844882	RC048B LED34S/840 PSU W60L60 PKA	100 lm/W	3,400 lm
911401871480	RC048B LED32S/840 PSU W30L120 NOC	88 lm/W	3,200 lm
	CFW		

Operating and Electrical

Order Code	Full Product Name	Power Consumption
911401844882	RC048B LED34S/840 PSU W60L60 PKA	34 W

Order Code	Full Product Name	Power Consumption
911401871480	RC048B LED32S/840 PSU W30L120 NOC CFW	36 W

SmartBright Direct Panel G2



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.