




Solar Panels for Philips Solar Lighting.

Solar Panel Sub System

A Range of Solar panels from 20 W to 325 W specially designed for Philips Solar Street lighting, Flood lighting and Solar Indoor Systems

Benefits

- Robust quality managed by Philips quality discipline, supplied by world class manufacturers
- Customization available
- Plug and play design for easy connection and installation
- TUV certification

Features


- Connectors with excellent aging resistance and UV endurance, for harsh environment operations.
- Environmentally sealed to IP67
- Ambient temperature range : -40~+85。 C
- Simple crimp-and-poke application
- Tactile and audible mating feedback

Application

- Solar Street Lighting
- Solar Flood Lighting
- Solar Indoor Systems



Solar Panel Sub System

Versions



90W 18V Panel subsystem

Dimensional drawing



Operating and Electrical	
Cable connection kit	Included
Temperature	
Ambient temperature range	-40 to +85 °C

Operating and Electrical

Order Code	Full Product Name	Panel peak wattage	Panel type	Panel voltage
01803102	60W 17V Panel subsystem Vmpp 17.9V	60 W	Poly crystalline	17 V
01803302	75W 17V Panel subsystem Vmpp 17.89V	75 W	Poly crystalline	17 V
51899599	100W 17V Panel subsystem Vmpp 18.22V	100 W	Poly crystalline	17 V
01803802	105W 17V Panel subsystem Vmpp 18V	105 W	Poly crystalline	17 V
72923099	155W 17V Panel subsystem Vmpp 18.93V	155 W	Poly crystalline	17 V
51902299	130W 19V Panel subsystem Vmpp 20.16V	130 W	Poly crystalline	19 V
01804402	315W 36V Panel subsystem Vmpp 37.37V	315 W	Poly crystalline	36 V

Order Code	Full Product Name	Panel peak wattage	Panel type	Panel voltage
01804502	310W 36V Panel subsystem Vmpp 37.13V	310 W	Poly crystalline	36 V
50749400	140Wp Vertical Panel Subsystem Vmpp 18V	140 W	Mono crystalline	18 V
50748700	140Wp Vertical Panel Subsystem Vmpp 36V	140 W	Mono crystalline	36 V
50747000	200Wp Vertical Panel Subsystem Vmpp 18V	190 W	Mono crystalline	18 V
50746300	200Wp Vertical Panel Subsystem Vmpp 36V	190 W	Mono crystalline	36 V
72926199	200W 36V Panel subsystem Vmpp 38.99V	200 W	Poly crystalline	36 V

Solar Panel Sub System

Mechanical and Housing

Order Code	Full Product Name	Overall height	Overall length	Overall width
01803102	60W 17V Panel subsystem Vmpp 17.9V	35 mm	639 mm	666 mm
01803302	75W 17V Panel subsystem Vmpp 17.89V	35 mm	774 mm	666 mm
51899599	100W 17V Panel subsystem Vmpp 18.22V	35 mm	990 mm	666 mm
01803802	105W 17V Panel subsystem Vmpp 18V	35 mm	990 mm	666 mm
72923099	155W 17V Panel subsystem Vmpp 18.93V	35 mm	1,476 mm	666 mm
51902299	130W 19V Panel subsystem Vmpp 20.16V	35 mm	1,244 mm	666 mm
01804402	315W 36V Panel subsystem Vmpp 37.37V	40 mm	1,956 mm	992 mm

Order Code	Full Product Name	Overall height	Overall length	Overall width
01804502	310W 36V Panel subsystem Vmpp 37.13V	40 mm	1,956 mm	992 mm
50749400	140Wp Vertical Panel Subsystem Vmpp 18V	1,560 mm	228 mm	220 mm
50748700	140Wp Vertical Panel Subsystem Vmpp 36V	1,560 mm	228 mm	220 mm
50747000	200Wp Vertical Panel Subsystem Vmpp 18V	2,000 mm	228 mm	220 mm
50746300	200Wp Vertical Panel Subsystem Vmpp 36V	2,000 mm	228 mm	220 mm
72926199	200W 36V Panel subsystem Vmpp 38.99V	40 mm	1,318 mm	992 mm

Approval and Application

Order Code	Full Product Name	Ingress protection code
01803102	60W 17V Panel subsystem Vmpp 17.9V	IP67
01803302	75W 17V Panel subsystem Vmpp 17.89V	IP67
51899599	100W 17V Panel subsystem Vmpp 18.22V	IP67
01803802	105W 17V Panel subsystem Vmpp 18V	IP67
72923099	155W 17V Panel subsystem Vmpp 18.93V	IP67
51902299	130W 19V Panel subsystem Vmpp 20.16V	IP67
01804402	315W 36V Panel subsystem Vmpp 37.37V	IP67

Order Code	Full Product Name	Ingress protection code
01804502	310W 36V Panel subsystem Vmpp 37.13V	IP67
50749400	140Wp Vertical Panel Subsystem Vmpp 18V	IP65
50748700	140Wp Vertical Panel Subsystem Vmpp 36V	IP65
50747000	200Wp Vertical Panel Subsystem Vmpp 18V	IP65
50746300	200Wp Vertical Panel Subsystem Vmpp 36V	IP65
72926199	200W 36V Panel subsystem Vmpp 38.99V	IP67

