



# CityCurve gen2

## BSP295 GRN20/740 PSR-CLO WSO II DB703

CityCurve gen 2, LED GreenLine 2000 lm, 740 neutral white, Power supply unit regulating with constant light output, Safety class II, Wide street optic

Offering a contemporary interpretation of the old 'bell'-shaped street light, CityCurve gen2, with its retro appearance, fits both modern urban spaces as well as historical environments. Its LED module allows cities to focus on reducing energy consumption. Designed for installation at heights of 4 to 6 meters, and offering a wide choice of brackets and columns, CityCurve gen2 is ideal for lighting urban centers and streets, pedestrian areas, squares and parks.

### Product data

General Information		Optical cover type	
Lamp family code	GRN20 [LED GreenLine 2000 lm]	Polycarbonate bowl/cover clear	
Light source replaceable	Yes	Optic type outdoor	
Driver included	Yes	Wide street optic	
Product family code	BSP295 [CityCurve gen 2]	Operating and Electrical	
Lighting Technology	LED	Input Voltage	220 to 240 V
CE mark	Yes	Line Frequency	50 to 60 Hz
ENEC mark	ENEC mark	Power Consumption	20 W
Glow-wire test	Temperature 650 °C, duration 5 s	Temperature	
Light Technical		Ambient temperature range	-25 to +35 °C
Luminous Flux	1,620 lm	Controls and Dimming	
Correlated Color Temperature (Nom)	4000 K	Dimmable	Yes
Luminous Efficacy (rated) (Nom)	81 lm/W	Driver/power unit/transformer	Power supply unit regulating with constant light output
Number of light sources	16		
Light source color	740 neutral white		

## CityCurve gen2

### Mechanical and Housing

Housing Material	Aluminum
Optical cover material	Polycarbonate
Mounting device	Spigot

### Approval and Application

Ingress protection code	IP65 [Dust penetration-protected, jet-proof]
Mech. impact protection code	IK10 [20 J vandal-resistant]
Protection class IEC	Safety class II

### Product Data

Order product name	BSP295 GRN20/740 PSR-CLO WSO II DB703
--------------------	---------------------------------------

Full product name	BSP295 GRN20/740 PSR-CLO WSO II DB703
Full product code	871794312007900
Order code	12007900
Material Nr. (12NC)	912300020008
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8717943120079
Numerator - Packs per outer box	1
EAN/UPC - Case	8717943120079

## Dimensional drawing

