



HID ignitors for MK4 semi-parallel systems

SKD 578-S 220-240V 50/60Hz

HID ignitors for semi-parallel systems

Product data


Operating and Electrical			
Input Voltage	220 to 240 V		
Line Frequency	50 to 60 Hz		
Input Frequency	50 to 60 Hz		
Wiring			
Connector Type	Screw		
Temperature			
Ambient temperature range	-30 °C to 85 °C		
T-Case Maximum (Max)	90 ℃		
Approval and Application			
Approval Marks	CE marking ENEC certificate		

Product Data			
Order product name	SKD 578-S 220-240V 50/60Hz		
<u> </u>	<u> </u>		
Full product name	SKD 578-S 220-240V 50/60Hz		
Full product code	872790089569800		
Order code	89569800		
Material Nr. (12NC)	913700655466		
Numerator - Quantity Per Pack	1		
EAN/UPC - Product/Case	8711500881779		
Numerator - Packs per outer box	20		
EAN/UPC - Case	8727900895698		

Datasheet, 2023, April 16 data subject to change

HID ignitors for MK4 semi-parallel systems

Dimensional drawing



Product	A1	B1	C1
SKD 578-S 220-240V 50/60Hz	67.5 mm	40.5 mm	28.0 mm

