



Dynalite System Integration

PDEG

Within any modern project, many third-party systems can be found performing different roles. Each separate system may use a different protocol for communication. Philips Dynalite has developed a range of gateway devices that can be used to synchronize these systems' functions into one integrated system solution. By utilizing the correct gateway, different systems can be integrated, allowing end-users access to a fully automated site from one interface. By successfully integrating third-party systems with a Dynalite solution, repetitive end-user interaction is reduced.

Within any modern project, many third-party systems can be found performing different roles. Each separate system may use a different protocol for communication. Philips Dynalite has developed a range of gateway devices that can be used to synchronize these systems' functions into one integrated system solution. By utilizing the correct gateway, different systems can be integrated, allowing end-users access to a fully automated site from one interface. By successfully integrating third-party systems with a Dynalite solution, repetitive end-user interaction is reduced.

Données du produit

Renseignements généraux

Marque CE


CE mark

Dynalite System Integration

Remarques	Please download the Lighting - Product Data Sheet for more information and ordering options
Conformes aux directives EU RoHS.	Oui
Approbation et utilisation	
UL Recognized Canada & US	Yes
Conditions d'utilisation	
Plage de températures ambiantes	De -5 à 50 °C
Données de produit	
Code complet du produit	871869600172100

Nom du produit de la commande	PDEG
EAN/CUP – Produit	8718696001721
Code de commande	913703013809
Local Code	.
Numérateur – Quantité par emballage	1
Numérateur – Emballages par boîte extérieure	1
Numéro de matériau (12NC)	913703013809
Poids net (pièce)	163,000 g

Schéma dimensionnel



Dynalite System Integration

