



BPL EM ballasts for CFL, PL-T, PL-S and PL-C lamps

BPL 26W 240V B2 SC

This standard, reliable, long-life electromagnetic ballast for compact fluorescent lamps provides excellent performance with 2-pin and 4-pin CFLni lamps.

Product data


| 240 V 50 Hz | | |
|----------------|--|--|
| | | |
| 50 Hz | | |
| | | |
| 50 Hz | | |
| | | |
| | | |
| Screw | | |
| | | |
| | | |
| L 130x39x28 | | |
| | | |
| | | |
| B2 | | |
| CE marking | | |
| | | |

| Product Data | | | | |
|---------------------------------|--------------------|--|--|--|
| Full product code | 871016306562500 | | | |
| Order product name | BPL 26W 240V B2 SC | | | |
| Order code | 913710120550 | | | |
| Numerator - Quantity Per Pack | 1 | | | |
| Numerator - Packs per outer box | 32 | | | |
| Material Nr. (12NC) | 913710120550 | | | |
| Full product name | BPL 26W 240V B2 SC | | | |
| EAN/UPC - Case | 8710163065625 | | | |
| EAN/UPC - Product/Case | 8710163150048 | | | |

Datasheet, 2023, September 4 data subject to change

BPL EM ballasts for CFL, PL-T, PL-S and PL-C lamps

Dimensional drawing



| Product | D1 | C1 | A1 | A2 | А3 | A4 | B1 |
|--------------|--------|------|-------|-------|------|------|------|
| BPL 26W 240V | 4.0 mm | 28.0 | 130.0 | 115.0 | 45.0 | 56.0 | 39.0 |
| B2 SC | | mm | mm | mm | mm | mm | mm |



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.