



MASTER TL5 High Output



MASTER TL5 HO 24W/840 1SL/20

This TL5 lamp (tube diameter 16 mm) offers high light output. The TL5 HO lamp is optimized for installations requiring high light output and offers excellent lumen maintenance and color rendering. Application areas vary from offices and industry to schools and retail environments.

Warnings and Safety

• A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

Cap-Base	G5
Features	na [Not Applicable]
Light Technical	
Color Code	840 [CCT of 4000K]
Luminous Flux	1,950 lm
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	76 lm/W
Color rendering index (CRI)	82
Operating and Electrical	
Power Consumption	22.5 W
Lamp Current (Nom)	0.295 A

Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Bulb Shape	T5
Approval and Application	
Energy Efficiency Class	G
Mercury (Hg) Content (Nom)	1.2 mg
Energy Consumption kWh/1000 h	25 kWh
EPREL Registration Number	423555
Product Data	
Order product name	MASTER TL5 HO 24W/840 1SL/20
Full product name	MASTER TL5 HO 24W/840 1SL/20
Full product code	871150063960805


Datasheet, 2024, February 9 data subject to change


MASTER TL5 High Output

Order code	927928084061
Material Nr. (12NC)	927928084061
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8711500639608


Numerator - Packs per outer box	20
EAN/UPC - Case	8711500264800

Dimensional drawing







Photometric data



Spectral Power Distribution Colour - MASTER TL5 HO 24W/840 1SL/20

Lifetime





Life Expectancy Diagram - MASTER TL5 HO 24W/840 1SL/20

Lumen Maintenance Diagram - MASTER TL5 HO 24W/840 1SL/20

MASTER TL5 High Output

Lifetime

Life Expectancy Diagram - MASTER TL5 HO 24W/840 1SL/20

