



MASTER CosmoWhite CPO-TW & CPO-TW Xtra

MST CosmoWh CPO-TW Xtra 90W/728 PGZ12

New-generation ceramic metal halide lamps used in Outdoor offering efficient and pleasant white light

Warnings and Safety

- Use only in totally enclosed luminaire, even during testing (IEC61167, IEC 62035, IEC60598)
- The luminaire must be able to contain hot lamp parts if the lamp ruptures
- Use only with electronic control gear
- Control gear must include end-of-life protection (IEC61167, IEC 62035)

Product data

General Information		Color rendering index (CRI)	
Cap-Base	PGZ12		70
Operating Position	UNIVERSAL [Any or Universal (U)]	Arc Length O (Nom)	18 mm
Flux measurement reference	Sphere	Operating and Electrical	
Life to 50% Failures (Nom)	32,000 h	Power Consumption	90.0 W
		Voltage (Nom)	92 V
		Voltage (Nom)	92 V
Light Technical		Controls and Dimming	
Color Code	728 [CCT of 2800K]	Dimmable	Yes
Luminous Flux	10,800 lm	Mechanical and Housing	
Color Designation	White (WH)	Bulb Finish	Clear
Chromaticity Coordinate X (Nom)	0.447		
Chromaticity Coordinate Y (Nom)	0.4		
Correlated Color Temperature (Nom)	2800 K		
Luminous Efficacy (rated) (Nom)	120 lm/W		

MASTER CosmoWhite CPO-TW & CPO-TW Xtra


Bulb Shape	T19
Approval and Application	
Energy Efficiency Class	E
Mercury (Hg) Content (Max)	3 mg
Mercury (Hg) Content (Nom)	3.0 mg
Energy Consumption kWh/1000 h	90 kWh
EPREL Registration Number	473351

Product Data

Order product name	MST CosmoWh CPO-TW Xtra 90W/728 PGZ12
Full product name	MST CosmoWh CPO-TW Xtra 90W/728 PGZ12


Full product code	871150021121715
Local code description	CPOWHITE90W728
Order code	928093505127
Material Nr. (12NC)	928093505127
Local order code	CPOWHITE90W728
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8711500211217
Numerator - Packs per outer box	12
EAN/UPC - Case	8711500211224

Dimensional drawing




Product	D (max)	D	O	L	C (max)
MST CosmoWh CPO-TW Xtra 90W/728 PGZ12	20 mm	19 mm	18 mm	66 mm	143 mm

Photometric data





Light Distribution Diagram - MST CosmoWh CPO-TW Xtra 90W/728 PGZ12



Spectral Power Distribution Colour - MST CosmoWh CPO-TW Xtra 90W/728 PGZ12

MASTER CosmoWhite CPO-TW & CPO-TW Xtra

Lifetime



Life Expectancy Diagram - MST CosmoWh CPO-TW Xtra 90W/728 PGZ12

Lumen Maintenance Diagram - MST CosmoWh CPO-TW Xtra 90W/728 PGZ12

