



# Fortimo LED downlight module (US)

# Fortimo LED DLM 3000 32W/830 UL Gen4

The Fortimo LED Downlight Module is equipped with a special remote phosphor technology, that enables very high levels of LED efficacy. This general lighting solution continues on the idea of LED Systems Simplified.

### **Product data**

Light Technical	
Life to 70% Lumen Maintenance	50,000 hour(s)
Color Consistency Initial	3
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	94.3 lm/W
Color rendering index (CRI)	80
Operating and Electrical	
Voltage (Nom)	120-277 V
System characteristics	
System Efficacy	83.7 lm/W
Temperature	
T-Case Maximum (Nom)	65 ℃

Approval and Application	
Approval Marks	UL certificate RoHS compliance
Product Data	
Full product code	871829172067600
Order product name	Fortimo LED DLM 3000 32W/830 UL Gen4
Order code	929000878303
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	30
Material Nr. (12NC)	929000878303
Full product name	Fortimo LED DLM 3000 32W/830 UL Gen4
EAN/UPC - Case	50781087133847
EAN/UPC - Product/Case	781087133842

Datasheet, 2023, May 22 data subject to change

## Fortimo LED downlight module (US)

### Dimensional drawing







 Product
 C1
 C2
 A1
 A3
 B1

 Fortimo LED DLM 3000 32W/830 UL
 43.7 mm
 40.2 mm
 81.6 mm
 66.8 mm
 82.8 mm

 Gen4



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.