



CorePro LEDcapsule LV

CorePro LEDcapsuleLV 2-20W G4 827 D

The CorePro LEDcapsule is a true alternative to the halogen capsule. It is particularly suitable for task lighting and decorative applications in homes, shops, hotels and restaurants. Compatible with existing fixtures with G4 holders and designed for retrofit replacement of halogen capsules, CorePro LEDcapsule delivers significant energy savings and minimises maintenance costs without any compromise on light quality.

Product data

General Information	
Cap base	G4 [G4]
Nominal lifetime	15,000 h
Switching Cycle	50,000
Lighting Technology	LED
EU RoHS compliant	Yes
Light Technical	
Colour Code	827 [CCT of 2700K]
Luminous Flux	200 lm
Colour designation	Warm White (WW)
Correlated Colour Temperature	2700 K
Luminous efficacy (rated) (nom.)	100.00 lm/W
Colour consistency	<6
Colour rendering index (CRI)	80
LLMF at end of nominal lifetime (nom.)	70 %
Operating and Electrical	
Line Frequency	- Hz

Input frequency	- Hz
Power Consumption	2 W
Lamp current (nom.)	220 mA
Wattage equivalent	20 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.7
Voltage (nom.)	12 V
Temperature	
T-Case maximum (nom.)	84 °C
Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Bulb shape	Capsule


Datasheet, 2023, April 29 data subject to change

CorePro LEDcapsule LV

Approval and Application		
Energy-saving product	Yes	
Suitable for accent lighting	Yes	
Energy consumption kWh/1,000 hours	3 kWh	
Product Data		
Order product name	CorePro LEDcapsuleLV 2-20W G4 827 D	
Full product name	CorePro LEDcapsuleLV 2-20W G4 827 D	
Full EOC	871869657865000	


Order code	57865000
Material no. (12 NC)	929001235302
SAP numerator – quantity per pack	1
EAN/UPC — Product/Case	8718696578650
Numerator – packs per outer box	12
EAN/UPC - Case	8718696578667

Dimensional drawing




Product	D	С
CorePro LEDcapsuleLV 2-20W G4 827 D	17 mm	48 mm


Photometric data







General uniform lighting - CorePro LEDcapsuleLV 2-20W G4 827 D



Light Distribution Diagram - CorePro LEDcapsuleLV 2-20W G4 827 D

CorePro LEDcapsule LV



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.