# **PHILIPS** Lighting



# MASTER LEDspot ExpertColor LV

# MASTER LED ExpertColor 7.5-43W MR16 930 36D

MASTER LEDspot LV ExpertColor creates a warm and comfortable ambience for hospitality venues, homes and restaurants. It creates such an ambience with superior lighting that has a customized spectrum, high CRI, and deep dimming feature. The result? A beautiful lighting experience. What's more, the innovative, trimless lens design will suit almost any interior decor with its clean and neat look. In addition, you can take advantage of the full ExpertColor family, which also includes LEDspot MV and LEDspot Par lamps.

#### **Product data**

| General Information                        |                    |  |
|--|--------------------|--|
| Cap-Base                                   | GU5.3 [GU5.3]      |  |
| Nominal lifetime                           | 40,000 hour(s)     |  |
| Switching Cycle                            | 50,000             |  |
| Lighting Technology                        | LED                |  |
| EU RoHS compliant                          | Yes                |  |
|  |                    |  |
| Light Technical                            |                    |  |
| Color Code                                 | 930 [CCT of 3000K] |  |
| Beam Angle (Nom)                           | 36 degree(s)       |  |
| Luminous Flux                              | 500 lm             |  |
| Luminous Intensity (Nom)                   | 1,550 cd           |  |
| Color Designation                          | White (WH)         |  |
| Correlated Color Temperature (Nom)         | 3000 K             |  |
| Luminous Efficacy (rated) (Nom)            | 66.67 lm/W         |  |
| Color Consistency                          | <3                 |  |
| Color rendering index (CRI)                | 92                 |  |
| LLMF At End Of Nominal Lifetime (Nom) 70 % |                    |  |


| Luminous Flux in 90° Cone (Rated) | 500 lm             |
|-----------------------------------|--------------------|
|                                   |                    |
| Operating and Electrical          |                    |
| Line Frequency                    | - Hz               |
| Input Frequency                   | - Hz               |
| Power Consumption                 | 7.5 W              |
| Lamp Current (Nom)                | 880 mA             |
| Wattage Equivalent                | 43 W               |
| Starting Time (Nom)               | 0.5 s              |
| Warm-up time to 60% light         | 0.5 s              |
| Power Factor (Fraction)           | 0.7                |
| Voltage (Nom)                     | ac electronic 12 V |
|                                   |                    |
| Temperature                       |                    |
| T-Case Maximum (Nom)              | 93 ℃               |
|                                   |                    |

## MASTER LEDspot ExpertColor LV

| Controls and Dimming          |  |  |
|-------------------------------|--|--|
| Dimmable                      | Yes                                      |  |
|                               |  |  |
| Mechanical and Housing        |  |  |
| Bulb Shape                    | MR16 [2inch/50mm]                        |  |
|                               |  |  |
| Approval and Application      |  |  |
| Suitable For Accent Lighting  | Yes                                      |  |
| Energy Consumption kWh/1000 h | 9 kWh                                    |  |
| EyeComfort                    | Yes                                      |  |
|                               |  |  |
| Product Data                  |  |  |
| Order product name            | MAS LED ExpertColor 7.5-43W MR16 930 36D |  |


| Full product name               | MASTER LED ExpertColor 7.5-43W MR16 930 |  |
|---------------------------------|---|--|
|                                 | 36D                                     |  |
| Full product code               | 871869673546600                         |  |
| Order code                      | 73546600                                |  |
| Material Nr. (12NC)             | 929001386402                            |  |
| Numerator - Quantity Per Pack   | 1                                       |  |
| EAN/UPC - Product/Case          | 8718696735466                           |  |
| Numerator - Packs per outer box | 10                                      |  |
| EAN/UPC - Case                  | 8718696735473                           |  |
|                                 |   |  |

#### Dimensional drawing



| Product                                  | D       | с     |
|--|---------|-------|
| MAS LED ExpertColor 7.5-43W MR16 930 36D | 50.5 mm | 46 mm |
|  |         |       |

#### Photometric data




 $90^{\circ}$   $180^{\circ}$   $120^{\circ}$   $190^{\circ}$   $90^{\circ}$   $90^{\circ}$ 

Light Distribution Diagram - MAS LED ExpertColor 7.5-43W MR16 930 36D

Accent Lighting Spots - MAS LED ExpertColor 7.5-43W MR16 930 36D


### MASTER LEDspot ExpertColor LV

Photometric data



Spectral Power Distribution Colour - MAS LED ExpertColor 7.5-43W MR16 930 36D

#### Lifetime



36D



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, April 29 - data subject to change