

# Decorative LED bulbs

## CLA LEDBulb D 8-50W A60 E27 822 GOLD

The new Deco collection (bulb) transforms your home with a perfect blend of (warm) white light and a lean, minimalistic lighting experience. With very long lifetime, up to 90% energy savings, no flickering and an instant full-level brightness, you will also enjoy soft and evenly distributed light with that trendy and stylish charm for a welcoming harmony in your space.

### Product data


General Information		Temperature	
Cap base	E27 [ E27]	Warm-up time to 60% light (nom.)	0.5 s
Nominal lifetime (nom.)	15000 h	Power factor (nom.)	0.7
Switching cycle	20000X	Voltage (Nom)	220-240 V
Technical type	8-50W	<b>Temperature</b>	
<b>Light Technical</b>		T-Case maximum (nom.)	55 °C
Colour Code	822 [ CCT of 2,200 K]	<b>Controls and Dimming</b>	
Lamp Luminous Flux 25°C EL (Nom)	630 lm	Dimmable	Yes
Colour Designation	Flame	<b>Mechanical and Housing</b>	
Colour Temperature, horizontal (Nom)	2200 K	Bulb finish	Amber
Lamp Luminous Efficacy EM (Nom)	78.00 lm/W	<b>Approval and Application</b>	
Colour consistency	<6	Energy efficiency label (EEL)	A+
Colour Rendering Index,horiz (Nom)	80	Energy Consumption kWh/1000 h	8 kWh
LLMF at end of nominal lifetime (nom.)	70 %	<b>Product Data</b>	
<b>Operating and Electrical</b>		Full product code	871869684154900
Input frequency	50 to 60 Hz	Order product name	CLA LEDBulb D 8-50W A60 E27 822 GOLD
Power (Rated) (Nom)	8 W	EAN/UPC – product	8718696841549
Lamp current (nom.)	52 mA	Order code	929001921602
Wattage equivalent	50 W		
Starting time (nom.)	0.5 s		

# Decorative LED bulbs

Numerator – quantity per pack	1
Numerator – packs per outer box	10
Material no. (12NC)	929001921602

Net weight (piece)	0.030 kg
--------------------	----------


## Dimensional drawing




Bulb A60 8-60W 620lm 2200K E27 D Amber

Product	D	C
CLA LEDBulb D 8-50W A60 E27 822 GOLD	60 mm	104 mm

## Photometric data



LEDBulb CLA 5.5-40W E27 ST64 Clear 827 DIM



LEDBulb CLA 8-50W E27 ST64 Amber 822 DIM

General Uniform Lighting

1 x 9290019216

1 x 820 lm



Photometric data summary including a beam spread diagram, a quantity estimator diagram, an LSP diagram, and tables for Utilization factor and Luminance.

CalcLux Photometrics 4.5 Philips Lighting B.V. Page: 1/1

LEDBulb CLA 8-50W E27 A60 Amber 822 DIM

## Decorative LED bulbs

### Lifetime



LEDBulb CLA 5.5-40W E27 ST64 Clear 827 DIM

LEDBulb CLA 5.5-40W E27 ST64 Clear 827 DIM

