PHILIPS Lighting



LED Highbay

75HB/LED/840/ND FB 4/1

Philips LED high bay lamps are a direct replacement for 250W to 400W metal halide lamps which will deliver substantial energy savings. Philips LED HighBays delivers bright, clean light for a fraction of the energy used by conventional HID.

Product data

General Information	
Cap-Base	EX39 [Exclusionary Mogul Screw
Nominal lifetime	25,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
EU RoHS compliant	Yes
Light Technical	
Color Code	840 [CCT of 4000K]
Beam Angle (Nom)	240 degree(s)
Luminous Flux	8,500 lm
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	113.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical Line Frequency 50 to 60 Hz Input Frequency 50 to 60 Hz Power Consumption 75 W Lamp Current (Nom) 650 mA Starting Time (Nom) 0.5 s

Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.9
Voltage (Nom)	120-277 V
UL Type	Type B - bypass the ballast
Temperature	
T-Case Maximum (Nom)	98 ℃
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted
Bulb Material	Plastic
Bulb Shape	T-shape
Approval and Application	
Energy Consumption kWh/1000 h	– kWh
Product Data	
Order product name	75HB/LED/840/ND FB 4/1
Full product name	75HB/LED/840/ND FB 4/1
Order code	929001993104
Material Nr. (12NC)	929001993104

LED Highbay

Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	046677542320
Numerator - Packs per outer box	4

EAN/UPC - Case	50046677542325


D

141 mm


с

267 mm


Dimensional drawing



Photometric data



Philips Lighting B.V.




Product

75HB/LED/840/ND FB 4/1

General uniform lighting - 75HB/LED/840/ND FB 4/1


Spectral Power Distribution Colour - 75HB/LED/840/ND FB 4/1



Light Distribution Diagram - 75HB/LED/840/ND FB 4/1

LED Highbay

Lifetime



Lumen Maintenance Diagram - 75HB/LED/840/ND FB 4/1

Life Expectancy Diagram - 75HB/LED/840/ND FB 4/1



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, November 16 - data subject to change