



CorePro Plastic (Dimmable) A-Shape Lamps

8.8A19/COR/940/FR/P/E26/DIM/T20 6/1CT


Dimmable A-shape lamps that offer over 25,000 hours lifetime. Title 20 listed lamps that can be sold in California and ideal for commercial spaces nationwide.

Product data

General Information		Input Frequency	
Cap-Base	E26 [Single Contact Medium Screw]	Power Consumption	60 Hz
Nominal lifetime	15,000 hour(s)	Lamp Current (Nom)	8.8 W
Switching Cycle	50,000	Wattage Equivalent	80 mA
Lighting Technology	LED	Starting Time (Nom)	60 W
EU RoHS compliant	Yes	Warm-up time to 60% light	0.5 s
Light Technical		Power Factor (Fraction)	0.5 s
Color Code	940 [CCT of 4000K]	Voltage (Nom)	0.7
Beam Angle (Nom)	250 degree(s)	Temperature	
Luminous Flux	800 lm	T-Case Maximum (Nom)	194 °F
Color Designation	Cool White (CW)	Controls and Dimming	
Correlated Color Temperature (Nom)	4000 K	Dimmable	Yes
Luminous Efficacy (rated) (Nom)	90.00 lm/W	Mechanical and Housing	
Color Consistency	<4	Bulb Finish	Frosted
Color rendering index (CRI)	90	Bulb Shape	A19
LLMF At End Of Nominal Lifetime (Nom)	70 %	UL Wet/ damp/ dry location	Damp location
Operating and Electrical			
Line Frequency	60 Hz		


CorePro Plastic (Dimmable) A-Shape Lamps

Photometric data




Spectral Power Distribution Colour - 8.8A19/COR/940/FR/P/E26/DIM/T20 6/1CT

Lifetime



Life Expectancy Diagram - 8.8A19/COR/940/FR/P/E26/DIM/T20 6/1CT



Lumen Maintenance Diagram - 8.8A19/COR/940/FR/P/E26/DIM/T20 6/1CT

