



LED Corn Cobs

27CC/LED/830/ND E26 G2 BB 6/1

Philips Corn Cob HID replacement lamps are perfect LED replacement for a variety of outdoor applications. High intensity illumination, which means you get added visibility for applications like streets, public areas, and much more for a fraction of the energy used by conventional HID.

Product data

E26 [Single Contact Medium Screw]
50,000 hour(s)
50,000
LED
Yes
830 [CCT of 3000K]
3,500 lm
White (WH)
3000 K
129.00 lm/W
ANSI 3000K quadrangle
80
70 %
50 to 60 Hz
50 to 60 Hz
27 W
300 mA

Warm-up time to 60% light	1 s
Power Factor (Fraction)	0.9
Voltage (Nom)	100-277 V
UL Type	HIB_UL Type B (UL Listed+Classified)
Temperature	
Ambient temperature range	-20 °C to 45 °C
T-Case Maximum (Nom)	60 ℃
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Clear
Bulb Material	Plastic
Bulb Shape	Corncob
Approval and Application	
Energy Consumption kWh/1000 h	27 kWh
Application Conditions	
can it be used in closed luminaires	Yes


Datasheet, 2024, January 4 data subject to change

LED Corn Cobs

Product Data	
Order product name	27CC/LED/830/ND E26 G2 BB 6/1
Full product name	27CC/LED/830/ND E26 G2 BB 6/1
Order code	929002395504
Material Nr. (12NC)	929002395504
Numerator - Quantity Per Pack	1


EAN/UPC - Product/Case	046677559663
Numerator - Packs per outer box	6
EAN/UPC - Case	50046677559668


Dimensional drawing




Product	D	С
27CC/LED/830/ND E26 G2 BB 6/1	60 mm	170 mm

Photometric data





General uniform lighting - 27CC/LED/830/ND E26 G2 BB 6/1





Light Distribution Diagram - 27CC/LED/830/ND E26 G2 BB 6/1

Spectral Power Distribution Colour - 27CC/LED/830/ND E26 G2 BB 6/1

LED Corn Cobs

Lifetime





Life Expectancy Diagram - 27CC/LED/830/ND E26 G2 BB 6/1

Lumen Maintenance Diagram - 27CC/LED/830/ND E26 G2 BB 6/1

