LIGHTOLIER

by (s) ignify

Downlighting

Flat Downlight Select

4" and 6" round



Lightolier LED Flat Downlight Select provides an easy and quick downlight solution without the traditional frame and reflector. Perfect for installation in low plenum and existing shallow space ceilings. The CCT selector feature makes it easy to choose CCT at the time of installation.

Project:	
Location:	
Cat.No:	
Туре:	
Lamps:	Qty:
Notes:	

example: FD4NCP

Fixture example: FD4R4CCT

Family	Size	сст	
FD			
FD Flat Downlight	4R 4-inch Round	4CCT	2700 K 3000 K
	6R 6-inch Round		4000K 5000K

Accessories		
Family	Model	
FD		
FD Flat Downlight	4NCP	4" NC Plate
	6NCP	6" NC Plate
	10EC	10 ft Extension Cable
	4TBK	4" Black Trim facia
	6TBK	6" Black Trim facia
	4TBN	4" Brushed Nickel Trim facia
	6TBN	6" Brushed Nickel Trim facia

Features

- **1. Flange**: aluminum alloy, powder coating in white (RAL9003)
- **2. Lens:** Diffuser is used for smooth and diffused light pattern.
- 3. Junction Box: steel, 4-1/8"x3-1/2"x1-2/9" (105mm*88mm*31mm). Clip attached on the side of the J-box to connect with fixture or new construction plate to meet NEC (National Electric Code). J-box also has key holes on the side for mounting on joist (see page 2).
- 4. Connector: locking power connection is used to connect J-box and fixture. Standard length of the connection is 11-4/5"(300mm).
- Ceiling cutout: installation template on adhesive backed label is not provided.
 4" round: 4 ¹/₃" (110mm) diameter.
 - 6" round: 6 ²/₉" (158mm) diameter.
- **6. Gasket:** foam gasket supplied with fixture.

Electrical

Electronic power supply:

RoHS compliant.*

isolated driver, Grounding Class 2 Power Unit.

Remote power supply can only accommodate one LED module and cannot be shared with other LED module.

Fixture can be through wired.

Dimming: Compatible for ELV/TRIAC (120V)

dimmers.

Philips SR150LED120 TRIAC (100-1%)

Leviton IPI06 TRIAC (100%-1%)

Leviton 6615P ELV (100%-5%)

Lutron DVELV-300P ELV(100%-1%)

Lutron NLV1000 TRIAC (100-1%)

Lutron PD-6WCL Wireless (100-1%)

Labels

Accessories

cULus listed (UL 1598) for wet locations (covered ceiling only). IC rated for direct contact with thermal insulation.

AirSeal for minimal air leakage.

ENERGY STAR® certified. Title 24 compliant (JA8).

Warranty

Lifetime: Expected lifetime 50,000 hours and backed by a 5-year warranty (visit signify.com/warranties for details).

		Lumen output	Input voltage	Input freq	Max. input current	Max. input power	Max. THD	Power factor	CRI
4" R	ound	700lm	120V	60Hz	0.10A	11W	15%	0.9	90
6" R	ound	900lm	120V	60Hz	0.125A	13.5W	15%	0.9	90

^{*} Restrictions on Hazardous Substances (RoHS) is a European directive (2002/95/EC) designed to limit the content of 6 substances [lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB), and polybrominated diphenyl ethers (PBDE)] in electrical and electronic products. For products used in North America compliance to RoHS is voluntary and self-certified.












Flat Downlight Select LED


4" and 6" aperture recessed downlight

Dimensions:

Flat Downlight 4"




Flat Downlight 6"




Components


- 1. Electrical Box with knockouts
- 2. Mounting keyhole
- 3. Remodel NEC* clip
- 4.11.8"(0.3m)cord
- 5. Locking power connector
- 6. Integrated LED Luminaire
- 7. Spring clip for easy mounting
- 8. CCT selector

*NEC = National Electric Code




Junction box






Remodeler applications: attach junction box clip to installation spring to assure NEC compliance.

4-inch NC plate



6-inch NC plate




Flat Downlight Select LED

4" and 6" aperture recessed downlight

FDL 4" Round 700lm 90 2700K, 3000K, 4000K & 5000K 120V

Candela Curve



Fixture: FD4R4CCT

Output lumens:	700 lms
Input watts:	11 W
CRI:	90 CRI
CCT1:	2700K
	3000K
	4000K
	5000K
Spacing Crit.:	1.2

Zonal summary

Zone	Lumens	%Luminaire
0-30	198	28.3%
0-40	320	45.7%
0-60	555	79.3%
0-90	700	100.0%

Angle	Mean CP	Lumen
0	259	
5	258	24
10	254	
15	246	69
20	237	
25	225	104
30	212	
35	196	123
40	179	
45	161	125
50	143	
55	124	111
60	104	
65	84	83
70	65	
75	46	49
80	28	
85	11	12

Single unit data

	Initial center beam	
lighted plane	foot-candles	diameter (ft)
5'	10	6.0'
6'	7	7.2'
7'	5	8.4'
8'	4	9.6'
9'	3	10.8'

* Beam diameter is where foot-candles drop to 50% of maximum.

Multiple unit data - RCR 2

Spacing on center	Initial center beam foot-candles	Watts per sq. ft.
5'	28.0	0.49
6'	19.0	0.32
7'	13.0	0.23
8'	11.0	0.19
9'	9.0	0.15

38' x 38' x 10' Room, Workplane 2.5' above floor, 80/50/20% Reflectances


Efficacy: 63.6 lm/w Report²: 9290022700

Coefficients of utilization

Ceiling		80)%		70	%	50	1%	30)%	0%
Wall	70	50	30	10	50	10	50	10	50	10	0
RCR	Zon	al cav	ity me	ethod	- Eff	ective	e floo	r refl	ectan	ice = 2	20%
0	119	119	119	119	116	116	111	111	106	106	100
o 1	109	104	99	95	101	94	97	91	93	88	83
± 2	99	90	83	77	88	76	85	75	81	73	69
e 3	90	79	71	64	77	63	74	62	72	61	58
Room Cavity Ratio	82	70	61	54	69	54	66	53	64	52	49
æ 5	75	62	53	47	61	46	59	46	57	45	43
ပ္ 6	70	56	47	41	55	40	53	40	52	40	37
5 7	65	51	42	36	50	36	48	35	47	35	33
දි 8	60	46	38	32	46	32	44	32	43	31	29
9	56	43	34	29	42	29	41	28	40	28	26
10	53	39	31	26	39	26	38	26	37	26	24

FDL 6" Round 700lm 90 2700K, 3000K, 4000K & 5000K 120V

Candela Curve



Fixture: FD6R4CCT

Output lumens:	900 lms
Input watts:	13 W
CRI:	90 CRI
CCT 1:	2700K
	3000K
	4000K
	5000K

Spacing Crit.:

Zonal summary

Zone	Lumens	%Luminaire
0-30	251	27.9%
0-40	408	45.3%
0-60	712	79.1%
0-90	900	100.0%

Angle | Mean CP | Lumens

0 5	330 327	28
10 15	321 313	80
20 25 30	301 287 270	122
35 40	251 230	147
45 50	208 185	121
55 60	160 135	68
65 70	110 85	40
75 80	60 36	23
85 90	9	6

Single unit data

	Initial center beam foot-candles	
5'	13	6.0'
6'	9	7.2'
7'	7	8.4'
8'	5	9.6'
9'	4	10.8'

* Beam diameter is where foot-candles drop to 50% of maximum.

Multiple unit data - RCR 2

Spacing on center	Initial center beam foot-candles	Watts per sq. ft.			
5'	36.0	0.58			
6'	24.0	0.38			
7'	17.0	0.27			
8'	14.0	0.23			
9'	11.0	0.18			

38' x 38' x 10' Room, Workplane 2.5' above floor, 80/50/20% Reflectances

Efficacy: 69.2 lm/w Report²: 9290022706

Coefficients of utilization

				_	_						_
Ceiling		80)%		70	1%	50	1%	30)%	0%
Wall	70	50	30	10	50	10	50	10	50	10	0
RCR	Zonal cavity method - Effective floor reflectance = 20%										
0	119	119	119	119	116	116	111	111	106	106	100
0 1	109	104	99	95	101	94	97	91	93	88	83
Ratio 2	99	90	83	77	88	76	85	75	81	73	69
a≃ 3	90	79	71	64	77	63	74	62	72	61	58
.≧ 4	82	70	61	54	69	54	66	53	64	52	49
Room Cavity 8 2 9 5 7	75	62	53	47	61	46	59	46	57	45	43
₂ 6	70	56	47	41	55	40	53	40	52	40	37
57	65	51	42	36	50	36	48	35	47	35	33
윤 8	60	46	38	32	46	32	44	32	43	31	29
9	56	43	34	29	42	29	41	28	40	28	26
10	53	39	31	26	39	26	38	26	37	26	24

^{2.} Tested using absolute photometry as specified in LM79: IESNA Approved Method for the Electrical and Photometric Measurements of Solid-State Lighting Products.



© 2020 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, upless otherwise agreed by Signify.

Signify North America Corporation 200 Franklin Square Drive, Somerset, NJ 08873 Telephone 855-486-2216 Signify Canada Ltd. 281 Hillmount Road, Markham, ON, Canada L6C 2S3 Telephone 800-668-9008

All trademarks are owned by Signify Holding or their respective owners.

^{1.} Correlated Color Temperature within specs as defined in ANSI_NEMA_ANSLG C78.377-2008: Specifications for the Chromaticity of Solid State Lighting Products.