



MSD Platinum (Touring/Stage)

MSD Platinum 16 R 1CT/8

The MSD Platinum lamps open up new levels of creative freedom in entertainment lighting, with powerful, compact and brilliantly intense light. Their compact, lightweight design provides the freedom to create smaller, lighter luminaires – for use at any location on stage. And their short arc, high color temperature and innovative reflector produce a sparkling, high beam intensity for outstanding color reproduction. They also offer long and reliable lifetime, high efficacy and fast replacement times. It all adds up to an intensely exciting creative experience.

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- Lamp contains mercury.
- Manage in Accord with Disposal Laws.
- See: www.lamprecycle.org or 1-800-555-0050

Product data

General Information	
Cap-Base	-
Operating Position	UNIVERSAL [Any or Universal (U)]
Life to 50% Failures (Nom)	1,500 hour(s)
Light Technical	
Color Code	2
Luminous Flux (Min)	14,300 lm
Luminous Flux	16,000 lm
Chromaticity Coordinate X (Nom)	299


Chromaticity Coordinate Y (Nom)	303
Correlated Color Temperature (Nom)	8000 K
Color rendering index (CRI)	-
Arc Length O (Nom)	1.3 mm
Operating and Electrical	
Power Consumption	330 W

MSD Platinum (Touring/Stage)

Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Net Weight (Piece)	0.176 lb
Approval and Application	
CE mark	Yes
Product Data	
Order product name	MSD Platinum 16 R 1CT/8


Full product name	MSD Platinum 16 R 1CT/8
Full product code	871829170438600
Order code	293050
Material Nr. (12NC)	928195205314
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718291704386
Numerator - Packs per outer box	8
EAN/UPC - Case	8718291704393

Dimensional drawing



Product	D (max)	O	C (max)
MSD Platinum 16 R 1CT/8	2-5/16 inch	1/16 inch	2-5/8 inch

Photometric data



Spectral Power Distribution Colour - MSD Platinum 16 R 1CT/8

MSD Platinum (Touring/Stage)

