



# **Essential LEDspot MR16**

# 5W (50W) GU5.3 cap Cool daylight Non-dimmable Spot

Essential LEDspots MR16 are compatible with most existing fixtures with a GU5.3 socket and are designed as a retrofit replacement for halogen spots. Essential LEDspots MR16 deliver significant energy savings and minimize initial investment.

#### **Product data**

General Information		
Cap-Base	GU5.3	
Nominal lifetime	15,000 hour(s)	
Switching Cycle	50,000	
Rated Lifetime (Hours)	15,000 hour(s)	
Lighting Technology	LED	
Light Technical		
Color Code	865 [CCT of 6500K]	
Beam Angle (Nom)	24 degree(s)	
Luminous Flux	435 lm	
Luminous Intensity (Nom)	1,700 cd	
Color Designation	Cool Daylight	
Correlated Color Temperature (Nom)	6500 K	
Luminous Efficacy (rated) (Nom)	87.00 lm/W	
Color Consistency	<6	
Color rendering index (CRI)	80	
LLMF At End Of Nominal Lifetime (Non	n) 70 %	

Operating and Electrical	
Line Frequency	- Hz
Input Frequency	- Hz
Power Consumption	5 W
Lamp Current (Nom)	580 mA
Wattage Equivalent	50 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	1s
Power Factor (Fraction)	0.5
Voltage (Nom)	12 V
Temperature	
T-Case Maximum (Nom)	76 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Shape	MR16


Datasheet, 2024, March 31 data subject to change

# **Essential LEDspot MR16**

Net Weight (Piece)	0.045 kg
Approval and Application	
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	- kWh
EU RoHS compliant	Yes
Product Data	
Order product name	5W (50W) GU5.3 cap Cool daylight Non-
	dimmable Spot
Full product name	5W (50W) GU5.3 cap Cool daylight Non-
	dimmable Spot


Full product code	871869657957200
Order code	929001240208
Material Nr. (12NC)	929001240208
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718696579572
Numerator - Packs per outer box	10
EAN/UPC - Case	8718696579589


# Dimensional drawing



Product	D	С
5W (50W) GU5.3 cap Cool daylight Non-dimmable Spot		46 mm

### Photometric data






Spectral Power Distribution Colour - Essential LED 5-50W 6500K MR16 24D

Accent Lighting Spots - Essential LED 5-50W 6500K MR16 24D


# **Essential LEDspot MR16**


#### Photometric data



Light Distribution Diagram - Essential LED 5-50W 6500K MR16 24D

#### Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram - Essential LED 5-50W 6500K MR16 24D



© 2024 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.