



LEDLamps

LEDGlobe 7-60W G95 B22 WW 230V_AU

LED Lamps are a perfect fit for general lighting applications. Compatible with most existing fixtures and designed as a retrofit replacement for incandescent and halogen lamps, LED Lamps deliver huge energy savings and minimize maintenance cost

Product data


| General Information | |
|---------------------------------------|--------------------|
| Cap-Base | B22 |
| Nominal lifetime | 15,000 h |
| Switching Cycle | 50,000 |
| Rated Lifetime (Hours) | 15,000 h |
| Lighting Technology | LED |
| EU RoHS compliant | Yes |
| Light Technical | |
| Color Code | 827 [CCT of 2700K] |
| Color Code | 827 [CCT of 2700K] |
| Beam Angle (Nom) | 150 degree(s) |
| Luminous Flux | 806 lm |
| Color Designation | Warm White (WW) |
| Correlated Color Temperature (Nom) | 2700 K |
| Luminous Efficacy (rated) (Nom) | 115 lm/W |
| Color Consistency | <6 |
| Color rendering index (CRI) | 80 |
| LLMF At End Of Nominal Lifetime (Nom) | 70 % |
| Operating and Electrical | |
| Input Frequency | 50 to 60 Hz |
| Power Consumption | 7 W |

| Lamp Current (Nom) | 60 mA |
|-------------------------------|---------------|
| Wattage Equivalent | 60 W |
| Starting Time (Nom) | 0.5 s |
| Warm-up time to 60% light | 0.5 s |
| Power Factor (Fraction) | 0.7 |
| Voltage (Nom) | 220-240 V |
| Temperature | |
| Ambient temperature range | -20 to +45 °C |
| T-Case Maximum (Nom) | 45 °C |
| Controls and Dimming | |
| Dimmable | No |
| Mechanical and Housing | |
| Bulb Finish | Frosted |
| Bulb Material | Plastic |
| Bulb Shape | G95 |
| Approval and Application | |
| Energy Consumption kWh/1000 h | 7 kWh |
| EyeComfort | Yes |

| | |
|------------------------|-----------------------------------|
| LED Innovations | EyeComfort |
| Product Data | |
| Order product name | LEDGlobe 7-60W G95 B22 WW 230V_AU |
| Full product name | LEDGlobe 7-60W G95 B22 WW 230V_AU |
| Full product code | 871869673244100 |
| Local code description | G93806LB22WW |
| Order code | 929002442069 |



| | |
|---------------------------------|---------------|
| Material Nr. (12NC) | 929002442069 |
| Local order code | G93806LB22WW |
| Numerator - Quantity Per Pack | 1 |
| EAN/UPC - Product/Case | 8718696732441 |
| Numerator - Packs per outer box | 3 |
| EAN/UPC - Case | 8719514271517 |

Dimensional drawing




| Product | D | C |
|-----------------------------------|-------|--------|
| LEDGlobe 7-60W G95 B22 WW 230V_AU | 95 mm | 135 mm |

Photometric data



Light Distribution Diagram - LEDGlobe 7-60W G95 B22 WW 230V_AU

General uniform lighting - LEDGlobe 7-60W G95 B22 WW 230V_AU



Spectral Power Distribution Colour - LEDGlobe 7-60W G95 B22 WW 230V_AU

Lifetime



Life Expectancy Diagram - LEDGlobe 7-60W G95 B22 WW 230V_AU



Lumen Maintenance Diagram - LEDGlobe 7-60W G95 B22 WW 230V_AU

