



Classic filament LEDbulbs

LEDclassic 60W B22 2700K G120 D CL AU

Featuring a classic heritage design, Classic filament LEDbulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

Product data

General Information	
Cap-Base	B22
Nominal lifetime	15,000 hour(s)
Switching Cycle	20,000
Rated Lifetime (Hours)	15,000 hour(s)
Lighting Technology	LED
Light Technical	
Color Code	927 [CCT of 2700K]
Color Code	927 [CCT of 2700K]
Luminous Flux	806 lm
Luminous Efficacy (rated) (Nom)	134 lm/W
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Color Consistency	<6
Color rendering index (CRI)	90
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz

Power Consumption	6 W
Lamp Current (Nom)	35 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.7
Voltage (Nom)	220-240 V
Temperature	
Ambient temperature range	-20 to +45 °C
T-Case Maximum (Nom)	80 ℃
Controls and Dimming	
Dimmable	Only with specific dimmers
Mechanical and Housing	
Bulb Finish	Clear
Bulb Material	Glass
Bulb Shape	G120


Datasheet, 2023, October 6 data subject to change

Classic filament LEDbulbs

Approval and Application	
Energy Consumption kWh/1000 h	6 kWh
EU RoHS compliant	Yes
Product Data	
Order product name	LEDclassic 60W B22 2700K G120 D CL AU
Full product name	LEDclassic 60W B22 2700K G120 D CL AU
Full product code	871951438590000
Order code	929003100779


Material Nr. (12NC)	929003100779
Numerator - Quantity Per Pack	1
Net Weight (Piece)	0.165 kg
EAN/UPC - Product/Case	8719514385900
Numerator - Packs per outer box	3
EAN/UPC - Case	8719514385917

Dimensional drawing




Product	D	С
LEDclassic 60W B22 2700K G120 D CL AU	124 mm	178 mm

Photometric data






General uniform lighting - LEDclassic 60W B22 2700K G120 D CL AU



Light Distribution Diagram - LEDclassic 60W B22 2700K G120 D CL AU


Classic filament LEDbulbs


Photometric data



Spectral Power Distribution Colour - LEDclassic 60W B22 2700K G120 D CL AU

Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram - LEDclassic 60W B22 2700K G120 D CL AU



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.