Troffer

ADVANCE

by (s) ignify

Fortimo

Variable Length Modules



In today's dynamic environment, speed and flexibility are essential

Fortimo Variable Length Modules greatly simplify your luminaire production runs and enable the ability to react quickly to your customer's needs.



Anticipating project needs is difficult!

Stocking a single SKU is much easier than stocking dozens of SKUs and driving down complexity enables faster reaction time with unforeseen projects as well as reduce inventory risks on low running form factors



Avoid mixing old and new production runs

Fewer SKUs means greater uniformity in what you are putting in your fixture and greater consistency of light



Go Tunable White for Ultimate Flexibility

A 4ft cuttable FlexTune Tunable White Module is a powerful tool that can be your solution for many different configurations



Simplified Production

Increase production efficiency with 4ft modules that remove the need to wire 2ft modules together – variable length modules are a breeze to cut on the assembly line


Fortimo Variable Length Modules

Discover the power of flexibility with Fortimo variable length modules

Permissible separation of variable length LED modules

and clean anti-static working surface (table, fixturing jig, etc.) with a square edge suitable to support the variable length LED module. Place the Advance Fortimo variable length LED module such that the separation of the module will create the desired length of the LED module(s) A solid working surface with proper squared alignment of the line Advance Fortimo variable length LED module.

Step 2: Align the perforated separation line of the Advance Fortimo variable length LED module against the edge of the supported surface within 1mm of the perforated separation line as shown.



Step 3: Press the overhanging section of the variable length LED module down with pressure being applied as close as possible to the perforated separation line. Keep your fingers away from the LEDs as much as possible to avoid damage to the LEDs.



Anti-static gloved hands applying pressure for proper separation of the line Advance Fortimo variable length LED module.

Fortimo LED Strip PR LV5 4 lengths x 8CRI/CCT options = 32 SKUs

| Length | 1 | Lumens | 80 CRI 3000K CCT | 80 CRI 3500K CCT | 80 CRI 4000K CCT | 80 CRI 5000K CCT | 90 CRI 2700K CCT | 90 CRI 3000K CCT | 90 CRI 3500K CCT | 90 CRI 4000K CCT |
|--------|------------|---------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| 0.5ft | 5.5-inch | 550lm | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| 1ft | 11-inch | 1100 lm | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| 2ft | 22-inch | 2200lm | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| 2ft | 23.75-inch | 2200lm | ✓ | ✓ | ✓ | ✓ | ✓ | ~ | ✓ | ✓ |
| | | | | | | | | | | |
| | | | | | | | | | | 7 |

Fortimo LED Strip PR LV5 2 lengths x 8CRI/CCT options = 16 SKUs

| Length | | Lumens | 80 CRI 3000K CCT | 80 CRI 3500K CCT | 80 CRI 4000K CCT | 80 CRI 5000K CCT | 90 CRI 2700K CCT | 90 CRI 3000K CCT | 90 CRI 3500K CCT | 90 CRI 4000K CCT |
|--------|------------|---------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| 4ft | 44-inch* | 4400lm | ✓ |
| 4ft | 47.5-inch* | 4400 lm | ✓ | <u> </u> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

Fortimo LED Strip PR LV5 (tunable white) 1 length x 2CRI/CCT options = 2 SKUs

| Lengt | h | Lumens | 80 CRI 2700K CCT | 80 CRI 6500K CCT | 90 CRI 2700K CCT | 90 CRI 6500K CCT | |
|-------|----------|--------|---------------------|---------------------|---------------------|---------------------|--|
| 4ft | 44-inch* | 4400lm | ✓ | | ✓ | | |

^{*} Please contact your Philips sales representative or visit philips.com/lighting for more information.





© 2020 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify.

Signify North America Corporation 200 Franklin Square Drive, Somerset, NJ 08873 Telephone 855–486–2216 Signify Canada Ltd. 281 Hillmount Road, Markham, ON, Canada L6C 2S3 Telephone 800-668-9008

All trademarks are owned by Signify Holding or their respective owners.