



Stand-alone 3 hours compliant Emergency lighting Surface Mounted Downlight

Emergency Surface Mounted Downlight

Safety is important for building owners, and therefore having proper emergency lighting in place is a major concern for them. The Emergency surface mounted Downlight EM152C offers an easy solution for stand-alone emergency lighting, that is fully compliant with European regulations. The lithium battery (LiFePO4) has many advantages over nickel-based products, as it has a longer lifetime, better discharge behavior, is produced in a more welfare friendly way and can be recycled. Two interchangeable lenses are supplied with the product, to adjust the beam angle to the application.

Benefits

- Meets European standards for emergency lighting luminaires.
- Lithium based battery type provides longer lifetime, low self discharge and high temperature tolerance.
- Welfare friendly solution versus nickel-based products as the battery can be recycled.

Features

- Two interchangeable lens optics; corridor and open area
- Non-Maintained Emergency lighting
- 3 hours emergency lighting
- Manual and Self-Test options

Emergency Surface Mounted Downlight

Application


- Exit and Emergency
- Offices
- Retail
- Hospitality
- Manufacturing

Versions



EM152C Emergency Recessed
Downlight family

Dimensional drawing



Product details



EM152C Emergency recessed
Downlight details

Emergency Surface Mounted Downlight

