

Guidelines for Outdoor Lighting Interventions in Humanitarian Contexts

## Contents

#### Preface

Purpose Scope and Limitations Guidelines navigation

# Determining lighting specification for minimum lighting requirement

Background on lighting measurement	
Existing lighting standards	
Application of EN 13201:2015 and EN12464-2:2014	
for displaced people sites	
Requirement for conflict areas	
Requirements for Pedestrians	
Requirements for storage and high-risk areas	
Participatory assessment for prioritization	
Open Area lighting	
Market & Aggregation Areas	
Water Collection & Distribution Points	
Security Lighting for technological, merchandises &	
high-risk areas	
Living quarters -lighting between shelters	
Community services building – outdoor lighting	
Option 1 – Wall Mounted	
Option 2 – Poles	
Community Buildings –Outdoor lighting for Toilets,	
Showers and latrines	
Mobility Infrastructures	
Pedestrian roads between shelters	
Pedestrian including Roadway	
Cross-passages & Junction areas	

(S):	ignify	foundation
------	--------	------------

Determining system specification	24
Photovoltaic Panels	25
Battery System for Solar	26
Standalone Off-grid Charge Controller	28
Recommendations	32
Camp situation	32
Socio – Economic Policy	33
Supply chain	34
Private and public partners	34
National plans and policies	34
Communities coexistence	34
Sustainibility	34
Ownership and O&M	34
Recycling	35
Installation Instruction	36
Field Installation	36
Pole Installation Instructions	54
Foundation Installation Instructions	61
Maintenance Instructions	65
Troubleshooting and Maintenance	71

## Preface

#### Purpose

The purpose of this document is to provide the United Nations High Commissioner for Refugees (UNHCR) and its relevant partners with a tool to aid in making a suitable choice of solar lighting systems. This applies for procurement and installation, as well as operation and maintenance – mainly for new lighting interventions, but it can also be applied to support the improvement of existing lighting system in camps. This is done, in turn, to enhance quality of life, productivity and safety of displaced population settlement sites during hours of darkness, in all possible applications and project scopes.

#### **Scope and Limitations**

These specifications are part of a lighting guidance focused on outdoor lighting requirements covering support and community applications in humanitarian settings including:

- Outdoor lighting at unsafe places to mitigate protection risks, within and at immediate surrounding of the displaced population settlements
- Outdoor lighting for productive use (businesses & markets)
- Outdoor lighting for community centers (health, schools, women safe house, vocational training centers, police stations and water tapping points when under use at night)
- Recreational, social, sports...

It is not intended to address indoor lighting requirements and it is also limited at the minimum lighting requirement to fit to the budget constraints (which is often a key factor in lighting intervention projects). Additionally, this guideline document is limited to lighting system specification guidelines for stand-alone systems only. It does not consider minigrids because of their inherent complexities and costs. The pros and cons of mini-grids are discussed to give the user a better perspective of their possibilities. It should be noted that these guidelines do not cover domestic (inside the tent) lighting interventions.

The intent of these guidelines document is to:

- Clarify applications and roles for outdoor lighting and solar power lighting systems within forcibly displaced people's sites.
- Assist field officers and contractors (i.e. private partners) in determining minimum lighting requirement for the activities during dark hours and to choose appropriate lighting products through contextualization for establishing requirements.

This document is based on Signify's engineering judgment and expertise in lighting intervention, in

conjunction with information gathered through a series of interviews with UNHCR officers.


The specifications illustrated in this document are meant to allow for flexibility – meaning, they can be adapted. However, if there is any inconsistency or conflict between any of the guidance contained in the guidelines and the applicable legislative requirement, the legislative requirement shall prevail.

These specifications will be integrated in a lighting guideline tool which is intended to guide UNHCR field officers and partners (even without expertise in lighting) throughout the process of choosing and

#### **Guideline navigation**

This section will address a series of questions that might provide insights into this manual. This series of question is generic, and should be brought up when a decision for lighting a camp/settlement needs to be made.

- What is the need for lighting (e.g. security light for warehouse, street lighting for crossroad etc)? Run participatory assessment exercise<sup>1</sup>
- For which type of location does it apply (street, open areas, community building)?
- Find the luminaires that apply for such application in this guide (type and disposition).
- Based on the luminaire specification and the geographic location, identify the most suitable solar components from the table in the solar specification chapter:
  - PV panel
  - Battery
  - Charge controller
- Find information about installation of the specific component in the installation chapter.
- Find information about O&M in the relevant chapter.



# Determining lighting specification for minimum lighting requirement

#### Background on lighting measurement

Illuminance is the measure of how bright an area is. The metric measure of the illuminance is lux, which represents the measure of the intensity of light (lumen) per square meter of surface on which it is spread. This is used to determine the kind of lighting installation required.

Environment	Typical/ Approximate Illuminance
Full Moon on a clear night	0.2 lux
Dark limit of civil twilight	3.4 lux
Night time on suburban residential street	5 lux
Well-lit main street at night (Pedestrian & roadways, cross-passages, junctions areas)	10 lux
Well-lit main street at night (Pedestrian & Aggregation areas)	15 lux
Very dark overcast day	100 lux
Full daylight (not direct sun)	10,000-25,000 lux

The characteristics of the light sources are important. These concern its colour appearance in  $^{\circ}$ K, and its ability to reveal the colours (its colour-rendering index). Finally, lighting installations should not cause glare nor light trespass. To maintain the necessary light level throughout the time, one should consider roughly +20% for the sources flux to be installed to consider light depreciation over time.

#### Existing lighting standards

Internationally recognized outdoor lighting standards, which provide recommended illuminance values, were taken into consideration for this document – these are the **EN 13201:2015**, standard for road lighting (approved by the CEN European committee for standardization on June,6 2015), and the **EN 12464**–

**2:2014**, standard for lighting of outdoor workplaces (approved by the CEN on December,7 2013). Two other reference documents for lighting can be used: CIE 115:2010 (approved by the Commission Internationale de l'Eclairage, second edition) for Road lighting and the ISO/CIE 8995-3 (first edition 2018-03, prepared by CIE and ISO/TC274 the International Organization for Standardization on Light and Lighting) for lighting requirements for safety and security of Outdoor work places.

# Application of EN 13201:2015 and EN12464-2:2014 for displaced people sites

Given the complexity of the relevant contexts in terms of variety of possible applications, three main categories have been defined. These categories reflect the physical characteristics of a specific area to be lit, while preserving the minimum lighting requirement necessary to guarantee safety and allow for all relative activities to be performed.

This simplification has been made to address the problem of possible absence of technical knowledge and/or experience in lighting within the field team. They will be the final users of the future guidelines and can be aided in the lighting intervention through such structured guidance, with the aim of being as user-friendly as possible. The three categories are:

- Street lighting
- Outdoor community lighting
- Open area lighting



Besides this categorization in three groups, the present specification document considers the classes of area identified within the EN 13201-2:2015 standard: requirements for conflict areas, for pedestrians, and for areas within the EN12464-2:2014 standard, the available European standards of lighting specifications - these and are considered as the basis of all calculations, as there are no clear global standards for the chosen contexts.

#### Requirement for conflict areas

In general, this applies to refugee camps where, occasionally, there are drivers of motorized vehicle (humanitarian trucks, cars...) passing through:

- Street Lighting such as roadways, crosspassages, junction areas -Class C4
- Flood Lighting in areas such as market & aggregation squares –Class C3

#### Norm text:

The C classes in Table 2 are intended for drivers of motorized vehicles on conflict areas such as shopping streets, road intersections of some complexity, roundabouts, queuing areas, etc. C classes can also be applied to areas used by pedestrians. The average illuminance ( $\tilde{E}$ ) and the overall uniformity of the illuminance (Uo) are to be calculated and measured in accordance with EN 13201-3 and EN 13201-4.

#### Table 2 Iluminance class for conflict areas

Class	Horizontal Illuminance	
	E (Minimum maintained)	Uo (minimum)
CO	50	0.40
C1	30	0.40
C2	20	0.40
C3	15	0.40
C4	10	0.40
C5	7.5	0.40

#### Requirements for Pedestrians

- P Lighting Classes are applicable to Refugee Camps exclusively for the pedestrian passages.
- Street Lighting such as Pedestrian Roads generally through Shelters & Tents -Class P2
- Flood Lighting in areas close to Community Buildings & Tents as well as Shelters –Class P1

#### Norm text:

The P classes in Table 3 are intended for pedestrians and pedal cyclists on footways, cycle ways, emergency

lanes and other road areas lying separately or along the carriageway of a traffic route, and for residential roads, pedestrian streets, parking places, schoolyards, etc.

The road area for which the requirements of Tables 3 apply, can include all the road area such as carriageways on residential roads and reserves between carriageways, footways and cycleways.

#### **Table 3 Pedestrian lighting standards**

Class	Horizontal Illuminance	
	E° (Minimum	E (maintained) Ix
P1	50	0.40
P2	30	0.40
P3	20	0.40
P4	15	0.40
P5	10	0.40
P6	7.5	0.40
P7	Performance not determinate	Performance not determinate

#### Requirements for storage and high-risk areas

These requirements apply to both storage and highrisk areas – these will ensure the appropriate tasks realization, the security of people working and the security of merchandise.

The average recommended illuminance and uniformity as mentioned in the EN12464-2:

#### Table 2 Iluminance requirements of storage areas

Ref. No	5.7.1
Tγpe of area, task or activitγ	Short term handling of large units and raw materials, loading and
	unloading of solid bulk goods.
E Ix	20
U	0,25

#### Participatory assessment for prioritization

To ensure that the lighting needs of displaced people are placed at the centre of the intervention, a complete involvement of people of concern (POC) is needed through a process of participatory assessment. This should include, as much as possible, powerless people such as refugee women, girls and boys, in order to identify together with them possible protection risks that they may face, priorities and channelize the


#### Open Area lighting (Optimal configuration)

Market & Aggregation Areas- Small size (IO x 20m) (Optimal configuration <sup>3</sup>)




intervention toward a solution which matches with displaced people's needs.

Tools are already available to trigger the refugee's involvement during the phases of the intervention, the participatory assessment tool<sup>2</sup> for example which "should be used throughout the programming cycle to structure dialogue with refugees on implementation, monitoring and evaluation of services and protection assistance".




 $E_{av}[Ix] = 14$   $E_{min}[Ix] = 6.26$   $E_{max}[Ix] = 20$  u0 = 0.449



<sup>2</sup> UNHCR. (2006). The UNHCR Tool for Participatory Assessment in Operations.

(https://www.unhcr.org/publications/legal/450e963f2/unhcr-tool-participatory-assessment-operations.html) <sup>3</sup>It should be noted that optimal configuration has less poles compared to alternative configuration but poles are higher in length. Depending on the case, user can choose the suitable configuration.



Distance: 14mm

Luminaires ranges :

Acceptable luminous flux range (depending on optic type and efficiency): 3000 lm - 4500 lm


#### Market & Aggregation Areas –Small size (10x20m) (Alternative configuration)

#### Luminaire Specifications:


- Luminous Flux: 3000 lm
- Colour Temperature: 30000K
- Power consumption proposed: 17W
- Efficacy proposed: 175 lm/W
- Optic proposed: medium beam
- Protection degree: IP65 or IP66
- Electrical run: 12/24 V DC
- Efficacy acceptable range: 150 to 190 lm/W
- Power consumption: range 16W to 30W



#### $E_{av}$ [Ix] = 16 $E_{min}$ [Ix] = 5.97 $E_{max}$ [Ix] = 26



5




12m (Side A); 7m (Side B)


#### Market & Aggregation Areas -Medium size (Optimal configuration) [22x30m]




- Luminous Flux: 1500 lm
- Color Temperature: 4000K or warmer.
- Power consumption: range 8W to 10W
- Efficacy proposed: 188 lm/W
- Efficacy acceptable range: 150 to 180 lm/W
- Protection degree: UNHCR actual standard is
- IP 6 5
- Electrical run: 12/24 V DC



 $E_{max}[lx] = 22$  $E_{av}[Ix] = 14$  $E_{min}[lx] = 6.84$ u0 = 0.486





20m (Side A); 17m (Side B)

#### Luminaires ranges :


Acceptable luminous flux range (depending on optic type and efficiency): 3500 lm - 4500 lm


#### Market & Aggregation Areas –Medium size (Alternative configuration) [20x30m]




#### $E_{av}[Ix] = 16$ $E_{min}[Ix] = 2.88$ $E_{max}[Ix] = 27$

- Luminous Flux: 4500 lm
- Color Temperature: 3000°K
- Power consumption proposed: 24W
- Efficacy proposed: 188 lm/W
- Optic proposed: medium beam
- Protection degree: IP65 or IP66
- Electrical run: 12/24 V DC
- Efficacy acceptable range: 150 to 190 lm/W
- Power consumption: range 20W to 30W








12m (Side A); 14m (Side B)

#### Market & Aggregation Areas -Large size (30x40m)





#### Luminaire Specifications:

- Luminous Flux: 3000 lumen;
- Color Temperature: 4000K or warmer.
- Power consumption: range 17W to 21W
- Efficacy proposed: 176 lm/W
- Efficacy acceptable range: 150 to 180 lm/W
- Protection degree: IP66 or IP67
- Electrical run: 12/24 V DC



#### $E_{av}[lx] = 14$ $E_{min}[Ix] = 3.87$ $E_{max}[Ix] = 23$ u0 = 0.279





30m (Side A); 20m (Side B)

Acceptable luminous flux range (depending on optic type and efficiency): 6000 lm - 7500 lm


#### Water Collection & Distribution Points

# WUNHCR The UN Refugee Age


#### $E_{av}[Ix] = 14$ $E_{min}[Ix] = 20.04$ $E_{max}[Ix] = 29$


#### Luminaire Specifications:

- Luminous Flux: 6000 lm
- Color Temperature: 3000°K
- Power consumption proposed: 35 W
- Efficacy proposed: 175 lm/W
- Optic proposed: medium beam
- Protection degree: IP65 or IP66
- Electrical run: 12/24 V DC
- Power consumption: range 40W to 53W
- Efficacy acceptable range: 140 to 190 lm/W



#### (no requirement of u0)





Acceptable luminous flux range (depending on optic type and efficiency): 1500 lm - 2000 lm.


#### Security Lighting for technological, merchandises & high-risk areas (Optimal configuration)


#### Luminaire Specifications:

- Luminous Flux: 1500 lm
- Color Temperature: 3000°K .
- Power consumption proposed: 9W
- Efficacy proposed: 170 lm/W
- Optic proposed: medium beam
- Protection degree: IP65 or IP66
- Electrical run: 12/24 V DC
- Power consumption: range 8W to 13W
- Efficacy acceptable range: 150 to 190 lm/W



 $E_{av}$  [Ix] = 21  $E_{min}$  [Ix] = 8.47  $E_{max}$  [Ix] = 28 u0 = 0.405 0.0





20m (Side A); 14m (Side B)

#### Luminaires ranges :

Acceptable luminous flux range (depending on optic type and efficiency): 6000 lm - 7500 lm.


#### Security Lighting for technological, merchandises & high-risk areas (Alternative configuration)


#### Luminaire Specifications:

- Luminous Flux: 6000 lm
- Color Temperature: 4000°K or warmer.
- Power consumption proposed: 34W
- Efficacy proposed: 175 lm/W
- Optic proposed: medium beam
- Protection degree: IP65 or IP66
- Electrical run: 12/24 V DC
- Power consumption: range 35W to 50W
- Efficacy acceptable range: 150 to 190 lm/W



 $E_{av}[lx] = 26$   $E_{min}[lx] = 7.64$   $E_{max}[lx] = 47$  u0 = 0.29





12m (Side A); 14m (Side B)

#### Living quarters -lighting between shelters





#### Luminaire Specifications:

- Luminous Flux: 4500 lumen;
- Color Temperature: 4000K or warmer.
- Power consumption proposed: 26W
- Efficacy proposed: 175 lm/W
- Efficacy acceptable range: 150 to 180 lm/W
- Protection degree: IP66 or IP67
- Electrical run: 12/24 V DC



#### E<sub>min</sub> [Ix] = 0.04 $E_{max}[Ix] = 34$ $E_{av}[lx] = 12$ (no requirement of u0)





8m (Side A); 10m (Side B)

Acceptable luminous flux range (depending on optic type and efficiency): 1500 lm - 2000 lm

# Community services building – outdoor lighting

Community Buildings –Outdoor lighting for smallscale collective spaces (Schools, Health-Centers...)



Position of surface in external scene:


Market point: 0.000m, 0.000m, 0.000m

Grid: 128 x 128 Points


 $E_{av}[Ix] = 15$   $E_{min}[Ix] = 0.13$ 

= 0.13  $E_{max}[Ix] = 51$ 

(no requirement of u0)



- Luminous Flux: 1500 lm
- Color Temperature: 3000°K.
- Power consumption proposed: 9W
- Efficacy proposed: 170 lm/W
- Optic proposed: narrow or medium beam
- Efficacy acceptable range: 150 to 180 lm/W
- Protection degree: IP65 or IP66
- Electrical run: 12/24 V DC
- Power consumption: range 8W to 13W
- Efficacy acceptable range: 150 to 190 lm/W
- The utilization of light beam with sharp cut-off will prevent the light trespass into the shelters



Acceptable luminous flux range (depending on optic type and efficiency): 3000 lm - 4000 lm.


#### Community Buildings –Outdoor lighting for Mediumscale collective spaces (Schools, Health-Centers..) Option I – Wall Mounted


#### Luminaire Specifications:

- Luminous Flux: 3000 lumen;
- Color Temperature: 3000°K
- Power consumption proposed: 20W
- Efficacy proposed: 150 lm/W
- Optic proposed: medium beam
- Protection degree: IP65 or IP66
- Electrical run: 12/24 V DC
- Power consumption: range 16 W to 25W
- Efficacy acceptable range: 150 to 190 lm/W



#### $E_{av}[Ix] = 16$ $E_{min}[Ix] = 0.21$ $E_{max}[Ix] = 66$







Acceptable luminous flux range (depending on optic type and efficiency): 3000 lm - 4000 lm.

#### Community Buildings –Outdoor lighting for Mediumscale collective spaces (Schools, Health-Centers..) Option 2 – Poles

- Luminous Flux: 3000 lumen;
- Color Temperature: 3000°K
- Power consumption proposed: 17W
- Efficacy proposed: 176 lm/W
- Optic proposed: medium beam
- 3.Protection degree: IP65 or IP66
- Electrical run: 12/24 V DC
- Power consumption: range 16 W to 25W
- Efficacy acceptable range: 150 to 190 lm/W







#### Community Buildings -Outdoor lighting for Toilets, Showers and latrines





 $E_{min}$  [Ix] = 0.11  $E_{max}[Ix] = 42$  $E_{av}[lx] = 16$ 

9m

- Luminous Flux: 3000 lumen;
- Color Temperature: 3000°K.
- Power consumption: range 17W to 21W
- Efficacy proposed: 176 lm/W
- Efficacy acceptable range: 150 to 180 lm/W
- Protection degree: IP65 or IP66
- Electrical run: 12/24 V DC .








#### Mobility Infrastructures

#### Pedestrian roads between shelters


#### Luminaire Specifications:

- Luminous Flux: 3000 lumen;
- Color Temperature: 4000K or warmer.
- Power consumption: range 17W to 21W
- Efficacy proposed: 176 lm/W
- Efficacy acceptable range: 150 to 180 lm/W
- Protection degree: IP65 or IP66
- Electrical run: 12/24 V DC




- Lamp: 1xLED
- Luminous Flux: 1500 lm
- Color Temperature: 4000K or warmer.
- Optic proposed: medium beam
- Power consumption: range 8W to 10W
- Efficacy proposed: 188 lm/W
- Efficacy acceptable range: 150 to 180 lm/W
- Protection degree: IP65 or IP66
- Electrical run: 12/24 V DC
- Operating hours:
  - 4000h: 100.0%, 9.0W W/km: 1125.0

#### Pedestrian including Roadway (Optimal configuration)



Street - 6m Width & Pedestrian - H-10m according to EN 13201:2015



20.00 m

- Lamp: 1xLED
- Luminous Flux: 4500 Im
- Color Temperature: 4000K or warmer
- Power consumption: range 23W to 30W
- Optic proposed: medium beam

- Efficacy proposed: **188 lm/W**
- Efficacy acceptable range: 150 to 190 lm/W
- Protection degree: IP65 or IP66
- Electrical run: 12/24 V DC
- Operating hours:
  - 4000h: 100.0%, 28.0W W/km: 2800.0

- Arrangement: **both the sides**
- Pole distance: **20.000 m**
- Boom inclination (3): 0.0 °
- Boom length (4): **0.00 m**
- Light centre height (1): 10.00m
- Light overhang (2): 0.000 m

#### Result for valuation field:

Light loss factor: 0.80

Sidewalk 2 (P2)		
EM [lx]	Emin [lx]	
≥ 10.00 ≤ 15.00	≥ 2.00	
11.52	5.00	

Sidewalk I (P2)		
EM [Ix]	Emin [lx]	
≥ 10.00 ≤ 15.00	≥ 2.00	
11.52	5.00	


Roadwa		
EM [lx]	Uo	TI [%]
≥ 10.00	≥ 0.40	
12.28	0.44	*2






- ULR : **0.00**
- ULOR: 0.00
- Maximum luminous intensities
   At 70 ° and above: 532 cd/klm
   At 80 ° and above: 19.6 cd/klm
   At 90 ° and above: 0.00 cd/klm

#### DIALux BRP391 LED45CW DM



19





11.00 m




Lamp: 1xLED

.

- Luminous Flux: 1500 lm
- Color Temperature: 4000K or warmer.
- Power consumption: range 8W to 10W
- Optic proposed: medium beam
- Efficacy proposed: 188 lm/W
- Efficacy acceptable range: 150 to 180 lm/W
- Protection degree: IP66 or IP67
- Electrical run: 12/24 V DC
- Operating hours: 4000h: 100.0%, 9.0W W/km: 1638.0

Result for valuation field:

Sidewalk 2 (P2)	
EM [Ix]	Emin [lx]
≥ 10.00 ≤ 15.00	≥ 2.00
11.17	2.40




#### Light loss factor: 0.80

Sidewalk   (P2)		
EM [Ix]	Emin [Ix]	
≥ 10.00 ≤ 15.00	≥ 2.00	
11.17	2.40	

# Cross-passages & Junction areas (Optimal configuration)

Roadwa		
EM [Ix]	Uo	TI [%]
≥ 10.00	≥ 0.40	
12.28	0.44	*2



#### Result for valuation field:


Sidewalk 2 (P2)					
EM [Ix]	Emin [lx]				
≥ 10.00 ≤ 15.00	≥ 2.00				
11.52	5.00				

Sidewalk I (P2)					
EM [lx]	Emin [lx]				
≥ 10.00 ≤ 15.00	≥ 2.00				
11.52	5.00				

Roadwa		
EM [lx]	Uo	TI [%]
≥ 10.00	≥ 0.40	
12.28	0.44	*2

#### Cross-passages & Junction areas (Alternative configuration)






#### Luminaire Specifications:

- Luminous Flux: 4500 lm
- Color Temperature: 4000K or warmer.
- Power consumption: range 23W to 30W
- Optic proposed: medium beam
- Efficacy proposed: 188 lm/W
- Efficacy acceptable range: 150 to 190 lm/W
- Protection degree: IP65 or IP66
- Electrical run: 12/24 V DC

Note: Lighting specifications: The distance between poles and height of poles, in each of the scenarios mentioned, can be increased/decreased according to local and contextual necessities.



.

.

.

•

•

.

.

# Determining system specification

In order to facilitate the choice of solar system components that form the part of a stand-alone or mini-grids lighting system, it is important to establish the climatic and geographical information of that location as they directly affect the system specifications and its durability.

The climatic factors that affect the specifications are:


- Minimum ambient temperature
- Maximum ambient temperature

Relative air humidity<sup>4</sup>

• Dust level (low, medium or high) Rainfall (low, medium or high)<sup>5</sup>The geographical information crucial for making the right choice of specifications are:

- Country
- Place
- Latitude
- Altitude
- Daily average irradiation in kWh/m2/day<sup>6</sup>
- Optimum angle to get best irradiation

Once all of these factors are established for a particular camp looking for lighting guidelines, then a suitable lighting product and solar system components choice can be made.



The optimum angle of panel for best irradiation is highly subjective in nature. To simplify decision making, the tilt angle can be based only on the latitude <sup>7</sup> with a principle that it should be inclined facing the equator and vary between minimum of 15 deg and maximum of 60 degrees. Other climatic factors like irradiation should be referred from the relevant country's meteorological department to have accurate data. The variation of the specifications with respect to these factors is further addressed in the later sections.

<sup>4</sup>Relative humidity - <u>http://data.un.org/Data aspx?d=CLINO&f=ElementCode%3A11</u>

<sup>5</sup> Rainfall data - https://data.worldbank.org/indicator/AG.LND.PRCP MM?end=2014&start=2014&view=map&year=2014

<sup>6</sup>Additional resource - <u>https://globalsolaratlas.info/?c=13.326696,3.3373,3&s=22.898659,8.569495</u>

#### **Photovoltaic Panels**

Photovoltaics (PV) is the conversion of light into electricity using semiconducting materials that exhibit the photovoltaic effect. A photovoltaic system employs solar panels, each comprising a number of solar cells, which generate electrical power.

The key features of a PV panel most suitable for humanitarian settings are as follows:

- Polycrystalline or monocrystalline
- 25 years designed lifetime with power decrease less than 20%
- Laminated with tempered glass for safety
- Outdoor IP65 rating
- Water-proof plug and play connectors
- Able to operate at -40 °C to +85 °C
- TUV certified

In addition to these specifications, the solar panels chosen for these settings need to conform with the following standards:

TUV certifications issued by ISO/IEC 17025 qualified 3rd part test house shall be provided to prove the compliance.

- EN 61730-1:2007
- EN 61730-2:2007
- EN 61215:2005
- IEC 61215:2005

It should be included in the technical evaluation of bids for the systems using photovoltaic.


The two types of panels are as shown below:

#### **Battery System for Solar**

Battery is used to store the electrical energy converted by PV panels during the day time and during night it is used to supply energy for lighting or other application purposes.

The key features of a battery, most suitable for humanitarian settings are as follows:

- VRLA or LiFePO4 type batterie2s
- On pole or in ground installations
- In-ground installation to get less impact from ambient temperature
- IP68 rating water proof, tested by 3rd party test house
- Long cycle life time
- High ambient temperature range
- Outdoor IP67 rating water-proof plug and play connectors
- Ability to recover from deep discharge
- Well protected by thermal sensor
- Wide range from 65AH to 250AH
- Both 12V and 24V battery systems
- CE certified



The basic installation instructions will be given in the next chapter of the document.



There are a number of battery options available in the market nowadays. However, the most commonly used types are Gel and LiFePO4 and therefore, they are considered throughout this guideline. But depending on the need and technical inputs, a choice from the following can be made.

25

Түре	Gel	AGM Ni-Zn		LiFePO4	Lead Crystal	
Cell Voltage	2V	2V	1.6V	3.2	2V	
Weight Energy Density	30-50Wh/kg	30-50Wh/kg	60Wh/kg	120Wh/kg	40-60Wh/kg	
Temperature range	-20°C - +50°C	-20°C - +50°C	-20°C - +60°C	-20°C - +60°C	-40°C - +65°C	
Cycle Life 80% DOD	800~900	400~500 900~1000		2000	900~1000	
Self-discharge/ Month	5-10%	3-10%	1%	5-10%	2-3%	
Memory Effect	No	No	No	No	No	
Energy Price USD/Wh	0.12	0.1	0.5	0.15	0.15	
Charge time	8hrs	8hrs	4hrs	2-6hrs	2-6hrs	

The factors affecting the battery selection are as follows:

- Operating temperature Depth of discharge •
- •
- Lamp cable loss factor .
- Self-support nights •
- System voltage selection .

Battery type with respect to operating temperature						
Operating temperature Recommended battery type						
0°C - 25°C	GEL					
25°C - 35°C	GEL					
35°C - 45°C	GEL or LiFePO4					
45°C - 55°C	LiFePO4					
55°C - 60°C	LiFePO4					

# Battery type with respect to operating temperatureBattery typeDoDFactorVRLA Gel type70%0.7LiFePO490%0.9

#### Lamp Cable Loss Factor

Pole Height	Expected cable losses in %	Factor
	8%	0.92
4m	8%	0.92
6m	10%	0.9
8m	10%	0.9
10m	15%	0.85

Solf_cup	nort nights
- Sell-Sub	port nights

Rain or dust	Recommended self-support nights
No or very little rain	2
Normal or heavy rain	3
Very heavy rain	4

System Voltage Selection								
Luminaire Wattage	PV Panel Voltage in volt							
<40W	12	17						
40W - 80W	24	36						

These factors are clearly summarised in a table with all the relevant variables for each scenarios.

#### Standalone Off-grid Charge Controller

A solar charge controller manages the power going into the battery bank from the solar array. It ensures that the deep cycle batteries are not overcharged during the day, and that the power doesn't run backwards to the solar panels overnight and drain the batteries. Some charge controllers are available with additional capabilities, like lighting and load control, but managing the power is its primary job.

A solar charge controller is available in two different technologies, PWM and MPPT. Both the technology helps in managing the battery charge and discharge, however MPPT is more efficient but expensive<sup>8</sup>. Now days MPPT is most popular technology for this purpose.

- Support PV charging current up to 13A (or PV power up to 380Wp)
- Support luminaires with high lumen package
- 12/24V system compatible and self-adaption
- · Compact modular design for in-pole installation
- IP66 waterproof
- Support different battery technologies, e.g. VRLA and LiFePo4
- Application-related program configuration via RS485
- Temperature sensor to battery for charging voltage compensation to secure battery lifetime
- World-class and higher charging efficiency with MPPT (>99%) technology, and about 15% saving on panel size comparing with PWM charging technology
- Interface ready for Remote monitoring/control
- CE certified



Based on the inputs from the previous sections, the following table is made to help with the choice of lighting.

It must be noted that, there is no separate table for the minimum recommended system specification for 2 nights of self-support. This is due to the similar range and closeness of the values calculated for 2 nights and that found for 3 nights. In addition to this, the profile chosen for most scenarios involve 6 hours of lighting at 50% and 6 hours of lighting at 100% intensity. Therefore, it is recommended that 3 nights of self-support to be a minimum in any case to accommodate scenarios of 100% intensity all night, if and wherever necessary. On comparing the two tables, it can also be observed that the number of nights of self-support only affect the battery sizing.

#### Table 4 System specification for 3 nights & 4 nights shelf support

Areas of Applica- tions	Lighting Information					Battery Selection		PV Panel Selection
	Recom- mended Illumina- tion aver- age levels (Em)	Luminous Flux in lumens	Height of Installa- tion	Efficacy Im/watt	Wattage of the Luminaire (Watts)	Battery Capacity Required for 3NSS	Battery Capacity Required 4NSS	PV Panel capacity @ Average Daily Irradiation hours of 3hr/4hr/5hr
Street Lighting								
Pedestrian		1500		188	8	30Ah	40Ah	55Wp/30Wp/30Wp
Road Between Shelters	>10 Lux 1	1500	4m-5m	140	11	40Ah	65Ah	60Wp/55Wp/55Wp
Pedestrian Including road ways (optimal configuration)			9m	180	25	100Ah	120Ah	155Wp/100Wp/100Wp
Cross- passages & Junction areas (Optimal configuration)	>10 Lux	4500	-10m	140	33	120Ah	160Ah	2x100Wp/155Wp/115Wp
Pedestrian Including road ways (Alternative configuration)	>10 Lux	1500	4m-5m	188	8	30Ah	40Ah	55Wp/30Wp/30Wp
Cross- passages & Junction areas (Alternative configuration)				140	11	40Ah	65Ah	60Wp/55Wp/55Wp

#### (signify foundation

Community Buildings - outdoor Lighting	Recom- mended Illumina- tion aver- age levels (Em)	Luminous Flux in Iumens	Height of Installa- tion	Efficacy Im/watt	Wattage of the Luminaire (Watts)	Battery Capacity Required for 3NSS	Battery Capacity Required 4NSS	PV Panel capacity @ Average Daily Irradiation hours of 3hr/4hr/5hr
Community Buildings - Outdoor lighting for small-scale collective spaces (Schools, Health- Centers)				176	18	65Ah	80Ah	100Wp/75Wp/55Wp
Option 1 Wall Mounted	>15 Lux	3000	4m-5m					
Option 2 Pole mounted								
Community Buildings – Outdoor lighting for Toilets, Showers				140	22	80Ah	120Ah	125Wp/100Wp/75Wp
& Bathrooms								
Open Areas lighting								
Living quarters - lighting between shelters (Optimal configuration)	. 15	1500	Am 5	188	8	30Ah	40Ah	55Wp/30Wp/30Wp
Water Collection & Distribution Points (Optimal configuration)	>15 Lux	1500	4m-5m	140	11	40Ah	65Ah	60Wp/55Wp/55Wp

Market & Aggregation Areas – Small size (10x20m)	>15 Lux	3000	8m	176	18	65Ah	80Ah	100Wp/75Wp/55Wp
				140	22	80Ah	120Ah	125Wp/100Wp/75Wp
Market & Aggregation Areas – Medium size (22x30m)	>15 Lux	4500	8m	180	25	100Ah	120Ah	155Wp/100Wp/100Wp
				140	33	120Ah	160Ah	2x100Wp/155Wp/115Wp
Market & Aggregation Areas - Large size (30x40m)	>15 Lux	6000	10m	170	36	130Ah		265Wp/200Wp/200Wp
				140	43	150Ah		315Wp/265Wp/200Wp
Market & Aggregation Areas – Small size (10x20m) (Alternative configuration)	>15 Lux	1500	4m-5m	188	8	30Ah	40Ah	2x100Wp/155Wp/125Wp
				140	11	40Ah	65Ah	2x125Wp/2x100Wp/155Wp
Market & Aggregation Areas – Medium size (20x30m) (Alternative configuration)	>15 Lux	3000	6m	176	18	65Ah	120Ah	100Wp/75Wp/55Wp
				140	22	80Ah	120Ah	125Wp/100Wp/75Wp
Security Lighting for technological, merchandises & high risk areas (Optimal configuration)	>20 Lux	6000	8m	170	8	30Ah	40Ah	2x100Wp/155Wp/125Wp
				140	11	40Ah	65Ah	2x125Wp/2x100Wp/155Wp
Security Lighting for technological, merchandises & high risk areas (Alternative configuration)	>20 Lux	4500	6m	180	25	100Ah	120Ah	155Wp/100Wp/100Wp
				140	33	120Ah	160Ah	2x100Wp/155Wp/115Wp

Number Luminaires per support : Single Luminaire •

.


System type : Offgrid system Operating Profile : 12hrs per night with 6 hrs • 100% and 6 hrs 50%

- Battery Technology : VRLA Gel batteries •
- Depth of Discharge ( DoD) : 70% System Voltage : 12V DC .

•

Charge Controller : 10A < 13A, upto 200Wp •

(s)ignify foundation



#### Figure 4: Camp variables to consider

Elements related to the camp characteristics, with respect to timing and stability (emergency vs protracted), topology and location (rural vs urban environment), must be considered in order to guarantee the lighting intervention most suitable for each situation. The general suggestion is to prefer a solution that, in the long term, would maximize the productivity, minimizing the cost. Therefore, one solution can be suitable for a specific camp in a specific situation, while may not be possible to adapt for others. Furthermore, proximity from the host community should be considered, in order to avoid disparity or conflicts between the groups.

In the emergency context, for instance, the high instability of the situation as well as the presence of other more urgent priorities does not allow a longterm intervention to fulfil lighting needs. This can be addressed with a temporary approach through flexible solutions, that can be moved and installed quickly in accord with the necessity of that specific situation.

32

While, for protracted context, where the setting is relatively more stable, long-term interventions like, stand-alone solutions, mini-grid or connection with the national grid should be preferred. Although, it must be noted that, the availability of the national grid attachment is subordinated at the specific policy agreement with the government, and the preference

between mini-grid or stand-alone solutions can be taken after the evaluation of different factors that may influence their effectiveness.

Some of the pros and cons for mini grids and standalone systems, that will influence the decision, are shown in Table 4.


#### Table 4 Pros and cons of mini grids and standalone solar lighting systems

	Mini Grids	Stand-Alone			
PROS	<ul> <li>When a mini-grid is built in a village, such source of energy is usable also for other purposes (households, productive usage, institution, facilities etc)</li> </ul>	<ul> <li>Easier to install (no need of existing energy source/grid, no need of distributions cables)</li> </ul>			
	Free to de maintenance due to ite	<ul> <li>Easy to do the planning</li> </ul>			
	<ul> <li>Easy to do maintenance due to its centralized nature (security and ownership)</li> </ul>	<ul> <li>Comparatively lower cost of the installation</li> </ul>			
CONS	<ul> <li>Might need a generation license and a distribution license depending on the local electrical regulations.</li> </ul>	<ul> <li>Needs more security control (higher probability to be damaged</li> </ul>			
	<ul> <li>More complex to plan and install - e.g. taking care of the cable layout.</li> </ul>	<ul> <li>Higher maintenance service required due their distributed nature.</li> </ul>			
	<ul> <li>Higher cost than stand-alone</li> </ul>	<ul> <li>Performance of stand-alone solar energy lights depends exclusively on the weather (mini-grid can be hybrid)</li> </ul>			

important Another aspect that should be considered, is the proximity of the camps and settlements with the host community. Given the delicate equilibrium that exists between these two groups, often within a territory already marked by a limited availability of resources, it is important to avoid a situation of imbalanced between them.

For this reason, wherever possible, the best approach during a lighting intervention would be to consider the possibility of accommodating and addressing the needs of the host community along with that of the forcefully displaced (refugee) community. This is to avoid conflicts and to stimulate a mentality of cooperation and collaboration between the two.

A successful intervention may, indeed, reduce environmental and social pressure and also create livelihood opportunity for the local private sector by improving the available infrastructure.



#### Socio – Economic Policy

#### Supply Chain

The key aspect of the procurement process is that it is highly context-dependent, and influenced by many factors such as policy agreements, the availability of a local market, logistic factors, etc. At this level, suggestions about context-dependent best practices may be provided to the field officers, who are in charge of the lighting intervention, guiding them towards making a suitable product and vendor choice.

#### Private and public partners

These agents are important stakeholders for lighting interventions. They are generally contracted as supplier and are in charge of the installation and maintenance (in case government policy prevents the refugees from being trained and participating in these activities). The suggestion is to try as much as possible involving the local private sector, in order to stimulate beneficial mechanisms which, on one hand, can empower the local community and, on the other hand, can facilitate the process of integration by a cooperation between the two communities.


However, a common challenge which may be observed, is the possibility of a lack of appropriate know-how of chosen partners/contractors to provide a proper service, especially in the installation process. To tackle such issues, guidelines and recommendations are provided (see installation chapter). In cases, where reliable local partners with a good track record, who understand the setting, are available, they should be preferred over external entities.

#### National plans and policies

With respect to the acquisition of the lighting system under the national energy infrastructure system of the country, this may occur after the period of warranty, when the camp situation becomes stable or if people of concern are relocated or repatriated

#### **Communities coexistence**

To guarantee a long-term sustainability of the lighting intervention, the equilibrium of the areas in terms of communities coexistence need to be considered. As suggested in the camp situation section, the intervention should take into consideration the proximity of the settlement to host community and, whenever is possible, both the community should be involved in the intervention to avoid situation of strain and conflicts.



In this section, recommendations about sustainability of the installed systems is provided to ensure the long-term operation of the systems and to address future environmental concerns.

#### Ownership and O&M

Ownership is an important factor to consider in order to guarantee the long-term functionality and cost recovery of any infrastructures in general and the lighting system in particular.

Different agents may take ownership of the equipment after installation. In general, UNHCR manages the assets during the period of warranty. However, the

9 Energy for Displaced People: A Global Plan of Action for Sustainable Energy Solutions in Situations of Displacement Hosted by GIZ, Berlin, Germany, 15th – 16th January 2018 (<u>https://unitar.org/ptp/sites/unitar.org.ptp/files/uploads/berlin\_conference\_</u> summary.odf)\_ limited human resources may not guarantee a direct O&M support for the system. This can be solved by delegating the task to a selected group of trained/ qualified members of the camp, who can perform standard maintenance support (this approach is also one of the recommendations of the conference "Energy for Displaced People"<sup>9</sup>). In this case, the involvement of refugees, ultimately leading to an asset handover, requires a training period followed by periodic support from parties that put up the system. This allows people, without any technical background, to conduct simple operation and maintenance. In this perspective, the final version of guidelines may directly provide instruments to facilitate this procedure, through simple-to-understand tutorials, that can be

#### Sustainability

tailored according to the specific products.

#### Recycling

Recycling is an important part of the process to avoid any environmental damage in the camps. The toxic discharge from the electronic components, especially from the batteries if not recycled properly, can cause health problems in the camp.

The recycle of the used battery should strictly follow the local laws and regulations. It is forbidden to handle the battery as normal garbage for disposal. Depending on the local regulation and facility available for recycle, this could be a factor to decide the type of battery technology to apply. Furthermore, the same consideration should be applied for other electronic components.


### Remarks

Recycling is an important part of the process to avoid any environmental damage in the camps. The toxic discharge from the electronic components, especially from the batteries if not recycled properly, can cause health problems in the camp.

The recycle of the used battery should strictly follow the local laws and regulations. It is forbidden to handle the battery as normal garbage for disposal. Depending on the local regulation and facility available for recycle, this could be a factor to decide the type of battery technology to apply. Furthermore, the same consideration should be applied for other electronic components.

# Installation Instruction

## **Field Installation**



## Important Safety Notice

The battery presents a risk of electrical shock and a high short circuit current. The mounting instructions must be strictly followed, otherwise potential application, reliability, or safety issues may arise. Contact your local service if the instructions cannot meet special field conditions.

Only a qualified service representative who is knowledgeable in batteries and the required precautions is permitted to service the battery. Keep unauthorized personnel away from batteries.

#### Danger

 The VRLA battery can generate hydrogen gas. Hydrogen mixed with oxygen is explosive and could be ignited by any spark/flame, static electricity, or overheated object. Smoking is strictly prohibited during all system installation, operation, and maintenance processes, such as welding.

- Use proper lifting techniques to keep the battery upright and avoid any discharge of acid when moving batteries. Wear all appropriate safety clothing and equipment.
- Do not dispose of the batteries in a fire. The batteries may explode.

#### Caution

- The misuse of this equipment could result in human injury and/or equipment damage. In no event will the company be responsible or liable for either indirect or consequential damage or injury that may have resulted from the misuse of this equipment.
- Use tools with insulated handles to avoid inadvertent shorts.
- Verify circuit polarities before connecting.
- Disconnect the charging source and load before connecting or disconnecting the battery.

#### Warning


- The solar lighting system contains VRLA batteries. Lack of preventative maintenance could reduce the battery's lifetime or even be dangerous. Check the application environment regularly (lighting performance, PV panel shading).
- Failure to replace a battery before it becomes exhausted may cause the case to crack, possibly releasing electrolytes from inside the battery and resulting in secondary issues such as odour, smoke, and fire.
- The battery system must be in proper maintenance according to the "Troubleshooting & Maintenance" manual. This is essential for safety and the reliability of the lighting system
- Do not dispose of lead acid batteries except through channels in accordance with local, state and federal regulations.

#### Notice:

The mounting instructions in this document is for standard solar lighting system installation. If any large deviation (such as multi systems sharing pole/ base/component, component change, wiring change, installation location change, ect.) from standard solar lighting system is needed due to special application, it is required to contact with representative for special instructions. Otherwise, the deviation from standard instructions may cause abnormal system operation or even dangerous situation.

## **Battery Box Installation**


#### Al Installation Preparation



Note: The tools listed do not include items needed for pole installation and other construction work.


#### A2 Installation Preparation

#### A: 12V Battery Subsystem



- The tightness and integrity of the battery should be checked before installation.
- Carefully check the battery voltage before installation to ensure it is more than 12.5V. If less than 12.5V, field charging is necessary. (For 24V battery subsystems, make sure that the voltage is more than 25V).

B: 24V Battery Subsystem



Compass and Protractor
Electrical Screw Driver
Multimeter
DC Clamp Meters
Triangular Spanner (opens hatch door)
Other tools: a.Waterproof tape b.Screw driver c.Spanner d.Diagonal Pliers


**Testing Tool List** 

e.Nose Pliers


#### A3 Placing the Battery into Chamber

#### A: 12V Battery Subsystem

Lay the battery carefully into the chamber.





#### B: 24V Battery Subsystem



#### A4 Laying Battery Subsystem Cables


#### A: 12V Battery Subsystem






Lay battery cables, thermal sensor cable,and ventilation tube penetrating the embedded duct, pulling them into the pole from the bottom.

#### B: 24V Battery Subsystem



### BI PV Panel Subsystem Installation


## Single PV Panel



**Dual PV Panels** 








Four PV Panels




**B2 PV Panel Connection** 

Single PV Panel

#### **Dual PV Panels in Series Mode**




Connect positive terminals and negative terminals to the 2-to-1 connectors



Connect panel cables and extension cables.

#### Four PV Panels (Series- Parallel Mode)


Group PV A/B in series mode, Group PV C/D in series mode.



Connect the two PV groups to the 2-to-1 connectors




(Dual PV panels as example)





Note: The way the cable goes into the bracket may be different due to the actual design.

#### B4 Mark the Angle between True South and Luminaire Arm




#### B5 Draw a Mark on the PV Panel Bracket






On the PV panel bracket, draw a mark on the side facing the panel


#### B6 PV Panel and Luminaire Fixation Preparation



#### B7 Test Voltage of PV Panels and Lay the Cable




#### **B9** Adjust the PV Panel Angle




## 3.Luminaire System Installation


#### **CI Mount Luminaire**




#### **C2 Luminaire Fixation**




# 4.Pole and Controller System Installation








#### Off grid solar system




On grid solar system

After installing during the daytime, use a clip-on current meter to test the charge current. If sunlight is normal, a current value above 0.5A means the charge loop is fine. Disconnect the PV panel and wait for 10 minutes. If the luminaire turns on, it means that the discharge loop is fine (you can also use hand-held terminal testing system).





 Bend the end of the tube and affix it with a tape to prevent water ingress. You must affix the tube with a round avoid deformation, damage, or block ventilation, otherwise potential safety issues may arise.



#### D5 Charge Controller Fixation


#### Off-grid solar system






Affix the charge controller on the beam in the pole with an iron wire or screw. Straighten out the cables in order to prevent wiring issues and avoid further maintenance.

On-grid solar system






Luminaire cable Panel cable Hang the charge controller on the beam in the pole to keep the controller wiring in order.

## 5. Installation Completion

#### El Close the Service Hatch





•

E2 Backfilling


Warning

- Burying the battery directly into soil is not allowed.
- Close the battery chamber cover.





Anti-theft depending on customer needs.



#### **Check List for Field Installation**

(This checklist MUST be signed by the installer before system installation handover)


Project Name		Project Location				
Site Constructor						
No.	Item	Ref.	Description	Results	Remarks	
P1	Site Installation	Requirer	nents		<u> </u>	
1.1	Battery System Installation	A2	The battery is integrated and properly sealed before installation.	□Yes □No		
1.2		A2	The 12V battery system voltage is more than 12.5V before the installation.	□Yes □No		
			The 24V battery system voltage is more than 25V before the installation.			
2.1	Panel System Installation	В7	The panel voltage is between 10V-45V.	□Yes □No		
2.2		В9	The panels face true south (facing south for northern hemisphere, facing north for southern hemisphere).	□Yes □No		
2.3			Any shading at panel facing direction	□Yes □No		
3.1	Installation Completion	D2	HCU AC connection check	□Yes □No		
3.2		D3	After cable connection, there is charge current in the panel cable. The charge loop is fine.	□Yes □No		
3.3		D4	The end of the tube is 0.5 m above the controller and facing down. The tube has no blockage, deformation, or damage.	□Yes □No		
3.4		E1	After testing, the access door of the service hatch is closed.	□Yes □No		
3.5		D2	Thermal sensor connection is checked.	□Yes □No		

# Pole Installation Instructions

## Solar LED Lighting System


#### A1 PV Panel Position

The vertical distance from bracket bottom to lamp arm must be more than 800 mm, avoiding conflict between the PV and luminaire.




#### A4 Location of Holes on Bracket

The holes on the bracket (C,D,E) must align with the holes on the panel (c,d,e). Refer to A3. M6 bolts M6 nuts and D6 spring washers must be anti-corrosion




#### A5 Panel Bracket Tilt Angle


The tilt of the bracket must follow requirements to ensure the maximum amount of sunlight is gained.




#### A6 Cable Entry Requirements on Bracket



Single PV Panel Bracket







The size of cable entry MUST NOT be less than Ø40mm;

•

- The bracket must be well grounded with the pole, with a resistance value ≤0.5Ω;
- The type of cable entry may vary with bracket design. It must prevent rain water from ingress and allow the cable connector to penetrate through.
- It is recommended to adopt a cover like below on the hole to avoid rain ingress. Sealing the cable entry hole is prohibited to avoid hydrogen concentrate.

**Dual PV Panels Bracket** 






Cover on hole

Four PV Panels Bracket

## Ventilation Hole

#### A7 Ventilation Hole on Pole Requirements




A hole (at least 25 mm) must be drilled 2 meters from the bottom of the pole and attached with a cover to avoid rain ingress, as shown in the picture.



#### Ventilation Hole on Service Hatch Requirements:


Option 1. After assembling the door, keep a 2 mm gap between the pole Option 2. Drill a 25 hole on the door and attach a cover over it in case of rain ingress.






# Service Hatch Requirements:


#### A3 Off-grid solar system






#### On-grid solar system





The pole must be grounded and connected firmly to the foundation base.

- The inner diameter of the arm must be more than Ø40 mm
- The outer diameter of the arm must be less than Ø60 mm



#### Check List for Site Installation Preparation

(This checklist must be signed by the subcontractor (installer/constructor) before system handover.

Project Name		Project Location				
Site Constructor						
No.	ltem	Ref.	Description	Results	Remarks	
1	Panel Position	A1	The vertical distance from the bracket bottom to <b>lamp arm is more than 800 mm.</b>	□Yes □No		
2	Bracket Size	A4	The bracket size & screw hole position align with <b>the panel.</b>	🗆 Yes 🛛 No		
3	Tilt Angle	A5	The tile angle of the bracket follows Philips' <b>design</b> .	🗆 Yes 🛛 No		
4	Cable Entry Hole	A6	The size of the cable entry is no less than 40 mm	□Yes □No		
5			A cover is placed on the hole to avoid rain <b>ingress.</b>	🛛 Yes 🗌 No		
6	_		The cable entry hole must not be sealed.	□Yes □No		
7	Ventilation Hole	A7	Drill a hole (at least 25mm) 2.0m from the <b>ground with a cover.</b>	□Yes □No		
8	Service Hatch Dimensions	A8	The serice hatch dimensions must be according <b>to the diagram</b> .	🗆 Yes 🛛 No		
9	Luminaire Arm	A9	The inner diameter of the arm must be more than 40 mm. The outer diameter of the arm must be less than 60 mm.	□Yes □No		
10	Pole and Bracket Strength		The pole supplier is responsible for the pole <b>strength</b> . The pole design must follow local design standards.	□Yes □No		
11	Other Accessories		The quantity of the screws, nuts, and washers is <b>correct.</b>	🛛 Yes 🗌 No		

# Foundation Installation Instructions

## Solar LED Lighting System

#### Installation Preparation


A1 The embedded duct is used for routing the ventilation tube and cables from pit to pole.




Material : PVC Inner diameter:

Ø50mm for 12V system Ø70mm for 24V system


A1 The embedded duct is used for routing the ventilation tube and cables from pit to pole.




Avoid locations close to water




Avoid locations close to AC grids



Avoid locations in the shade of the trees or buildings



#### A3 Build the Foundation



The duct goes 100 mm above the ground.


Keep the duct higher than the battery box.

There MUST be a 200 mm layer of sand for drainage construction at the bottom of the battery chamber. Concrete at the bottom of the battery chamber is PROHIBITED.

The pole must be well grounded with a grounding resistance  $\leq 10_{\Omega}$ 

12NC	SAP Product Size Net Weight (cm) LxWxH (kg)		Net Weight (kg)	Chai (cm)	Size	
				L	W	н
9114 018 97801	XGS321 12V/65Ah IP68 gel battery subsys	35x16.6x23.5	20.6	60	40	60
9114 018 97901	XGS321 12V/80Ah IP68 gel battery subsys	32.9x17.2x27.3	26.30	60	40	60
9114 018 98001	XGS321 12V/100Ah IP68 gel battery subsys	32.9x17.2x27.3	30.10	60	40	60
9114 018 98101	XGS321 12V/120Ah IP68 gel battery subsys	40.6x17.4x26.6	37.50	70	40	60
9114 018 98201	XGS321 12V/150Ah IP68 gel battery subsys	48x17x30	42.50	70	40	60
9114 018 98301	XGS321 12V/180Ah IP68 gel battery subsys	52.2x23.8x21.8	56.00	80	50	60
9114 018 98401	XGS321 12V/200Ah IP68 gel battery subsys	52.2x23.8x21.8	59.00	80	50	60
9114 018 98501	XGS321 12V/220Ah IP68 gel battery subsys	52.2x23.8x21.8	59.50	80	50	60
9114 018 98601	XGS321 12V/250Ah IP68 gel battery subsys	52x26.9x22	68.00	80	50	60

#### 24V Battery System



12NC	SAP	Product Size (cm) LxWxH	Net Weight (kg)	Chamber Size (cm)		Size
				L	W	н
9114 018 98801	XGS322 24V/65Ah IP68 gel battery subsys	35x33.2x23.5	41.20	60	70	60
9114 018 98901	XGS322 24V/80Ah IP68 gel battery subsys	32.9x34.4x27.3	52.60	60	70	60
9114 018 99001	XGS322 24V/100Ah IP68 gel battery subsys	32.9x34.4x27.3	60.00	60	70	60
9114 018 99101	XGS322 24V/120Ah IP68 gel battery subsys	40.6x34.8x26.6	75.00	70	70	60
9114 018 99201	XGS322 24V/150Ah IP68 gel battery subsys	48x34x30	85.00	70	70	60
9114 018 99301	XGS322 24V/180Ah IP68 gel battery subsys	52.2x47.6x21.8	112.00	80	100	60
9114 018 99401	XGS322 24V/200Ah IP68 gel battery subsys	52.2x47.6x21.8	118.00	80	100	60
9114 018 99501	XGS322 24V/220Ah IP68 gel battery subsys	52.2x47.6x21.8	119.00	80	100	60
9114 018 99601	XGS322 24V/250Ah IP68 gel battery subsys	52x53.8x22	136.00	80	100	60

#### **Check List for Site Installation Preparation**

This checklist MUST be signed by the subcontractor(installer/constructor) before system handover)

Project Name		Project Location				
Site	Constructor					
No.	Item	Ref.	Description	Results	Remarks	
1	Embedded Duct	A1	Size ≥Ø50mm (12V system) ; <b>≥Ø70mm (24V system).</b>	□Yes □No		
2	Location	A2	Avoid locations close to water	☐ Yes ☐ No		
3	_	A2	Avoid locations close to AC grids	☐ Yes ☐ No		
4	_	A2	Avoid location in the shade of the trees or buildings	□Yes □No		
5		A3	The battery chamber must be positioned close to <b>the foundation</b>	🗆 Yes 🛛 No		
6	Chamber	A3	Depth and size of chamber comply with <b>requirements</b>	☐ Yes ☐ No		
7	Duct End	A3	Keep the duct higher than the battery box	🗆 Yes 🔲 No		

Person in charge of site construction

# Maintenance Instructions

### Troubleshooting and Maintenance

## Important Safety Notice

The battery presents a risk of electrical shock and a high short circuit current. The mounting instructions must be strictly followed, otherwise potential application, reliability, or safety issues may arise. Contact your local service if the instructions cannot meet special field conditions.

Only a qualified service representative who is knowledgeable in batteries and the required precautions is permitted to service the battery. Keep unauthorized personnel away from batteries.

#### Danger

- The VRLA battery can generate hydrogen gas. Hydrogen mixed with oxygen is explosive and could be ignited by any spark/flame, static electricity, or overheated object. Smoking is strictly prohibited during all system installation, operation, and maintenance processes, such as welding.
- Use proper lifting techniques to keep the battery upright and avoid any discharge of acid when moving batteries. Wear all appropriate safety clothing and equipment.
- Do not dispose of the batteries in a fire. The batteries may explode.

#### Caution

- The misuse of this equipment could result in human injury and/or equipment damage. In no event will the company be responsible or liable for either indirect or consequential damage or injury that may have resulted from the misuse of this equipment.
- Use tools with insulated handles to avoid inadvertent shorts.
- · Verify circuit polarities before connecting.
- Disconnect the charging source and load before connecting or disconnecting the battery.

#### Warning

- The solar lighting system contains VRLA batteries. Lack of preventative maintenance could reduce the battery's lifetime or even be dangerous. Check the application environment regularly (lighting performance, PV panel shading).
- Failure to replace a battery before it becomes exhausted may cause the case to crack, possibly releasing electrolytes from inside the battery and resulting in secondary issues such as odour, smoke, and fire.
- The battery system must be in proper maintenance according to the "Troubleshooting & Maintenance" manual. This is essential for safety and the reliability of the lighting system
- Do not dispose of lead acid batteries except through channels in accordance with local, state and federal regulations.

#### **Mounting Instruction**

#### A1 (Reference for 5m pole)



#### A2

Note: The listed testing tools using for troubleshooting. (not limited)








Compass and Protractor
Electrical Screw Driver
Multimeter
DC Clamp Meters
Triangular Spanner (opens hatch door)
Other tools: a.Waterproof tape b.Screw driver c.Spanner d.Diagonal Pliers e.Nose Pliers

Parts List	Technical Parameters
PV Panel sub-system: 1 sets	PV panel nominal voltage :
Luminaire sub-system: 1 pcs	12V system: 17Vdc ~ 17.5Vdc 24V system: 34Vdc ~ 35Vdc
Pole sub-system: 1 pcs (not supplied by Philips)	Battery output voltage 12Vbattery- subsystem: 12Vdc 24Vbattery- subsystem: 24Vdc
Control sub-system: 1 pcs	
Battery sub-system: 1 sets	Luminaire input voltage:12Vdc ~ 24Vdc
	IP classification : IP66 for luminaire-subsystem IP68 for battery-subsystem (Note: ventilation tube not included) IP66 for control-subsystem

Application : outdoor use only


Please read the instruction manual carefully before taking any action to obtain the best results from your purchase.

#### Solar LED Lighting System Structure




Battery subsystem

Solar LED Lighting System Structure – Off-grid system



Battery subsystem

Solar LED Lighting System Structure – On-grid system



Battery subsystem

# Troubleshooting and Maintenance

#### I,Troubleshooting

Parts List	Cause	Technical Parameters
No charge current at daytime	Battery is full	From the battery cable, the tested battery voltage more than 13.5V for 12V system, or 27V for 24V system is normal status
	Panel cable wrong connection	Check the connection at the junction box at rear of the panel
	Disconnection between panels and controller	Check the connection from panels to controller for cable loosing or wrong polar connection.
	Disconnection between battery and controller	Check the connection from controller to luminaire for cable loosing or wrong polar connection.
No discharge current; No light at night	Disconnection between luminaire and controller	Check the connection from controller to luminaire for cable loosing or wrong polar connection.
	Disconnection between battery and controller	Check the connection from controller to luminaire for cable loosing or wrong polar connection.
	Battery voltage too low	Check the indicator of the controller, if the red indicator of the controller light up, it shows the over discharge protection has been activated. Then test the battery voltage, if it is more than 12.8V for 12Vsystem,or 25.6V for 24V system, the lamp will be light up during that night.
	Broken of the lamp (Discharge loop cannot work)	Connect the small size 12V/24V battery to the lamp system directly, testing if the lamp can be light up, otherwise lamp shall be replaced.
Abnormal Lighting	Panel is interfered by other light source	Check if there is other light source irradiate at panel system
	Failure of controller program	Use controller remote to refresh the controller program

#### Note

- The tools needed for site testing and troubleshooting are listed in "A2"
- If encounter any abnormal situation or failure, please immediately contact Philips professional technician. Do not try to repair system by yourself to avoid any damage to the system and injure to people.

### Troubleshooting and Maintenance

#### 2 Maintenance

#### Panel

- Normally you don't need to clean the panel frequently. It depends on the local environment;
- If in heavy dust area It is required to clean the solar module regularly with a damp towel to guarantee optimum performance of the solar panel;
- Do not use any type of solvent for cleaning and be careful not to put too much pressure on the module while cleaning.

#### Battery

- Battery normally does not need any maintenance within the warranty. If any abnormal symptom or special requirement, suggest following test can be taken:
- · Check whether there is some loose connection;
- Check cleanliness of battery and damage signs of terminals;
- Measure and record ambient temperature in battery chamber and case temperature on battery;
- Measure and record total voltage and float current of battery sub-system;
- Conduct a discharge test (10H) rate with actual load to check batteries.

#### **Battery Storage**

The battery should be stored in clean and dry environment.

Storage time: battery is ex-work in fully charged, storage time should be limited. For ensuring battery performance, do not exceed storage time as following definition:

Under 25'(, six months;

Under 30'(, three months;

Under 40'(, six weeks;

The battery supplemental charge method : charge battery with 14.2V/12V battery block for 8 to 12 hours at 20'(, and the charge voltage temperature compensation is -21mV /'(/12V battery block.

It is necessary to limit the current, and the optimum limiting value is within 0.2C20 (A).

#### Notice

Although the battery is recharged every 3 to 6 months, the battery's life time still will be impacted for long time storage.

Improper maintenance will shorten the battery service life or decrease the service performance.

#### Maintenance after the Warranty

It is suggested to conduct a battery capacity test (10h rate) after the warranty ends and later once a year.

#### Replacement

If the battery capacity is actually less than the rated capacity of 60%, it is required to be replaced with new one to comply with the designed system requirement.

#### Warning

The recycle of the used battery should strictly follow the local laws and regulations. It is forbidden to handle the battery as normal garbage for disposal;

- Do not open, short circuit, or mutilate batteries as injury may occur;
- Do not put the battery box into a pool;
- Never move battery box by pulling the cables of the battery;
- Note to handle the panel and battery box with great care during the installation and transportation;
- The installation is highly suggested during the day. The controller system need sun light input to activate for normal working status. Any system installed at night may not light up properly at first night. The system will work normally at second night;
- In case the dimming curve is set, the control system require 3 nights to bring system working at designed dimming;
- If the battery voltage is lower than 12.5V for 12V system, and 25V for 24V system, We suggest to recharge the battery before installation to ensure proper working.

## Troubleshooting and Maintenance

#### Battery system replacement

#### Warning

Batteries can generate gases which, when released, can explode, causing blindness and other serious personal injury, also generate acid misting which can cause burns and other serious injuries. Always follow the generally accepted safety procedures for handling batteries. In addition, it is vitally important that you observe the precautions recommended in this manual.

YOU SHOULD BE **TRAINED** IN HANDLING, INSTALLING, OPERATING AND MAINTAINING BATTERIES BEFORE YOU WORK ON RRPLACE BATTERY SYSTEM.

You **MUST** understand the risk of working with batteries and BE PREPARED and EQUIPPED to take the necessary safety precautions. If not, contact Philips service.

- **ALWAYS** keep sparks, flames and smoking materials away from the battery
- ALWAYS wear protective clothing and use nonconductive or insulated tools when working with battery system.
- **Remove** all jewelry that could produce a short circuit.

In case of SKIN CONTACT with sulfuric acid misting, **IMMEDIATELY** 

- REMOVE contaminated CLOTHING
- FLUSH the area THOROUGHLY with WATER

Get **MEDICAL ATTENTION**, if required.

In case of EYE CONTACT with sulfuric acid misting,  $\ensuremath{\mathsf{IMMEDIATELY}}$ 

- **FLUSH THOROUGHLY** for at least 15 minutes with large amounts of WATER.
- Get MEDICAL ATTENTION, if required.

In case of **FIRE**: To extinguish a fire in a battery room containing lead acid batteries, use CO2, foam, or dry chemical extinguishing media. **Do NOT** discharge the extinguisher directly onto the battery. The resulting thermal shock may cause cracking of the battery case/ cover.

#### Important


#### Warning:

If you have ANY question concerning safety when working with the battery system, contact your local prduct sales/service representative to clarify any of the noted safety precautions, or, call the corporate office number listed on the back of this manual and ask for professional service.nce.

The battery presents a risk of electrical shock and a high short circuit current. The Philips mounting instructions must be strictly followed, otherwise potential application, reliability, or safety issues may arise. Contact your local Philips service if the instructions cannot meet special field conditions. Only a qualified Philips service representative who is knowledgeable in batteries and the required precautions is permitted to service the battery. Keep unauthorized personnel away from batteries.

3. Open the serve hatch (Figure -1) and pull the ventilation tube end out. Place the open tube end upwards to release the hydrogen.

- 3. WAIT 10 minutes for the hydrogen to release.



6.Disconnect the PV panel and luminaire connectors on the controller before any other

Disconnect the battery and thermal sensor connectors on the controller to power off the

5. Pull out the battery cable and thermal sensor

6.Take out the old battery system and replace

2. Pull the new battery system cables and vent tube through the embedded duct into the pole

> 3. Connect all the cables, (First, connect battery , then connect the PV panel, luminaire and thermal sensor) and put vent cable open end 500mm higher than controller. Then make the tube open end towards to the ground, and tie it to the PV panel cable for fixing.

> 3. Lock the service hatch and restore the ground to its original appearance

