

Signify Regulated

Substances List

Signify List of Regulated Substances in Products and Product packaging

RSL 2025-2

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 1 of 34



Table of Contents

1	INT	RODUCTION	3
	1.1	Purpose	
	TABL	E 0: Additional substance restrictions in product related applications in RSL compared to BOMcheck	
	1.2	Scope	
	1.3	Deviations	5
	1.4	Thresholds	5
2	SUF	PPLIER DECLARATION PROCESS	
	2.1	Declaration System	6
	2.2	Demonstrating compliance to the RSL through BOMcheck	6
3	PRC	DDUCTS CONTENT RESTRICTIONS AND DECLARATIONS	7
	TABL	E 1: RoHS Substances Restrictions (Directive 2011/65/EU) in products	7
		E 2: REACH Article 67 Substance Restrictions in products and packaging (Regulation (EC) 1907/2006)	
		E 3.1: Substances in products and packaging prohibited under Stockholm Convention and/or regional POPs ation	.10
	TABLE	3.2: Substances restricted or declarable by other legislation in products and packaging	.11
	TABLE	3.3: Substances restricted under TSCA in products and packaging.	.14
	TABL	E 4: Substance Legislative Restrictions in Batteries	.15
		E 5.1: REACH Candidate List Substances (Regulation (EC) 1907/2006) – Regulatory compliance declaration for duct and product-packaging related applications	
		E 5.2: California proposition 65 substances used in all product and product-packaging related applications, which tincluded in any other Table in the RSL.	
	TABL	E 6: Industry restricted and declarable substances in products and product packaging.	.17
	TABL	E 7: Additional restrictions in Product-Packaging	.19
		otherwise stated the limits are on homogeneous material level. Signify enforces the limits worldwide	
A	NNEX	1 - Definitions and interpretation of certain terms	.20
	1.1.	Declaration on homogeneous material level (EU RoHS directive)	.20
	1.2.	Article Definition (EU REACH regulation)	.20
		2 - Summary Table of Aromatic amines (released from Azocolourants and azodyes) Restrictions.	
A	NNEX	3 - Summary Table of Phthalate Restrictions	.22
A	NNEX	4 - Detailed Requirements for Consumer Product Skin Contact Parts for PAH Compounds in Germany	.24
A	NNEX	5 - Revision History	.25

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 2 of 34



1 INTRODUCTION

As a purpose-driven company, Signify takes a fully integrated approach to doing business in a responsible and sustainable way. Building on our proven track record in sustainability over the years, we have adopted a comprehensive set of key commitments across all the Environmental, Social and Corporate Governance (ESG) dimensions that guide the execution of our company strategy to unlock the extraordinary potential of light for brighter lives and a better world.

As a fundamental basis and as part of the Signify chemicals management strategy, the adherence to stringent global chemical regulatory requirements such as setting threshold limit values or complete bans is of crucial importance. Guided by the precautionary principle, Signify strives to proactively phase out the use of harmful substances, posing serious or irreversible harm to the environment and/or human health which have not yet been covered by regulatory enforcements. Signify substance requirements can be developed that may go beyond legislative compliance based on scientific evidence and stakeholder consultation. Decisions to seek alternatives consider the level of concern, commercial availability, and technical feasibility of alternatives.

The above-mentioned requirements are reflected in the present requirement document, the "Signify Regulated Substances List" (or RSL), applicable for products and product-packaging.

Suppliers must comply with the substance requirements as defined in the RSL and it is an integral part of any commercial agreement between Signify and its suppliers.

This (or newer) version of the present RSL can be found at Signify website downloads: https://www.signify.com/global/sustainability/product-compliance

Changes of this RSL compared to previous versions can be retrieved in ANNEX 5 'Revision History' of this document.

Maurice Loosschilder
Head of Sustainability Signify

1.1 Purpose

This document contains the Signify Regulated Substances List and its annexes (RSL) as an integral part of the Signify commitment to health, safety, and the environment.

The RSL contains product substance requirements related to:

- Federal, state, county or municipal law, regulation, ordinance, or code, and
- Signify own requirements.

RSL is part of the Signify global policy and therefore included in Signify general purchasing conditions. Each supplier and brand licensee must ensure product compliance with this list. In addition, Signify brand licensees are expected to comply with all additional legal substance regulations that are specific to their business and may not be included in the RSL.

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 3 of 34



Additional specific Signify or legal requirements may apply for certain product categories or applications. Examples are food contact materials, biocides or materials treated with biocides or products to be used for patients, babies or children, cosmetics, or purely chemical based products. The RSL is aligned with the substances included in the BOMcheck Declaration System. The few deviations from BOMcheck in the current version of the RSL are shown in Table 0. The deviations as mentioned in Table 0 are only for consumer products in some very specific applications. ANNEX 5 of this RSL mentions the changes compared to the previous version.

TABLE 0: Additional substance restrictions in product related applications in RSL compared to BOMcheck

Substances	Additional requ	irements in RSL compared to BOMcheck	Reason for deviation
Substances	Table	Maximum Concentration Limit in ppm (mg/kg)	
Brominated Flame Retardants <u>restricted</u> in consumer products	6 and 7	900*	Additional restriction of Brominated Flame Retardants in printed wiring board laminate (other than PBBs, PBDEs and HBCDD) in consumer products. Medical devices and professional lighting products are exempted and only declarable in BOMcheck.
Brominated Flame Retardants, PVC and (P)VC copolymers <u>restricted</u> in consumer products	6 and 7	1000*	Additional restriction of PVC, (P)VC co- polymers and Brominated Flame Retardants (other than PBBs, PBDEs and HBCDD) in any plastics parts. Mains power supply cord sets are exempted and only declarable in BOMcheck, just like medical devices and professional lighting products.

^{*} See details on requirements in table 6 (table 7 unchanged)

1.2 Scope

The requirements as set up in the Signify Regulated Substances List are a global policy of Signify, even if local regulatory requirements may be less strict. Where there is a difference between the Signify requirements and the local regulatory requirements, the most stringent, i.e., the most protective for health, safety and the environment applies.

The scope of this document includes all articles (i.e. materials, components, subassemblies, products, labels attached to products, etc., further mentioned as Products in the RSL), and product packaging (i.e. wood, paper or card-boxes, plastic material, containers, user manuals, labels, etc., further mentioned as Packaging in the RSL).

The requirements listed in the RSL are mandatory for all products, parts, and packaging materials:

- placed on the global market,
- used to produce Philips branded products,
- used to produce products of other brands that are owned by or licensed to Signify.

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 4 of 34



This includes all consumables, accessories and non-Philips branded products that are by-packed or integrated in our products, and of which the original brand name of the OEM is still visible for the customer. A dispensation must be applied in case the OEM requests to waive certain RSL requirements.

For non-Philips branded products that are placed on the market by Signify (e.g. as a distributor) it is recommended to also use the RSL as baseline requirements document. At least all substance legislation applicable in the country where the product is placed on the market must be complied with.

The restricted substances cannot be contained in the product or used in the manufacture of the product and its components above the designated thresholds for the controlled applications listed. Declarable substances that are used in products, articles or packaging materials must be declared according to the limits given in the respective table.

If the supplier needs clarification with respect to Signify's guidelines and rules presented here, they should discuss them with the Signify representative, which is generally the supplier account manager. If a brand licensee needs clarification, they should discuss with the Signify representative for sustainability in the Brand Committee.

1.3 Deviations

In those cases where the supplier supplies or intends to supply products/articles to Signify that do not comply with the Signify RSL, the supplier needs to contact the Signify procurement organization immediately to resolve the issue and to decide through mutual agreement on corrective actions. When a brand license partner intends to bring a brand license product to the market that does not comply with the Signify RSL, the licensee needs to contact the Signify representative for sustainability in the Brand Committee.

Recycled content

Signify strongly promotes the use of recycled materials, in particular (but not limited to) the use of recycled plastics. Signify realizes that the use of recycled materials may pose challenges in terms of safeguarding compliance to all substances as referred to in the Signify RSL. In case of issues related to the Signify RSL compliance for recycled materials, please contact Signify procurement for support. For non-legal obligations, it may be possible to obtain a waiver for the presence of certain substances in recycled materials.

1.4 Thresholds

Maximum concentration limit for restricted substances

Signify acknowledges that some materials contain a certain amount of restricted substances being naturally present. However, when a substance is present above the listed maximum threshold limit value, whether it be in products, or product-related packaging, the substance is restricted to the maximum threshold concentration limit as indicated in the different tables of the RSL. Thresholds can either be legal limits set by authorities or refer to analytic thresholds being temporarily accepted. Restricted substances (e.g. as defined under RoHS) are measured at homogeneous material level (unless otherwise specified), meaning these thresholds must be declared on the homogeneous material level (See also Annex 1 for further explanation). Substances for which the use is exempted in specific applications, as defined by legislation, are allowed for, but must be declared.

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 5 of 34



Maximum concentration limit for declarable substances

Declarable substances (e.g., REACH SVHCs) are substances of which the use needs to be monitored due to a regulatory requirement or because Signify wants to monitor use from a precautionary point of view. The use of these substances must be reported when above the maximum concentration limit as defined in the Philips RSL in line with BOMcheck. To meet the ECHA SCIP database requirements additional data fields are required in BOMcheck.

2 SUPPLIER DECLARATION PROCESS

2.1 Declaration System

As referred to in Section 1.1, Signify will collect substances information for its (sub-)parts, products and product packaging because regulations such as RoHS and REACH require us to maintain regulatory compliance evidence at that level. Signify has decided to utilize an industry wide web-based declaration platform named BOMcheck as a system to facilitate efficiently chemical substances information from suppliers (www.BOMcheck.net). BOMcheck is an industry platform used by many companies and represents an efficient system that helps suppliers follow up on the many legal requirements and provides smooth communication with the customers and particularly with suppliers up the supply chain. BOMcheck is primarily a regulatory compliance system designed specifically to enable suppliers to provide declarations for RoHS, REACH, and any other restricted and declarable substances legislation through detailed substances reports. BOMcheck also allows suppliers to provide Full Material Declaration (FMD) of their articles. The benefit of FMD is that suppliers have to upload the total chemical composition of their articles only once (unless the formulation of supplied articles changes), while BOMcheck will then automatically update your company's compliance status every time regulatory changes are introduced. Signify requires its suppliers to use BOMcheck.

BOMcheck complies with FDA requirements in Title 21 CFR Part 11 and Title 21 CFR 820.70(i).

2.2 Demonstrating compliance to the RSL through BOMcheck

Suppliers are required to make declarations in BOMcheck for all articles (i.e. materials, components, subassemblies, products, labels attached to products, etc.), and packaging materials (i.e., wood, paper or card-boxes, plastic material, containers, user manuals, labels, etc.). We request suppliers to regularly check for possible updates of the RSL to remain informed of the latest changes in all legislative and policy obligations at https://www.signify.com/global/sustainability/product-compliance

The BOMcheck substances list which also includes EU REACH SVHC's, Proposition 65 and RoHS exemptions can be found at the following link: https://www.BOMcheck.net/suppliers/restricted-and-declarable-substances-list

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 6 of 34



3 PRODUCTS CONTENT RESTRICTIONS AND DECLARATIONS

TABLE 1: RoHS Substances Restrictions (Directive 2011/65/EU) in products

Restrictions are derived from EU RoHS Directive. Similar legislation is increasingly adopted in other regions and for other non-EEE applications (e.g. in EU REACH). The requirements in this Table apply to all Signify brand products on homogeneous material level in all regions.

Substances (remark 1)	Maximum Concentration Limit ppm (mg/kg)	
RoHS substance restrictions (Directive 2011/65/EU) (remark 1)		
Cadmium and Cadmium compounds (remark 2)	100	
Hexavalent Chromium compounds (remark 2)	1000	
Lead and Lead compounds (remark 2)	1000	
Mercury and Mercury compounds (remarks 2 and 3)	1000	
Polybrominated diphenyl ethers (PBDEs) (remark 4)	1000	
Polybrominated biphenyls (PBBs) (remark 4)	1000	
RoHS substance restrictions amendment 1 (Directive 2011/65/EU, as amended by Directive (EU) 2015/863 of March 2015) (remark 5)		
Bis (2-ethylhexyl)phthalate; Di (2-ethylhexyl) phthalate (DEHP), CAS 117-81-7	1000	
Dibutyl phthalate; Di-n-butyl phthalate (DBP), CAS 84-74-2	1000	
Benzyl butyl phthalate; Butyl benzyl phthalate (BBP), CAS 85-68-7	1000	
Diisobutyl phthalate; Di-i-butyl phthalate (DiBP), CAS 84-69-5	1000	

- The restrictions do not apply to the exemption limits in the <u>European Directive RoHS (2011/65/EU)</u>, and exemption limits in other RoHS type of regulations like the <u>Canadian CEPA-SOR/2014254</u>. They also do not apply to batteries- and automotive applications as these are covered by other legislation (see e.g. EU Battery Regulation, <u>Regulation (EU) 2023/1542</u>; see also Table 4), the European ELV directive (2000/53/EC and the amendment 2011/37/EU). The list of **valid** EU RoHS exemptions, EU battery directive and EU ELV directive can be found in <u>BOMcheck</u>. Heavy metal restrictions for batteries and packaging are given in Tables 4 and 7, respectively.
- 2. Maximum concentration limit applicable for the metal (i.e, Cd, Cr⁶⁺, Pb and Hg) and not for the compounds. The concentration determination is based on the metal weight not the metal containing component weight (for details see IEC 62321)
- 3. Besides the RoHS obligations, Lighting Products shall also comply with the UN Minamata Convention and the Ecodesign /ERP directive 2009/125/EC (Commission Regulation EU 2019/2020 and amendment EU 2021/341), therefore, a product declaration via BOMcheck is required including: (1) providing the average amount of Mercury per lamp in x,x mg; and (2) indicating the relevant RoHS exemption number within the section on RoHS in BOMcheck system.
- 4. Polybrominated diphenylethers (PBDE) are the same as polybrominated biphenylethers (PBBE); polybrominated diphenyloxides (PBDO) are the same as polybrominated biphenyl oxides (PBBO)
- 5. Since 7 July 2020, the four phthalates (individually or in any combination (i.e., sum)) are restricted under REACH (EU/2018/2005 of 17 December 2018) in a concentration equal to or greater than 0.1 % by weight of the plasticised material in the article, except for equipment in scope of RoHS, medical devices and Food Contact legislation. The restriction also applies to toys and childcare articles.

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 7 of 34



TABLE 2: REACH Article 67 Substance Restrictions in products and packaging (Regulation (EC) 1907/2006)

These substances are in line with the relevant restrictions as defined in article 67 of the EU REACH regulation. Unless otherwise stated the maximum concentration limits apply on the homogeneous material level. Signify enforces these limits worldwide.

Substances	Maximum Concentration Limit ppm (mg/kg) or as given in the table	Particular use and further remarks
Restrictions for electrical and mechanical pro	ducts in all application	ons
Asbestos (all types)	No intentionally added content	
Dibutyltin (DBT) compounds	1000	0.1% by weight of tin in a material, used as heat stabilizer
Dimethylfumarate (DMF)	0.1	Restricted in articles. Used as pesticides and biocides, e.g., in silica gel bags in packaging.
Tri-substituted organostannic compounds	1000	0.1% by weight of tin in an article or a part thereof, used as eg. pesticides and biocides.
Tar oils and creosotes	No content permitted	In wood or wooden material as preservative
Monomethyl dibromodiphenyl methane (DBBT)	No intentionally added content	
Monomethyl dichlorodiphenyl methane (Ugilec 121 or Ugilec 21)	No intentionally added content	Used as dielectrics
Monomethyl tetrachlorodiphenyl methane (Ugilec 141)	No intentionally added content	Osca as dicicellies
Polychlorinated terphenyls (PCTs)	No intentionally added content	
1,2,4-Trichlorobenzene	1000	Used as dielectrics, in any substance or preparation.
Sum of selected Phthalates Group 1 (DIBP, BBP, DBP, DEHP) (remark 6)	1000	In plasticized material
Bisphenol A	200	In thermal paper.
Sum of perfluorocarboxylic acids containing 9 to 14 carbon atoms (PFCAs)	0.025	Since 25 February 2023; REACH article 67, entry 68
Lead and Lead compounds (in PVC)	1000	In PVC, per REACH article 67, entry 63, applies from 29 November 2024

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 8 of 34



Substances	Maximum Concentration Limit ppm (mg/kg) or as given in the table	Particular use and further remarks		
Formaldehyde and formaldehyde-releasing substances	≤0.062 mg/m³ released from wood-based articles ≤0.080 mg/m³ for other articles	Shall not be placed on the market in article, after 6 August 2026, per EU REACH article 67, entry 77		
Additional restrictions which apply to parts u	sed in toys and child	care products		
Sum of selected Phthalates Group 2 (DIDP, DINP, DNOP)	1000	In plasticized material when used in toys and childcare articles which can be placed in the mouth		
Benzene	5	Toys		
Dioctyltin (DOT) compounds	1000	0.1% by weight of tin in a material		
Any individual PAH compound (see list under remark 7)	0.5	Plastic or rubber material coming to repetitive skin or oral cavity contact in toys and childcare articles, in force for products placed on market after 27 th December 2015. See Table 6 for additional requirements on PAH		
Additional restrictions which apply to parts that contain leather and textiles				
Dioctyltin (DOT) compounds	1000	0.1% by weight of tin in a material		
Aromatic amines (released from Azocolourants and azodyes (see remark 17)	30	Restricted in textile and leather articles		
Tris-(1-aziridinyl) phosphinoxide	No content permitted	Not permitted in textile articles		
Tri-(2,3-dibromo-propyl) phosphate	No content permitted	Not permitted in textile articles		
Additional restrictions which apply to parts the	hat come in contact v	with skin		
Nickel and nickel alloys (see remark 8)	0.5μg/cm²/week			
Individual PAH compound (see list under remark 7)	1	Plastic or rubber material coming to repetitive skin or oral cavity contact in consumer articles, In force for products placed on market after 27 th December 2015 See Table 6 for additional requirements on PAH		
Additional restrictions which apply to parts wor preparation)	hich contain chemic	al products (liquids, gases, powders; as substance		
Nonylphenol and nonylphenol ethoxylates compounds	1000	For example, use in textile processing		
Benzene	1000	For example, use in cleaners		

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 9 of 34



- 6. DIBP added to the restriction. The scope of this restriction was amended from "Additional restrictions which apply to parts used in toys and childcare products" to all types of articles, including children's toys and childcare articles, and with a list of exemptions, e.g. for equipment which is in scope of RoHS, Medical Devices, Food contact legislation.
- 7. The PAH compounds restricted are: Benzo[a]pyrene CAS 50-32-8, Benzo[e]pyrene CAS 192-97-2, Benzo[a]anthracene CAS 56-55-3, Chrysene CAS 218-01-9, Benzo[b]fluoranthene CAS 205-99-2, Benzo[j]fluoranthene, CAS 205-82-3 Benzo[k]fluoranthene CAS 207-08-9 and Dibenzo[a,h]anthracene CAS 53-70-3. See also ECHA's PAH guidance:
 - https://echa.europa.eu/documents/10162/106086/guideline_entry_50_pahs_en.docx/f12ac8e7-51b3-5cd3-b3a4-57bfc2405d04.
- 8. ECHA guidance on defining "direct and prolonged skin contact can be found at:

 http://echa.europa.eu/documents/10162/13641/nickel_restriction_prolonged_contact_skin_en.pdf Does not apply to Medical devices and associated equipment. Medical device safety standards require biocompatibility testing to ensure that chemical substances, which may contact patients during use per the device's intended use, do not pose a health risk, specifically with respect to biocompatibility.

TABLE 3.1: Substances in products and packaging prohibited under Stockholm Convention and/or regional POPs Regulation.

Unless otherwise stated the limits are on homogeneous material level. Signify enforces the limits worldwide.

Substances	Maximum concentration limit ppm (mg/kg) or as given in the Table	Particular use / Legislation
Hexachlorobenzene (HCB)	10	In any article, EU POP Regulation.
Dechlorane plus	1 ppm	EU POP regulation as 1 ppm applicable after 30 months (1000 ppm in the first 30 months after entry into force (expected 2 nd half 2025)), exemptions for eg. medical imaging, replacement parts of articles. In other jurisdiction, the restriction may differ (e.g., Australia).
Perfluorohexane-1-sulphonic acid (PFH _x S), its salts and related substances	0.025 (≤ 1 ppm for sum of PFH _x S related substances)	In any article, per 1 October 2022; RO 2022 162 of the Swiss Chemicals Risk Reduction Ordinance, ChemRRV. Also, listed under EU POP regulation per Regulation (EU) 2023/1608.
UV-328	1 ppm	EU POP regulation as 1 ppm applicable after 4 years, (100 ppm in the first 2 years, 10 ppm in the next 2 years after entry into force (expected 2 nd half 2025)), exemptions for eg. Triacetyl cellulose (TAC) film in polarizers used in displays, replacement parts of articles. In other jurisdiction, the restriction may differ (e.g., Australia).
Polybrominated diphenyl ethers (PBDEs)	10 ppm (for the sum of PBDEs)	EU POP Regulation as 10 ppm for the sum of PBDEs (200 ppm for recovered materials as of 30 December 2027); use as flame-retardants; exemption for materials/parts used exclusively in electrical or electronic equipment (under scope of EU RoHS, see Table 1). The threshold applies to the sum of the concentration of those substances. No intentionally added content due to Japan Chemical Substance Control Law

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 10 of 34

Printed copies are FOR REFERENCE ONLY, always confirm printed copies with the online latest, valid version



Substances	Maximum concentration limit ppm (mg/kg) or as given in the Table	Particular use / Legislation
Perfluorooctanoic acid (PFOA), its salts and related compounds	0.025 (<1 mg/kg for sum of PFOA- related compound)	Since 4 July 2020 PFOA is restricted to above 0.025 ppm by EU POP in all applications. PFOA, for example, is used as a surfactant in the manufacture of certain fluoropolymers and fluoroelastomers.
Perfluorooctane sulfonate (PFOS), its salts and related compounds	0.025 (≤ 1 ppm for sum of PFOS related compounds)	EU and Australian POP regulation
Hexabromocyclododecane (HBCDD) and its main diastereoisomers	75	EU POP 2016/293 on persistent organic pollutants; use as flame-retardant. The new limit came into effect on March 11, 2024.
Pentachlorophenol (PCP)	5 ppm	EU POP regulation as 5 ppm, EU Biocidal Product Regulation; For textiles in Korea 0.05 ppm for children textile/leather, 0.5 ppm for adult's textile/leather.
Polychlorinated biphenyls (PCBs)	0.2 ppm (for the sum of PCBs)	EU POP regulation as 0.2 ppm for the sum of PCBs (25 ppm if an article containing organic pigments or dyes); use as e.g. plasticizers, flame retardants and dielectrics.
Polychlorinated and polybrominated dioxins and furans	No intentionally added content	EU POP regulation.
Polychlorinated naphthalenes	No intentionally added content	With one or more chlorine atoms, applied as stabilizer and flame-retardant in plastics; EU POP Regulation, Swiss, Canada and Japan legislation
Alkanes, C10-13, chloro (SCCP; Short chained chlorinated paraffins)	1500	EU POP 2015/2030 on persistent organic pollutants when applied in articles.
Chlorinated Paraffins with carbon chain lengths in the range of C14-17 and Chlorination Levels ≥ 45% Chlorine by Weight (MCCP)	No intentionally added content	Stockholm Convention
Long-chain Perfluorocarboxylic Acids (LC-PFCAs), their salts, and related compounds	No intentionally added content	Stockholm Convention

TABLE 3.2: Substances restricted or declarable by other legislation in products and packaging.

Unless otherwise stated the limits are on homogeneous material level. Signify enforces the limits worldwide.

Substances	Maximum concentration limit ppm (mg/kg) or as given in the Table	Particular use / Legislation	
Restrictions for electrical and mechanical products in all applications			
Colecalciferol (Vitamin D3)	Declarable	[France] Anti-Waste and Circular Economy Law 2020-105, 0.1% by weight in a mixture or article; main uses in ecigarettes.	

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 11 of 34



Substances	Maximum concentration limit ppm (mg/kg) or as given in the Table	Particular use / Legislation	
DiOP (di-iso octyl phthalate)	Declarable	[France] Anti-Waste and Circular Economy Law 2020-105, 0.1% by weight in a mixture or article (for consumer products, used in plasticizer, dye, pigment, paint, ink, adhesive, lubricant)	
Perfluorocarboxylic acids containing 9 to 14 carbon atoms (PFCAs) and their salts, the sum of and C9-C14 PFCA-related substances	0.025 (0.26 ppm for sum of PFCA-related substances)	In any article, per 1 October 2022; RO 2022 162 of the Swiss Chemicals Risk Reduction Ordinance, ChemRRV.	
Bisphenol S	200	The Swiss Chemical Risk Reduction Ordinance (ORRChem), use in thermal paper.	
Formaldehyde	No intentionally added content	In composite wood products or components (plywood, particleboard and MDF) and textiles (see remark 9); U.S. EPA TSCA Title VI and California Airborne Toxic Control Measures (ATCM).	
Radioactive substances	No intentionally added content	Japan Law Concerning Prevention from Radiation Hazards; EU-D 2013/59/Euratom.	
Biocides	No intentionally added biocide	EU Biocidal Product Regulation: Medical devices are exempted.	
Substances of Concern (SoC)	Declarable	EU legislation (e.g., CSRD ESRS, ESPR, PPWR)	
Additional restrictions which apply to printing material (see remark 10)			
Mineral oil aromatic hydrocarbons (MOAH) containing 1-7 aromatic rings (see remark 21)	1000	Per 1 January 2023; mineral oils in ink on printing material including packaging for the public; Article 112 of decree no.2020-105 (France). In scope also when product is discarded at homes.	
Mineral oil saturated hydrocarbon (MOSH) consisting of 16-35 carbon atoms (see remark 21)	1000	Per 1 January 2025; mineral oils in ink on printing material including packaging for the public; Article 112 of decree no.2020-105 (France). In scope also when product is discarded at homes.	
Additional requirements which apply	to parts used in medica	al devices	
BPA (Bisphenol A)	Declarable	Declare if manufactured from raw materials using BPA or derived of BPA and if used in medical devices and part comes in contact with patient or patient fluids (e.g., via intravenous, inhalation, oral exposure, contact with skin, or as an implant). Canadian legislation	
Latex	No intentionally added content	The United States FDA requires all medical devices and its packaging which contain natural rubber (Latex) or dry natural rubber that can contact human skin to be marked per FDA User Labeling for Devices that Contain Natural Rubber (21 CFR 801.437)	

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 12 of 34



Substances	Maximum concentration limit ppm (mg/kg) or as given in the Table	Particular use / Legislation		
Additional requirements which apply to parts used in medical devices				
CMR 1A and 1B substances and endocrine disrupting substances (EDCs)	1000	The use of such substances above 0.1% in Medical Devices or those parts thereof or those materials used therein that: - are invasive and come into direct contact with the human body, - (re)administer medicines, body liquids or other substances, including gases, to/from the body, or - transport or store such medicines, body fluids or substances, including gases, to be (re)administered to the body, shall be justified as per EU MDR 2017/45 annex I 10.4 and the device is to be labelled. BOMcheck contains a list of CMR and EDC substances, likely to be present in Philips products in scope of this requirement. This list is updated regularly.		
Additional Restrictions which apply to	parts used in toys and	childcare products		
Flame retardant chemicals	1000	Applied in any material. This restriction does not apply to electronic components; US State bills (e.g., California)		
Di-n-pentyl phthalate (DPENP)	1000			
Di-n-hexyl phthalate (DHEXP/DNHP)	1000	Applied in any material. US Consumer Product Safety		
Dicyclohexyl phthalate (DCHP)	1000	Improvement Act (CPSIA).		
Diisononyl phthalate (DINP)	1000			
Tris(2-chloroethyl)phosphate (TCEP; CAS 115-96-8)				
Tris(2-chloro-1-methylethyl) phosphate (TCPP; CAS 13674-84-5)	No content permitted	(See remark 11 for legislation)		
Tris(1,3-dichloro-2-propyl)phosphate (TDCPP/TDCP; CAS 13674-87-8)				
Lead and lead compounds	100	Applied in accessible parts in toys and childcare products; US Consumer Product Safety Improvement Act		
Lead and lead compounds	90	Applied in paint and similar surface coatings, sticker, film, or other similar material that can be removed; US Consumer Product Safety Improvement Act and Canada Consumer Product Safety Act (Surface Coating Materials)		
Mercury	10	A sticker, film or other similar material that can be removed, or a surface coating material; Canada Consumer Product Safety Act (Surface Coating Materials)		
Additional restrictions which apply to	parts which come into	contact with food		
Bisphenol A (BPA) and hazardous bisphenols or hazardous bisphenol derivatives	No content permitted	In all food contact materials in consumer products (see remark 12); Regulation EU 2024/3190 Test required with 1ppb detection limit.		

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 13 of 34



Substances	Maximum concentration limit ppm (mg/kg) or as given in the Table	Particular use / Legislation	
Additional restrictions which apply to preparation)	parts which contain ch	nemical products (liquids, gases, powders; as substance or	
Ozone depleting substances	No intentionally added content	All applications; Montreal protocol, EU Regulation No 2037/2000, and China GB 44499-2024	
Fluorinated Greenhouse gases (PFC, SF6, HFC)	No content permitted	Per EU 2024/573, EU regulation 517/2014 and Canada (SOR/2016-137)	
Additional requirements which apply to parts containing textiles			
Flame-retardant chemicals	1000	Applied in any material. This restriction does not apply to electronic components; US States bills (e.g., California)	

TABLE 3.3: Substances restricted under TSCA in products and packaging.

Unless otherwise stated the limits are on homogeneous material level. Philips enforces the limits worldwide.

Substances	Maximum concentration limit ppm (mg/kg) or as given in the Table	Particular use / Legislation
Decabromdiphenylether (DecaBDE)	No intentionally added content	One of EU RoHS substances (as PBDE, see Table 1); U.S. EPA TSCA Section 6(h)
Phenol, isopropylated phosphate (3:1) (PIP 3:1)	Restricted for non- FDA regulated products	After October 31, 2024, non-FDA regulated products must adhere to 'no permitted content', whereas FDA regulated products remain declarable. Used as a.o. plasticizer and additive flame retardant in materials such as PVC, polyethylene, electrical wire, synthetic rubber, flexible polyurethanes, polyurethane foam, epoxy resins, and various industrial coatings, adhesives, sealants with good performance on electrical isolation and can be present in oils and lubricants. Also used in engineering thermoplastics. U.S. Environmental Protection Agency (EPA) under TSCA.
	Prohibited in sealants & adhesives	Prohibitions on processing and distribution in commerce for use in sealants and adhesives (Federal regulation from 2021)

9. Composite wood finished goods must be labelled showing compliance with U.S. EPA TSCA Title VI regulation (it is voluntary to also label in compliance with the California Air Resources Board (CARB) Airborne Toxic Control Measures (ATCM) Phase II emission standards). Formaldehyde emission from materials: Emission from hardwood plywood (HWPW) veneer core is 0.05 ppm after 1-Jan-2010. HWPW composite core emission limit is 0.05 ppm from 1-July-2012. Emission limit from particle board (PB) is 0.09 ppm from 1-Jan-2011. Emission limit from medium density fibreboard (MDF)) is 0.11 ppm from 1-Jan-2011. Emission limit from thin medium density fibreboard (MDF)) is 0.13 ppm from 1-Jan-2012. Composite wood is defined by California Code of Regulations (CCR), Title 17, Section 93120.1. Refer to CCR, Title 17, Section 93120.9 for test methods.

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 14 of 34

Printed copies are FOR REFERENCE ONLY, always confirm printed copies with the online latest, valid version



- 10. Examples of printing material are stickers, labels, directions for use (DFU), warranty leaflets and other product and parts related documentation. A 12-month period for the exhaustion of packaging stocks (all types) and printed papers manufactured or imported is permitted. Note that the terminology 'public' excludes professional end-users, but includes when the packaging is discarded at home
- 11. TRIS flame retardants are regulated for childcare articles and children's products in Canada, EU toy directive 2009/48/EC and by US states New York, Maryland, and Vermont. The US District of Columbia restricts TCEP and TDCPP in consumer products for children under 12 years of age from 2018 onwards and in all consumer products from 2019 onwards. See the BOMcheck online guidance for more details on this legislation.
- 12. For Signify consumer products, a policy banning BPA applies to all food contact materials in appliances introduced to market since 1st January 2012.

TABLE 4: Substance Legislative Restrictions in Batteries

The limits are on battery level. Signify enforces the limits worldwide.

Substances	Maximum concentration limit ppm (mg/kg)	Remarks/Legislation
Cadmium and cadmium compounds (see remarks 2)	10	Chinese Standard GB 24427-2021
Mercury and mercury compounds	1	Chinese Standard GB 24427-2021
Lead and lead compounds (see remark 13)	40	Chinese Standard GB 24427-2021
Perchlorates in all batteries	0.006	Labelling requirement in Californian regulation

13. The lowest restriction limit for non-alkaline zinc-manganese dioxide batteries is 1000 ppm from Conama 257/99 (Brazil) and from Swiss legislation. The IEC 62474 database includes a restriction on Lead and Lead compounds in all types of batteries of 0.004% (40 ppm) by weight of battery based on Chinese Standard GB 24427-2021 (zinc anode primary battery) and the EU battery directive.

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 15 of 34



TABLE 5.1: REACH Candidate List Substances (Regulation (EC) 1907/2006) – Regulatory compliance declaration for all product and product-packaging related applications

REACH Candidate list substances are subject to the obligations defined in Article 33 of the EU REACH regulation. The limits are on REACH article level. Signify enforces the limits worldwide.

Due to the fact that the European Chemicals Agency updates this list at least twice a year, we refer to the http://echa.europa.eu/chem_data/candidate_list_table_en.asp for the most recent list of candidate substances. BOMcheck will also contain the most recent list of SVHC and separates between those SVHC which are likely to be found in electronics and those that are not. Please see the lists for substances likely to be present in product and packaging applications in the following link: Link to BOMcheck.

The use of an SVHC is allowed (unless otherwise stated in any of the other Tables in the RSL). However, when the concentration on the article level is found to be above the limits stated here, declaration is obligatory. For definitions, such as "Article", please see the Annex 1.

Note regarding the Nanomaterials regulation EU/2018/1881, which is part of the REACH Directive: in case a nano form of a substance listed under REACH is present in a component or material this should be reported in the BOMcheck declaration linked to the relevant substance.

TABLE 5.2: California proposition 65 substances used in all product and product-packaging related applications, which are not included in any other Table in the RSL.

The limits are on homogeneous material level. Signify enforces these limits worldwide.

Prop 65 requires companies doing business in California to provide a "clear and reasonable" warning via product labeling before knowingly and intentionally exposing anyone to a Prop 65 Listed Chemical, unless the manufacturer can show that the anticipated exposure level will not pose a significant risk of cancer or is significantly below levels observed to cause birth defects or other reproductive harm. Safe Harbor Levels exist for some Listed Chemicals and include No Significant Risk Levels (NSRLs) for cancer-causing chemicals and Maximum Allowable Dose Levels (MADLs) for chemicals causing reproductive toxicity. These levels are measured in µg/day and must take into account all exposure routes (e.g. inhalation, oral, dermal). When the product exposes individuals to chemicals above the Safe Harbor Level, a clear and reasonable warning must be provided by the manufacturer. When no Safe Harbor Level is available, and the product contains a Prop 65 Listed Chemical, a manufacturer also would be required to provide a Proposition 65 warning, unless the manufacturer can show that the anticipated exposure level will not pose a significant risk of cancer or reproductive harm.

Since OEHHA updates the Prop65 list regularly, we refer to the list in BOMcheck. BOMcheck will only show those substances which are likely to be found in hardware products and electrical and electronic equipment and are not listed elsewhere in BOMcheck. Please see this list in the following link: <u>Link to BOMcheck</u>.

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 16 of 34



TABLE 6: Industry restricted and declarable substances in products and product packaging.

Unless otherwise stated the limits are on homogeneous material level. Signify enforces the limits worldwide. These restrictions and declarations go beyond legislation and are included due to upcoming legislation and customer requirements.

Substances	Restricted or declarable	Maximum Concentration or declaration Limit ppm (mg/kg)
Restrictions for electrical and mechanical products in all application		
Beryllium and Beryllium Compounds by weight of any material (see remark 14)	Declarable	1000
Brominated Flame Retardants (BFR) in printed wiring board laminate (other than PBBs, PBDEs and HBCDD); restriction/declaration threshold for total bromine concentration by weight in homogeneous material used in printed wiring laminates (see remark 15)	Restricted for magnetic comp's, connectors & plastic parts (like lamp caps) in consumer	900
Brominated Flame Retardants (other than PBBs, PBDEs and HBCDD) in any plastics parts; restriction/declaration threshold for total bromine concentration by weight in homogeneous material used in plastics (see remark 15)	products. Declarable in professional lighting products and for electronic comp's, PCB laminates and cables in	1000
Polyvinyl Chloride (PVC) and polyvinyl chloride copolymers in total chloride concentration by weight in homogeneous material (see remark 16)	consumer products (see remarks 15 and 16)	1000
Chlorinated Flame Retardants in printed wiring board laminate; declaration threshold for total chlorine concentration by weight in homogeneous material used printed wiring laminates	Declarable	900
Chlorinated Flame Retardants in any plastics parts; declaration threshold for total chlorine concentration by weight in homogeneous material used in plastics	Declarable	1000
Antimony trioxide in plastic materials;	Declarable	1000
Phthalates (if not declared elsewhere in the RSL)	See Annex 3	1000
Rare Earth Minerals and Precious Metals (see remark 17)	Declarable	intentionally added content (the mass to be specified in mg/part)
Per and polyfluoroalkyl substances (PFAS) (see remark 18)	Declarable	No intentionally added content (see remark 18 for restriction)
Additional restrictions which apply to parts used in lamps and lamp	p ballasts	
Antimony compounds in glass of lamp bulbs	Restricted	1000
Arsenic compounds in glass of lamp bulbs	Restricted	1000
PAH (Polycyclic aromatic hydrocarbons) in potting material for electronic ballast of lamps	Restricted	50
Additional restrictions which apply to parts which come in contact	with skin	
Aromatic amines (released from Azocolourants and azodyes) (see remark 19, and Annex 2)	Restricted	30
PAH compounds (German product safety requirement for consumer products)	Restricted	See Annex 4 for limit values
Additional restrictions which apply to parts that contain leather an	nd textiles	
Alkylphenol and alkylphenol ethoxylates (see remark 20)	Restricted	100

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 17 of 34



- 14. By making these substances declarable, Signify intends to collect information on the presence of the Beryllium and Beryllium compounds also when no feasible technological alternatives exist, such as in the following applications: i) Be metal and BeO used in X-Ray applications, ii) BeO as ceramic heat-resistant in semiconductors, iii) Be metal alloy (e.g., BeCu), and iv) BeO used in high power RF resistors.
- 15. Signify is pursuing a phase out of the use of BFRs in consumer products newly put on the market. Mains power supply cord sets are exempt from this policy. The use of BFRs needs to be declared to Signify via the BOMcheck system. For Signify consumer products organobromine compounds in the form of flame retardants should not be used in parts, components, materials, or products as described in the requirements column. However, alternative materials are not available for certain applications and it's a challenge for the entire industry. When reliable, economic feasible solutions are available, the described applications (see column 'restricted or declarable') will be subject to replacement. BFRs are declarable for professional Lighting products and Medical Devices and mains power supply cord sets, cables, electronic components and PCBs.
- 16. Signify is pursuing a phase out of the use of PVC, in consumer products newly put on the market. Therefore, the use of PVC needs to be declared to Signify via the BOMcheck system. For Signify consumer products organochlorine compounds in the form of polyvinyl chloride or PVC copolymers should not be used in parts, components, materials, or products in concentrations equal to or greater than 0.1% (1000 ppm maximum of Chlorine) by weight as described in the requirements column. However, alternative materials are not available for certain applications and it's a challenge for the entire industry. When reliable, economic feasible solutions are available, the described applications (see column 'restricted or declarable') will be subject to replacement. Therefore, use of PVC is declarable. Mains power supply cord sets are exempt from this PVC phase out. PVC is declarable for professional Lighting products, medical devices, and mains power supply cord sets, cables, electronic components and PCBs.
- 17. Rare earth minerals and precious metals must be declared when intentionally added above 1 mg at product level as per the French AGEC law article 13 (France Decree 2022-748). **Precious Metals**: the most precious being gold, silver, platinum, palladium, but also other members of the platinum group like rhenium and indium. **Rare earth minerals**: minerals of the rare earth elements scandium, yttrium, lanthanum, cerium, praseodymium, neodymium, promethium, samarium, europium, gadolinium, terbium, dysprosium, holmium, erbium, thulium, ytterbium, lutetium.
- 18. Per and polyfluoroalkyl substances PFAS are already regulated for juvenile products (products used by children under 12 years old, except electronic products or any associated peripheral such as power supply unit), textiles and cleaning agents under the US State of California, Colorado, and Minnesota. However, it will be kept as "Declarable" only on BOMcheck to avoid confusion. There are more upcoming requirements (both to restrict and to declare PFAS especially for consumer products) under development at the federal level and in other states as well as in the EU under REACH restriction. The US EPA has provided a PFAS list which is updated continuously. There are two lists for PFAS in BOMcheck, PFAS IEC (specific for electronics industry) and the BOMcheck PFAS List to cover 11,098 substances with CAS numbers from a variety of sources (legislation, industry and government agency) to provide maximum coverage. These lists are continuously updated.
- 19. This restriction of aromatic amines released from Azocolourants and Azo dyes as applied in the Signify RSL goes beyond the legal restriction under REACH article 67 (see Table 2) as Signify restricts the use of Azo dyes in all applications that come into direct contact with the human skin or oral cavity, and not only for textiles and leather. A full list of all aromatic amines that are restricted according to the Signify RSL can be found in Annex 2. Also, two additional aromatic amines are restricted in Signify compared to the 22 aromatic amines restricted under REACH Article 67, based on regulation in Japan, Thailand, and China. These 2 additional Azo dyes are 2,6-xylidine (CAS: 87-62-7) and 2,4-xylidine (CAS: 95-68-1).
- 20. Increasing number of alkyl phenols and their ethoxylates are becoming regulated under legislation, e.g. EU Reach restriction in 2021 for textiles and leather (100 ppm). In view of the increasing concern and attention focused on these alkylphenols and their ethoxylates, a precautionary approach is taken to restrict the allowable concentration of these substances in parts to <0.01% w/w. Examples of such alkylphenols, including their ethoxylates are octylphenol and nonylphenol.

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 18 of 34



TABLE 7: Additional restrictions in Product-Packaging

Unless otherwise stated the limits are on homogeneous material level. Signify enforces the limits worldwide.

Legislative Substances	Maximum concentration limit ppm (mg/kg)	Remarks
Sum of Heavy metals (Cd, Hg, Cr(6+) and Pb)	100	EU packaging directive
Dimethyl fumarate (e.g. in silica gel bags)	0.1	REACH article 67
Arsenic compounds, applied for wood packaging	No intentionally added content	REACH Article 67, bans the use of arsenic compounds for the preservation of wood
Degradable plastic	Not permitted in Australia and for consumer packaging. Declarable for professional RoW	Applicable to all products and packaging; EU Single-use Plastics Directive. Signify committed to not using plastic material for primary consumer packaging since 2021
Formaldehyde content in packaging (see remark 9)	1000	California and German legislation
Expanded polystyrene (EPS) and other polymeric foam materials (e.g, EPP, EPE, EVA)	Not permitted in Australia. Declarable for RoW	Per Western Australian law for plastics. For example, PUR, EPP, EPE, EVA as shock absorber buffers enclosing the product, excluding thin foam sheets and foam bags.
Non-recyclable styrenic polymers or copolymers	Declarable	Per French Climate Law Article 23, postponed from 2025 to 2030, packaging made entirely or in part of styrenic polymers or copolymers, nonrecyclable and incapable of entering a recycling channel, is prohibited.
Industry substances		
Polyvinyl chloride (PVC) and (P)VC copolymers	1000	
Polymeric foam materials inside any consumer product packaging	Not permitted	For example, PUR, EPP, EPE, EVA as shock absorber buffers enclosing the product, excluding thin foam sheets and foam bags

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 19 of 34



ANNEX 1 - Definitions and interpretation of certain terms

1.1. Declaration on homogeneous material level (EU RoHS directive)

A "homogenous material" means one material of uniform composition throughout or a material, consisting of a combination of materials, that cannot be disjointed or separated into different materials by mechanical actions such as unscrewing, cutting, crushing, grinding and abrasive processes. For example, a single material such as a thermoplastic (the PVC insulation on insulated copper wire). Components such as capacitors, transistors and semiconductor packages are not regarded as "materials" but instead contain several different homogenous materials. For example, a semiconductor package will contain at least six homogenous materials as shown In Figure 1. The RoHS materials restrictions apply to each of these individual homogenous materials.




Figure 1: Material breakdown of an Integrated Circuit (IC) component

Substance 'X' < 0.1% at Homogeneous Material level means:

- Plastic encapsulation → X < 0.1%
- Bond wire → X < 0.1%
- Silicon ship → X < 0.1%
- "Lead Frame" coating (Cu) → X < 0.1%
- "Lead Frame" coating (Sn) → X < 0.1%
- Die Attach → X < 0.1%</p>
- Etc.

1.2. Article Definition (EU REACH regulation)

An article means an object, which during production is given a special shape, surface or design, which determines its function to a greater degree than does its chemical composition. For reasons of simplification, to an article shall, hereafter, also be referred to, when several articles are joined or assembled in various manners to form a complex object. Note: The European Court of Justice ruled on 10th September 2015, on EU REACH Regulation article definition, that each of the articles, that are assembled or joined together in a complex product, remain as articles and are covered by the relevant duties to notify and provide information when they contain a Substance of Very High Concern in a concentration above 0.1% of their mass.

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 20 of 34



ANNEX 2 - Summary Table of Aromatic amines (released from Azocolourants and azodyes) Restrictions.

Signify restricts the use of Aromatic amines in Azo dyes in all applications that come into direct contact with the human skin or oral cavity. A full list of all aromatic amines that are restricted according to the Signify RSL (maximum concentration permitted: 30 mg/kg) can be found below:

Chemical Substance Name	Index number	EC No.	CAS No.
4,4'-methylene-bis-(2-chloro-aniline);	612-078-00-9	202-918-9	101-14-4
2,2'-dichloro-4,4'-methylene-dianiline (MOCA)			
4,4'-Diaminodiphenylmethane (MDA);	612-051-00-1	202-974-4	101-77-9
4,4'-methylenedianiline			
4,4'-oxydianiline	612-199-00-7	202-977-0	101-80-4
4-Chloraniline	612-137-00-9	203-401-0	106-47-8
3,3'-dimethoxybenzidine ; o-dianisidine	612-036-00-X	204-355-4	119-90-4
3,3'-Dimethylbenzidine; o-tolidine	612-041-00-7	204-358-0	119-93-7
6-Methoxy-m-toluidine ; p-cresidine	612-209-00-X	204-419-1	120-71-8
2,4,5-trimethylaniline	612-197-00-6	205-282-0	137-17-7
4,4'-Thiodianiline	612-198-00-1	205-370-9	139-65-1
4-Aminoazobenzene	611-008-00-4	200-453-6	60-09-3
4-methoxy-m-phenylenediamine	612-200-00-0	210-406-1	615-05-4
4,4'-methylenedi-o-toluidine	612-085-00-7	212-658-8	838-88-0
o-anisidine ; 2-methoxyaniline	612-035-00-4	201-963-1	90-04-0
2-naphthylamine	612-022-00-3	202-080-4	91-59-8
3,3'-dichlorobenzidine; 3,3'-dichlorobiphenyl-4,4'-ylenediamine	612-068-00-4	202-109-0	91-94-1
Biphenyl-4-ylamine ;	612-072-00-6	202-177-1	92-67-1
4-aminobiphenyl xenylamine			
Benzidine ; 4,4'-diaminobiphenyl ; biphenyl-4,4'-ylenediamine	612-042-00-2	202-199-1	92-87-5
o-Toluidine ; 2-aminotoluene	612-091-00-X	202-429-0	95-53-4
4-chloro-o-toluidine	612-196-00-0	202-441-6	95-69-2
4-Methyl-m-phenylenediamine ; 2,4-Toluenediamin	612-099-00-3	202-453-1	95-80-7
4-o-Tolylazo-o-toluidine; 4-amino-2',3-dimethylazobenzene;	611-006-00-3	202-591-2	97-56-3
fast garnet GBC base ; AAT ; o-aminoazotoluene ; C.I. Solvent Yellow 3			
5-nitro-o-toluidine	612-210-00-5	202-765-8	99-55-8
2,4-xylidine		202-440-0	95-68-1
2,6-xylidine ; 2,6-dimethylaniline	612-161-00-X	201-758-7	87-62-7

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 21 of 34

rements for products Last modified. 2023-07-30 Fage. 21 of 34

Printed copies are FOR REFERENCE ONLY, always confirm printed copies with the online latest, valid version



ANNEX 3 - Summary Table of Phthalate Restrictions

Chemical Name	Abbreviation	CAS No.	EU RoHS restricted from 2019	Restriction REACH (1)	Restriction CSPIA	France dangerous substance list	Restriction Prop 65 declarable	Declaratio n as industry substance	MDD (6) labeling	REACH declarable
			RSL Table 1	RSL Table 2	RSL Table 3	RSL Table 3	RSL Table 5.2	RSL Table 6	RSL Table 3	RSL Table 5
Bis (2- ethylhexyl)phthalate; Di (2-ethylhexyl) phthalate	DEHP	117-81-7	Х	х	X (2)		X (3,4)	х	х	X (7)
Dibutyl phthalate; Di-n- butyl phthalate	DBP	84-74-2	Х	Х	X (2)		X (3,4)	Х	Х	X (7)
Benzyl butyl phthalate; Butyl benzyl phthalate	BBP	85-68-7	х	Х	X (2)		X (3,4)	х	х	X (7)
Diisobutyl phthalate; Di-i-butyl phthalate	DIBP	84-69-5	Х		Х			Х	Х	X (7)
Di-isononyl phthalate; Diisononyl phthalate	DINP	28553-12-0; 68515-48-0		Х	X (2)		X (5)	Х		
Di-isodecyl phthalate; Diisodecyl phthalate	DIDP	26761-40-0; 68515-49-1		х			X (3,5)	х		
Di-n-octyl phthalate	DNOP	117-84-0		Х				Х		
Di-n-hexyl phthalate	DNHP	84-75-3			Х		X (3,5)	Х	Х	Х
Dioctyl phthalate	DiOP	27554-26-3				Х				
1,2- Benzenedicarboxylic acid, di-C6-8-branched alkyl esters	DIHP	71888-89-6						х	х	Х
1,2- Benzenedicarboxylic acid, di-C7-11- branched and linear	DHNUP	68515-42-4						х	х	Х
Bis(2-methoxyethyl) phthalate	DMEP	117-82-8						Х	Х	х
N-pentyl- isopentylphthalate	-	776297-69-9						Х		Х
1,2- Benzenedicarboxylic acid, dipentylester, branched and linear		84777-06-0						Х	Х	х
Di-n-pentyl phthalate	DPP	131-18-0						Х	Х	Х
Diisopentylphthalate	-	605-50-5						х	Х	X
1,2- Benzenedicarboxylic acid, dihexyl ester, branched and linear	-	68515-50-4						Х	Х	Х
1,2- benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2- benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate		68515-51-5 or 68648-93- 1						х		х
Dicyclohexyl phthalate	DCHP	84-61-7						Х	Х	Х
1,2- benzenedicarboxylic acid, dipentylester, branched and linear		84777-06-0						х	х	х

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 22 of 34

Printed copies are FOR REFERENCE ONLY, always confirm printed copies with the online latest, valid version



- 1) REACH Restriction under article 67: Restriction applies to the sum of the phthalates (the sum of DEHP, DBP, BBP) and (the sum of DINP, DIDP, DNOP). As per 7 July 2020 DEHP, DBP, BBP DiBP (individually or in any combination (i.e., sum)) will be restricted under REACH (EU/2018/2005 of 17 December 2018) in a concentration equal to or greater than 0,1 % by weight of the plasticized material in the article, except for medical devices and EEE. It will also apply to toys and childcare articles
- 2) Same substances are also restricted in REACH. CSPIA, USA: section 108 (see: https://cpsc.gov/Business--Manufacturing/Business-Education/Business-Guidance/Phthalates-Information)
- 3) Proposition 65 Legislation in California, USA: Applied in outer sleeves of cables/cords of headphones and headsets
- 4) Proposition 65 Legislation in California, USA: Applied for bags, pouches, mobile phone and other portable electronics replaceable covers or cases
- 5) Proposition 65 Legislation in California, USA: all applications.
- 6) MDD: Medical Devices Directive
- 7) REACH authorization per 21-02-2015

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 23 of 34



ANNEX 4 - Detailed Requirements for Consumer Product Skin Contact Parts for PAH Compounds in Germany

The German GS-Mark on product safety ("Geprüfte Sicherheit") has revised their PAH-limits for consumer products.

Three different product categories ("Cat.") have been defined. See below table for details.

For each category, material needs to fill not only the total maximum allowable sum for all 15 PAHs, but also the individual PAH substance limits described in the table below.

In Table 2 of this RSL you will find the EU REACH restrictions on PAH. The REACH-restricted PAH-compounds have been marked in the table below.

Substance	CAS	Cat. 1) Materials intended to be placed in the mouth and materials in toys (Directive 2009/48/EC) or	Cat.1, with inter foreseeable pro	nded or longed skin c.) or repeated	Cat. 3) Material by Cat. 1 or 2, w foreseeable sho contact (≤30 see	vith intended or ort-term skin	EU REACH restricted PAH (x)
		articles for children up to 3 years of age with intended prolonged skin contact (>30 sec.) [mg/kg]	2a: Use by children under 14 (mg/kg)	2b: other consumer products (mg/kg)	3a: Use by children under 14 (mg/kg)	3b: other consumer products (mg/kg)	
Benzo[a]pyrene (BaP)	50-32-8	<0.2	<0.2	<0.5	<0.5	<1	х
Benzo[a]anthracene	56-55-3	<0.2	<0.2	<0.5	<0.5	<1	х
Chrysene	218-01-9	<0.2	<0.2	<0.5	<0.5	<1	х
Benzo[b]fluoranthene	205-99-2	<0.2	<0.2	<0.5	<0.5	<1	х
Benzo[k]fluoranthene	207-08-9	<0.2	<0.2	<0.5	<0.5	<1	х
Dibenzo[a,h]anthracene	53-70-3	<0.2	<0.2	<0.5	<0.5	<1	х
Benzo[j]fluoranthene	205-82-3	<0.2	<0.2	<0.5	<0.5	<1	х
Benzo[e]pyrene	192-97-2	<0.2	<0.2	<0.5	<0.5	<1	х
Indeno(1,2,3-c,d)pyrene	193-39-5	<0.2	<0.2	<0.5	<0.5	<1	
Benzo(g,h,i)perylene	191-24-2	<0.2	<0.2	<0.5	<0.5	<1	
Phenanthrene	85-01-08						
Anthracene	120-12-7	<1 (sum)	<5 (sum)	<10 (sum)	<20 (sum)	<50 (sum)	
Fluoranthene	206-44-0	<1 (Suiii)	<> (Suiii)	<10 (2011)	<20 (Suiii)	SO (Suiii)	
Pyrene	129-00-0						
Naphthalene	91-20-3	<1	<2	<2	<10	<10	
Sum of 15 PAH		<1	<5	<10	<20	<50	

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 24 of 34



ANNEX 5 - Revision History

Date Revision	hort Explanation	
July 2025	Version 29	
•	Table 2: added small changes as follows:	
	- 2 entries for Dimethylfumarate (DMF) and Tri-substituted organostannic compounds: changed the	·
	basis of concentration calculation from "material" to "articles" to align with the actual	
	requirements under REACH.	
	Table 3: Reshuffled to align with BOMCheck structure, splitting into Table 3.1, 3.2 and 3.3. The numbering of	f
	the remarks is adjusted to the reshuffling.	
	Table 3.1: Stockholm Convention POPs:	
	 New limit values are added to entries for Dechlorane Plus, UV-328, PBDEs, PFOS, PCP, and PCBs as per EU POPs Regulation 	
	- New entries: Medium-chain chlorinated paraffins (MCCPs, Chlorinated paraffins, C14-17) and Long	<u>5</u> -
	chain perfluorocarboxylic acids (PFCAs), their salts and related compounds as per Stockholm Convention	
	Table 3.2: Other substances:	
	- Colecalciferol: the name was corrected from B3 to D3.	
	- New entry: Substances of Concern (SoC) were added as declarable substances	
	- MOAH & MOSH: added a clarification for packaging.	
	 Bisphenol A (BPA): updated to include other hazardous bisphenols or hazardous bisphenol derivatives 	
	Table 3.3: TSCA: added DecaBDE as a separate entry under TSCA to align with BOMCheck structure	
	Table 5.1: On 25 June 2025, the European Chemicals Agency added 3 substances (all of them are screened in	1
	and added to the BOMCheck list) to the REACH Candidate List which now contains 250 substances.	
	Table 6:	
	- PVC and BFR requirements are adjusted to the industry / market situation "Restricted for magnetic	С
	comp's, connectors & plastic parts (like lamp caps) in consumer lighting products,	
	 Declarable in professional lighting products and for electronic components, PCB laminates and 	
	cables in consumer products (see remarks 15 and 16),	
	- PFAS: added restriction on MCC products already in place in some US states and added	
	explanations in remark 18.	
February 2025	Table 7: MOAH & MOSH entries are deleted due to overlapping entries in Table 3.2. Version 26	=
1 Cbi dai y 2023	Table 3: Polybrominated diphenyl ethers (PBDEs), requirement adjusted from maximum concentration of 50	າດ
	ppm to "no intentionally added content" due to Japan Chemical Substance Control Law	,,
	Table 3: requirement for 'Phenol, isopropylated phosphate (3:1) (PIP 3:1)' updated from 'declarable' (till 31	
	Oct 2024) to 'Restricted by 0.1% by weight for unintentional amounts in non-FDA regulated products and	
	articles' (2024) from 6 Jan 2025 onwards. Simultaneously, prohibitions on processing and distribution in	
	commerce for use in sealants and adhesives (2021) come into force.	
	Table 6: The requirement in relation to "Per and polyfluoroalkyl substances (PFAS)" remains unchanged for	
	now. Important to mention it that the investigation in NAM is increasing and potentially the list of PFAS	
	substances is enriched.	
September	Version 25	
2024	Table 3: Hexabromocyclododecane (HBCDD) threshold has been changed from 100 mg/kg to 75 mg/kg; this	
	new limit came into force 21 March 2024. The amendment to F-gas regulation EU 2024/573, has been adopted on 7 February 2024 and is in force as of 11 March 2024. The amendment has been added to the	
	remark as reference.	
	Table 5.1: On 27 June 2024, the European Chemicals Agency added one new substance to the REACH	
	Candidate List which now contains 241 substances.	
	Table 5.2: OEHHA added 4 new substances to the Proposition 65 List. 2 out of 4 new substances have been	
	added to BOMcheck. Ethylene Oxide, which was previously screened-out, has been added to the BOMcheck	

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 25 of 34



	 Proposition 65 list due to its use in equipment sterilization. Ethylene oxide may remain on products at least with a concentration of approx. 30µg/day when used for equipment sterilization purposes. Table 6: There are 7 additions to the current PFAS list, and more pending. Remark 18 is revised to indicate continuous update of PFAS regulations and related PFAS lists. There are two lists for PFAS in BOMcheck, with PFAS as declarable substances. Table 7: Legislative substances. Expanded polystyrene (EPS) and other polymeric foam materials (e.g, EPP, EPE, EVA) entry has been revised and reference is set per Australian law on plastics. A new entry is added for non-recyclable styrenic polymers or copolymers per French Climate law. Existing entry of Oxo-degradable plastics is revised as Degradable plastics per Australian law. In the EU the
	limitation is only for oxo-degradable, change is by adapting to the most severe restriction.
Fobr. 2024	Annex 3: DiOP CAS number is corrected. Annex 3: DiOP CAS number is corrected.
February 2024	Version 24 Table 1: Romark 1. ELL Battory Directive is changed to ELL Battory Regulation.
	 Table 1: Remark 1, EU Battery Directive is changed to EU Battery Regulation. Table 2:
	 Lead and lead compounds have been added to the list as 0.1% by weight in PVC per EU REACH Article 67 entry 63.
	- Formaldehyde has been added to the list as per entry 77 of EU REACH Article 67.
	 Small textual correction: Sum of perfluoro carboxylic acids containing 9 to 14 carbon atoms (PFCAs) the remark has been corrected by deletion of 'in any article' to endorse the homogeneous material level. Remark 8: Broken link to relevant regulation document is fixed.
	 Table 3: Hexachlorobenzene has been added to the list as in any article at 0.001% weight, per Annex I of the POP Regulation.
	 UV-328 has been added to the list as not intentionally added per Stockholm Convention. Dechlorane plus has been added to the list as not intentionally added per Stockholm Convention. DiOP (dioctyl phthalate) has been added to the list as declarable per France National regulation.
	 Table 4: The legislation references for thresholds of cadmium and cadmium compounds; mercury compounds and lead and lead compounds are updated to Chinese standard GB 24427-2021. Remark 13 is deleted as no further use. The following remark numbers are revised accordingly.
	• Table 5.1: On 23 January 2024, the European Chemicals Agency added five new substances to the REACH Candidate List which now contains 240 substances. 3 out of 5 new SVHCs are added to BOMcheck as relevant substances and require supplier declaration 2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol (UV-329) - Bumetrizole (UV-326) - Oligomerization and alkylation reaction products of 2-phenylpropene and phenol.
	Table 5.2: OEHHA added 3 new substances to the Proposition 65 List on 11 August 2023. 1 out of 3 new substances, Dimethyl hydrogen phosphite has been added to BOMcheck.
	Table 7: Expanded polystyrene EPS` entry is moved under legislative substances section as `not permitted` per Expanded ACEC law (the France Dangerous Substances List) Table 7: - `Expanded polystyrene EPS` entry is moved under legislative substances section as `not permitted` per Expanded ACEC law (the France Dangerous Substances List)
	French AGEC law (the France Dangerous Substances List). - `Polymeric foam materials inside any consumer product packaging` entry is kept unchanged under industry substances section.
	Annex 3: DiOP is added to the table, 5 new SVHCs added to the REACH Candidate List (Article 33) on 23 Jan 2024
July 2023	Version 23, minor adjustments
	• In line with the current strong focus and discussion on <i>per and polyfluoroalkyl substances</i> (PFAS), remark 19
	is updated. The EU Commission has proposed to ban all PFAS except a few exemptions. Via BOMcheck, both REACH SVHCs and CA Prop 65 substances are monitored; BOMcheck has added 6 new substances to the list.
March 2023	Version 22
	• Table 1: the RoHS exemptions are changed, including the expiration of several exemptions per 24 February 2023. These changes are reflected in the new BOMcheck version 7.0 (remark 1 refers to the latest VALID
	 exemptions). Table 3: the CMR 1A and 1B substances and endocrine disrupting substances (EDCs) list has been extended in de RCD tool in BOMcheck.
	Table 3: Lead and lead compounds restriction in surface coatings materials in childcare products and toys (less than 90 mg/kg) added as per Canada Consumer Product Safety Act.

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 26 of 34



	intentionally added content".
	• Table 3: Phenol, isopropylated phosphate (3:1) (PIP 3:1): new substance added with a restriction set to "no
March 2021	• Version 19
March 2021	Annex 3: Updated information on Dicyclohexyl phthalate (DCHP): also REACH SVHC Varion 10
	declarable.
	Table 5.1: Adding 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol (DBMC) (1 of the 4 REACH SVHCs) as new
	products remain declarable.
	applications. After October 31, 2024, non-FDA regulated products are restricted, whereas FDA regulated
	Table 3: Changing the restriction date for PIP (3:1) to 31 October 2024 for non-FDA regulated products in all
	REACH Article 67, Entry 68
	Table 2: Sum of perfluorocarboxylic acids containing 9 to 14 carbon atoms (PFCAs) restriction added as per
	 Table 1 note 3: update to reflect latest EU requirements: "(Implementing measure EC/245/2009)" has been replaced with "(Commission Regulation EU 2019/2020 and amendment EU 2021/341)"
February 2022	• Version 20 Table 1 note 2: undate to reflect latest EU requirements: "(Implementing measure EC/24E/2000)" has been
Fabruary 2022	Correction in Annex 4: "the total maximum allowable sum for all 15 PAHs" (15 iso 18 PAHs) Various 20
	content" as per EU Single-use Plastics Directive
	• Table 7: Oxo-degradable plastic: new substance group added with a restriction set to "no intentionally added
	greater than 0.1% (1000 ppm) w/w in the ink added with a restriction as per Art. 112 of decree no.1010-105.
	ppm) w/w in the ink; and mineral oil saturated hydrocarbon (MOSH) consisting of 16-35 carbon atoms not
	not greater than 0.1% (1000 ppm) or MOAH (containing 3-7 aromatic rings) not greater than 0.0001% (1
	than 1% in the ink. From Jan 2025, mineral oil aromatic hydrocarbons (MOAH) containing 1-7 aromatic rings not greater than 1% in the ink. From Jan 2025, mineral oil aromatic hydrocarbons (MOAH) containing 1-7 aromatic rings
	 TABLE 5.2: 4 new California Proposition 65 substances added as declarable substances Table 7: From Jan 2023, mineral oil aromatic hydrocarbons (MOAH) containing 1-7 aromatic rings not greater
	SVHC full list in BOMcheck TABLE 5.2: 4 now California Proposition 65 substances added as declarable substances
	Table 5.1: 1 new REACH SVHC substance (N-(hydroxymethyl)acrylamide (NMA) CAS: 924-42-5) added to the SVHC full list in POMehaple.
	no.1010-105
	hydrocarbon (MOSH) consisting of 16-35 carbon atoms added with a restriction as per Article 112 of decree
	• Table 3: Mineral oil aromatic hydrocarbons (MOAH) containing 1-7 aromatic rings and Mineral oil saturated
	Chemicals Risk Reduction Ordinance, ChemRRV
	carbon atoms (PFCAs) and C9-C14 PFCA-related substances restriction added as per AS 2022 162 of the Swiss
	Table 3: PFHxS its salts and PFHxS related substances and Sum of perfluorocarboxylic acids containing 9 to 14
	 Table 2: Pentachlorophenol (PCP) substance entry removed due to the deletion from Annex XVII to REACH (PCP remains present in Table 3 of the RSL as per POPs Regulation ((EU) 2019/1021))
August 2022	
August 2022	intentionally added content". The full list of 824 substances is available in the BOMcheck RCD tool only. • Version 21
	Table 6: Per and polyfluoroalkyl substances (PFAS) (indicative EPA list) added with a restriction set to "no intentionally added content". The full list of \$24 substances is available in the BOMshock BCD tool only.
	compliance status = no (i.e., parts contain these substances)
	capture information on the amount (mg) of rare earth minerals/precious metals where the indicated
	content" regarding the new French labelling requirement (France Decree 2022-748). The BOMcheck tool will
	• Table 6: addition of two new entries on 'Rare Earth minerals' and " with a limit set to "No intentionally added
	Look for the latest full list of SVHCs on the ECHA website
	2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine
	- Reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and
	- Perfluoroneptanoic acid and its saits - Melamine CAS: 108-78-1
	 Isobutyl 4-hydroxybenzoate CAS: 4247-02-3 Perfluoroheptanoic acid and its salts
	thereof
	- Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations
	- Barium diboron tetraoxide CAS: 13701-59-2
	- 4,4'-sulphonyldiphenol CAS: 80-09-1
	- 2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol CAS : 79-94-7
	- 1,1'-[ethane-1,2-diylbisoxy]bis[2,4,6-tribromobenzene] CAS: 37853-59-1
	ppm or 0.001 % w/w)) as per Canada Consumer Product Safety Act. Table 5.1: 9 new REACH SVHC substances added to the SVHC full list in BOMcheck:

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 27 of 34



	• Table 3: PFOA: Removal of the Norwegian threshold limit value (1000 ppm in all applications or for textiles 1 µg/cm2) and removal of "RSL/BOMcheck limit before 2018 was not set to: intentionally added/1000 ppm)".
January 2021	Version 18
	New introduction text added,
	Sections 1.1, 1.2, 1.3 and 1.4: revision of text.
	Table 2: Bisphenol A: restriction added for thermal paper as per EU REACH Annex XVII
	Table 2: Re-wording for DBBT, Ugilec 121 or Ugilec 12, Ugilec 141 and PCT's (all used as dielectrics) from "No
	additionally added content" to "no intentionally added content", now being in line with BOMcheck.
	Table 2 and table 6: Re-wording of Azocolourants and azodyes which form certain aromatic amines (see
	remark 18) to Aromatic amines (released from Azocolourants and azodyes) (see remark 17).
	• Remark 17: Following remark content has been removed: See further in Annex 3 for all legal requirements for phthalates and replaced with the content of the subsequent following remark (former remark 18, now remark 17. Former Remark 19 is now remark 18 and so on). Also, more specification on the applicability and scope of the Aromatic amines restriction has been added ("direct contact with the human skin or oral cavity").
	Table 3: Bisphenol S, restriction added for thermal paper (200 ppm) in accordance with the Swiss Chemical Risk Reduction Ordinance
	Table 3: Hydrofluorocarbons (HFC): Change in threshold from "Specific permission needed" to "No content permitted"; Additional referencing to the Canadian Ozone-depleting Substances and Halocarbon Regulations (ODSHAR - SOR/2016-137).
	Table 3: Short chained chlorinated paraffins (SCCP): removal of the Dutch Legislation on plasticizers and flame-retardants and the 'not intentionally added' (ruling expired per 20-12-2013); Added new maximum
	concentration limit 1500 ppm (mg/kg) in accordance with the EU POP Regulation
	Table 3: Radioactive substances legislation updated from EU-D 96/29/Euratom to EU-D 2013/59/Euratom. ANNEY 2: A supervised to ANNEY 2: Compared Table of Association and
	 ANNEX 2: is renamed to: ANNEX 2 - Summary Table of Aromatic amines (released from Azocolourants and azodyes) Restrictions which is containing the full list of all 24 restricted Aromatic amines (released from Azocolourants and azodyes) as per Signify RSL. Former ANNEX 2 - Summary Table of Phthalate Restrictions
	has now become ANNEX 3 - Summary Table of Phthalate Restrictions and so on.
July 2020	Version 17
	Alignment with BOMcheck version 6.1 and future version(s) of 2020
	• In section 1.4 additional ECHA SCIP database requirements, to be fulfilled in BOMcheck, are mentioned
	Note, that additional substances (REACH Candidate List substance, California Prop 65, EU MDR) have been
	added to BOMcheck, which are not listed in this RSL
	Table 8: deleted (Name of table: Substances restricted in Manufacturing Processes) and all references the costs (ovelviding Appare 4)
January 2020	thereto (excluding Annex 4)
January 2020	 Version 16 Name change: Policy requirement is removed; this document is named "Regulated Substances List" (RSL)
	Alignment with BOMcheck version 5.4
	Remark 2: for metals in RoHS, added the clarification that the concentration determination is based on the
	metal weight not the metal containing compound weight (for details see IEC 62321)
	Remark 5: re-wording on the scope exceptions of the four phthalates restrictions under REACH
	(EU/2018/2005)
	 Table 2: PFOA restriction deleted and moved to table 3. In the new table 3 entry (now under EU POP), the references to the time related exemption for medical devices were deleted: "except medical device" and "This 1000 ppm limit will be the limit for medical devices until 2023."
	 Table 2: Sum of selected Phthalates Group 1 (BBP, DBP, DEHP) deleted under section "Additional restrictions
	which apply to parts used in toys and childcare products". New restriction for Sum of selected Phthalates Group 1 (DIBP, BBP, DBP, DEHP), 1000 ppm in plasticized materials under section "Restrictions for electrical
	and mechanical products in all applications".
	Remark 7 (Table 2): new remark explaining the changes on the scope of the Sum of selected Phthalates
	Group 1 (DIBP, BBP, DBP, DEHP) restriction, the new substance restriction (DIBP) and the with a list of
	exemptions (e.g., for equipment which is in scope of RoHS, Medical Devices, Food contact legislation).
	Remarks numbering and references updated accordingly.
	Table 3: new restriction under sections "Additional Restrictions which apply to parts used in toys and childcare products" and "Additional requirements which apply to parts containing textiles" for Flame

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 28 of 34



	The state of the s
	retardant chemicals, 1000 ppm, applied in any material (except electronic components). US States bills (e.g, California)
	Table 3: deleted restriction for Benzenamine, N-phenyl-, reaction products with styrene and 2,4,4-
	trimethylpentene (BNST), since it has been removed from the Canada's Prohibition of Certain Toxic
	Substances Regulations.
	Table 3: correction of "Polychloronaphtalenes" into "Polychlorinated naphthalenes", "chloro atoms" into
	"chlorine atoms" and "UN Stockholm Convention on POPs" into "EU POP regulation"
	Table 3: restriction on "Alkanes, C10-13, chloro (SCCP; Short chained chlorinated paraffins), 10000 ppm"
	deleted from sub-section "Additional restrictions which apply to parts which contain chemical products
	(liquids, gases, powders; as substance or preparation)" for alignment with BOMcheck.
	Remark 17 (Table 6): deleted specific example on declarable phthalates in medical devices
	Annex 3: table adapted according to the new specifications for PAHs under GS Mark: number of PAHs
	reduced from 18 to 15- by removing acenaphthylene, acenaphthene and fluorene from the group of seven
	PAHs; scope of Category 1 expanded by including 'articles for children up to three years of age'; Categories 2
	and 3 divided into two sub-categories each, being 2a and 3a for 'products used by children under the age of
	14' and 2b and 3b for 'Other consumer products (mg/kg)'; new limits for sub-categories 2a and 3a; category
	description deleted from introductory text.
August 2019	Version 15
	Alignment with BOMcheck version 5.3
	Table 1: in introduction changed "restrictions" into "requirements"
	Table 1: divided into two sections: "RoHS Substance restrictions (Directive 2011/65/EU)" and "RoHS
	Substance restrictions amendment 1 (Directive 2011/65/EU, as amended by Directive (EU) 2015/863 of
	March 2015)". Added new column "Remarks" with details on scope, conditions and timelines
	 Table 1.1 deleted. Substances moved to Table 1, under section "RoHS Substance restrictions amendment 1 (Directive 2011/65/EU, as amended by Directive (EU) 2015/863 of March 2015)"
	Table 1: new remarks number 5 about upcoming restriction under REACH in 2020 (except medical devices)
	and EEE). Remarks numbering adapted throughout the document
	Table 3, section "Restrictions for electrical and mechanical products in all applications": corrected column
	"particular uses/ legislation" and remark 9 for Formaldehyde to reflect that label in compliance with U.S. EPA
	TSCA Title VI regulation is mandatory and it is voluntary to label also according to CARB ATCM standards
	• Table 3: new entry for Polybrominated diphenyl ethers (PBDEs), for materials/parts not under EU RoHS Scope
	Table 6: distinction between Br limit for printed wiring laminates and used in other plastics clarified also in remark 15
	Annex 1: homogenous material definition in line with EU RoHS legal definition
	Annex 2: separated columns for REACH and CPSIA restrictions. Marked new Table 3 CPSIA substances
	relevant for CPSIA. Adapted footnote 2
	Annex 2: added note about upcoming restriction under REACH in 2020 (except medical devices and EEE) in
	remark 1
March 19, 2019	Version 14. Small editorial changes to strengthen the requirement for use of BOMcheck
Jan. 23, 2019	Version 13. Due to the name change from Philips Lighting into Signify some editorial changes have been
,	made.
	BOMcheck (declaration) "tool" changed into "system".
	Table 0 aligned with Table 6: added clarification that lighting products exempted are "professional"; deleted
	exemption for "mains power supply cord sets" for BFR restriction at 900 ppm; added "(P)VC copolymers" to
	BFR and PVC restriction at 1000 ppm.
	Section 2.2 added "Proposition 65 substances" to the substances that can be found in BOMcheck substances
	list.
	Table 1: added remark with clarification on maximum concentration limit applicable for the metal (i.e, Cd,
	Cr ⁶⁺ , Pb and Hg) and not for the compounds.
	Remarks numbering and references updated accordingly.
	Table 1.1 added note informing that as per 7 July 2020 new requirements on phthalates from EU/2018/2005
	of 17 December 2018 will apply.
	Table 3: corrected TCCPP name by adding "phosphate".
	Table 3: added new entry (label and justify or restrict) for additional requirements which apply to parts used

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 29 of 34



	in modical devices "CMP 1A and 1P substances and endocrine disrupting substances (EDCs)"
	in medical devices "CMR 1A and 1B substances and endocrine disrupting substances (EDCs)". Table 4: added reference to remark 2 for cadmium and cadmium compounds restriction.
	Table 4: added reference to remark 2 for caumidin and caumidin compounds restriction. Table 6: changed "Beryllium Oxide" to "Beryllium compounds"; added "by weight of any material"; changed
	from "restricted" into "declarable".
	Table 6: added clarification that PVC requirements also apply to "poly"vinyl chloride copolymers.
	Table 6: correction/alignment with BOMcheck for chlorinated flame retardants declarable from 900 ppm by
	replacing "plastics" for "printed wiring laminates" and chlorinated flame retardants declarable from 1000
	ppm by replacing "printed wiring laminates" for "plastics".
	Remark 12 on Beryllium adapted to explain the changes in the Beryllium requirements (Table 6) from
	restricted (when feasible alternatives exist) into declarable (to collect information also when no feasible
	technological alternatives exist.
	Annex 2, note 2: new hyperlink added for the Phthalates Business Guidance & Small Entity Compliance Guide
	Format changes.
May 14, 2018	• Version 12. QS-000167 / QS-ExC4-004
	California Proposition 65 legislation substances are added in Table 5.2 as declarable substances. The
	California Proposition 65 listed in previous RSL versions are removed from Table 3 and visible in Table 5.2 in
	version 12.
	Medical device exemptions are added for Biocides in Table 3 and PFOA in Table 2.
	Phthalates, when present in specific medical devices need labelling under the current EU MDD legislation are
	transferred from Table 3 to Table 6 to better align with BOMcheck
	Scope is adapted to have non-Philips Lighting branded and owned products when by-packed or integrated in
	Philips Lighting branded and owned products in scope of RSL.
	Table 0 only contains 2 instead of 4 differences between Philips RSL and BOMcheck. Table 2.2 and 6 and all the containing and a Table 7 decreased with a solution of the containing and the containin
	Tables 2, 3 and 6 are also valid for packaging now. Table 7 shows only the additional requirements for actions.
	packaging. • Further alignment between BOMcheck and RSL took place in listing of substances per application. Skin
	Further alignment between BOMcheck and RSL took place in listing of substances per application. Skin contact and leather & textiles are listed under textiles & leather now.
Feb 28, 2018	RSL version 11. QS-ExC4-004
1 CD 20, 2010	The restriction for Perfluorooctanoic acid (PFOA) and its salts is set from 1000 ppm for all applications and no
	additionally added content for textile and leather applications to 25 ppb due to upcoming EU REACH
	legislation per July 2020.
	The restrictions for Azo colourants containing certain amines is changed to Azocolourants and Azodyes which
	form certain aromatic amines (Table 2 and 6). The maximum concentration limit is changed from "No content
	permitted" to 30 mg/kg.
	Biocides are added to Table 3 to declare with threshold No intentionally added biocide content due to the EU
	Biocidal Product Regulation;
	Following text is added to comment 8: US District of Columbia restricts TCEP and TDCPP in consumer
	products for children under 12 years of age from 2018 onwards and in all consumer products from 2019
	onwards. It is noted here that businesses falling into this scope should take care of this additional
6 142 2047	requirement.
Sept 12, 2017	Version 9b & 10. Small editorial changes e.g. in header and footer Version 9 and 9.
May 15, 2017	Version 8 and 9. REL version 8 is not published. BEL version 8 is aligned with BOMehoek 4.8. BEL version 8 with BOMehoek 4.0.
	• RSL version 8 is not published. RSL version 8 is aligned with BOMcheck 4.8, RSL version 9 with BOMcheck 4.9.
	 Separate categories have been made within the Tables for leather and textiles, toys and childcare, chemical products, skin contact applications, medical devices, food contact applications, lamp and lamp ballasts.
	 Scope of RSL slightly adapted on page 1 to have it mandatory for all Philips Lighting and Philips branded and
	licensed products only.
	 Fluorinated Greenhouse gases (PFC, SF6, HFC) added to Table 3 replacing the SF6 entry, due to EU regulation
	517/2014. Will be active in BOMcheck version 4.9.
	3 phthalates with CMR class 1b have been added to Annex 2, due to labelling requirements under the current
	MDD (Table 3).
	2 azo dyes added to Table 6 additional to REACH due to requirements in Japan, Thailand and China
	Annex 3 on PAHs has been made clearer.
	Phenols in Table 6 changed into Alkylphenols and their ethoxylates in leather and textile applications (100)
	ppm, Table 6) due to upcoming legislation and customer demands. Will be active in BOMcheck version 4.9.

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 30 of 34



	PCP has been adjusted in Table 3 to no intentionally added content as threshold due to the EU biocide
	directive. PCP was also restricted due to various country legislations with a 5 ppm or even lower limit
	depending on the application. See Further in Table 3. Will be active in BOMcheck version 4.9.
	Mains power supply cordsets exempted for PVC/BFR restriction in Table 6.
	Table 0 adapted to the changes not included in BOMcheck yet and format adapted
	 Latex as declarable substance was added to Table 3 due to FDA labelling requirements. Will be active in BOMcheck version 4.9.
	References to legislations have been made clearer (e.g. lead in batteries, remark 11 adjusted). When no
	reference to legislation is made, the substance is restricted or declarable due to Philips Lighting policy.
	Scope and purpose section have been made clearer.
	 Phthalates DiDP, DnHP and DiNP have been added to Table 3 to align with BOMcheck and due to California proposition 65 requirements.
	Exemption for BeO used in high power RF resistors added to industry restrictions for Be compounds in Table
	6.
	Threshold was changed from "no content permitted" to "no intentionally added content" for PCTs, DBBT,
	Ugilecs 21 or 121 and 141 in Table 2 to align with BOMcheck and other similar restrictions. Will be active in
	BOMcheck version 4.9.
	• Perchlorate was added to Table 4 for batteries due to a labelling requirement in California legislation. This will
	be active in BOMcheck version 4.9.
April 2016	Version 7 – Philips Lighting version
	A separate Lighting RSL version has been created for Philips Lighting B.V. as an independent legal entity. The
	content follows the Royal Philips Regulated Substance List PHGR-GS-BP01-013 version 7, except minor textual
	changes.
	Table 3: Application text and threshold changed for Alkanes, C10-13, chloro (SCCP; Short chained chlorinated)
	paraffins) and Hexabromocyclododecane (HBCDD) and its main diastereoisomers due to EU POPs regulations
	2015/2030 and 2016/293. Minor text changes in Chapter 1.3 and 2.2
January 2016	• Version 6
	Edited Table 0 to reflect the differences between RSL and BOMcheck list of reportable and declarable
	substances
	Table 2, the sub header "Substances which are liquids at room temperature" changed to "Restrictions and is the transfer and appropriate ""
	applicable to substances and preparations"
	Table 3, added restriction for hexabromocyclododecane, HBCDD Table 3, added restriction for December 1997.
	 Table 3, added restriction for Benzenamine, N-phenyl-, reaction products with styrene and 2,4,4- trimethylpentene, BNST
	Table 3, restrictions to the use of named phthalates (DEHP, BBP, DBP, DIDP and DNHP for cables in headsets)
	and DEHP, BBP and DBP in bas, pouches and other accessories) from Table 6 to emphasize the obligatory restrictions
	 Table 3, included the term "food contact" in the sub header "Parts used in medical devices or in toys and childcare products" to correctly reflect the scope of BPA restriction
	Table 4, added a remark to the footnote for lead compounds "For zinc chloride zinc manganese batteries, the
	concentration limit 1000 ppm is applied"
	Table 7, foam use in packaging restriction scope clarified
	Table 8, Hexavalent chromium passivation term clarified
	Annex I, article definition changed due to EU Official Court ruling on 10 th September 2015
	• Annex II, included phthalate 1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid,
	mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5)
January 2015	Version 5
	Edited the Table 0 to reflect the differences between RSL and BOMcheck list of reportable and declarable
	substances
	Added new Table 1.1 describing the RoHS phthalates; now declarable and restricted from 2019 onwards
	Corrected Table 2 PAH restriction scope: any PAH compound instead of sum of PAH
	Table 2, added a footnote to official guidance on prolonged skin contact for nickel
	Table 2, benzene requirement clarified
	Table 3, formaldehyde requirement aligned with wording in BOMcheck
	Table 3, revised the scope and limit values for TRIS flame retardants and added new TRIS substance Tris(2-

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 31 of 34



	chloro 1 mothylothyl) phocphato (TCRR: CAS 12674 94 E
	 chloro-1-methylethyl) phosphate (TCPP; CAS 13674-84-5 Table 3, clarified the scope of lead in paint and similar coatings
	Table 3, added a footnote describing the Philips BPA policy Table 4 lead companyed in hatteries limit value undeted.
	 Table 4, lead compounds in batteries limit value updated Table 6, replaced outdated PAH and Benzo(a)pyrene limits with reference to detailed requirement found in
	Table 6, replaced outdated PAH and Benzo(a)pyrene limits with reference to detailed requirement found in ANNEX 3
	Table 6, the scope of PVC restriction clarified; also, vinyl chloride copolymers belong to the scope (previously mentioned in PVC footnote)
	Table 7, included other foam polymeric packaging materials into the scope of EPS ban
	A 2 But 1 11
	Annex 2: Phthalate table updated Annex 3: Detailed requirements for PAH compounds for German GS mark added
February 2014	Version 4, GS-BP01-2014-001 (change to ISO conform version numbering, 4 th version RSL)
rebluary 2014	Added a remark on additional requirements which apply to special products into paragraph 1.1 Purpose
	Edited the Table 0 to reflect the differences between RSL and BOMcheck list of reportable and declarable
	substances
	 Clarified the restriction for phthalates under REACH Article 67 restrictions, Table 2
	Added REACH Article 67 regulation for PAH compounds to Table 2 with footnote listing the restricted
	substances. Restriction will be in force from 27 th Dec 2015
	 Transferred the Californian Formaldehyde emissions requirement from Table 8 (Transport Emissions) to Table 3
	Added the new restriction on PFOA originating from Norway to Table 3
	Added the restrictions on TCEP and TDCPP in toys and childcare, and in childrens' products originating from
	state-level legislation in USA to Table 3
	Corrected the restriction of PAH compounds limit for to be taken into the mouth or in contact with the skin of
	small children to Table 6 parts
	Added the list of PAH compounds with their CAS numbers as a footnote to Table 6
	Removal of Table 8 (Transport emissions), replaced by internal control document
	Added a summary of Phthalate requirements in the RSL to the Annex 2
February 2013	• Version C, CSO-BP01-2013-001
	 Lead and lead compounds in primary alkaline zinc-manganese dioxide batteries to 40 ppm in line with China Standard: GB 24427-2009
	 Lead and lead compounds in non-alkaline zinc-manganese dioxide batteries to 1000 ppm in line with Brazil
	Legislation (CONAMA Resolution 401/2008)
	Cadmium in batteries to 10 ppm in line with change in Swiss legislation (20 ppm) and Korean legislation (10
	ppm)
	RSL further aligned with BOMcheck and legislation (addition of antimony trioxide in plastics to Table 6, SF6 to
	Table 3 (Austrian Legislation), thresholds for dimethylfumurate, organo stannic compounds and arsenic
	compounds in products and/or packaging
	Certain tin compounds (DBT and DOT) moved from table 6to Table 2 (REACH article 67)
	• Phthalates in some applications moved from Tables 2 and 3 to Table 6 and further specified which phthalates
	need to be declared if not asked elsewhere in the RSL.
	Ozone depleting substances and PFOS moved from Table 2 to Table 6,
	Phenols in Table 6 have been further specified.
	Philips policy on PVC and Bromine and Chlorine flame retardants has been slightly adapted in Table 6.
	Added Diisobutyl phthalate (DIBP) 84-69-5 in footnote 7 to align with the essential requirements of the EU
	Medical Devices Directive.
15.09.2011	• Version B, CSO-BP01-2011-001
	Clarified in Section 1.1 where the RSL deviates from BOMcheck
	Changed Lead and lead compounds restriction limit from 300 to 100ppm in line with US legislation.
	Reorganised sequence of the Tables and a number of substances so it is the same sequence as BOMcheck
	(www.BOMcheck.net)
	paragraph explaining different thresholds moved from chapter 2.2 to chapter 1.4
	Added clarification that waivers may be obtained to stimulate use of recycled content in chapter 1.3
	added chapter 2.3 Demonstrating compliance through BOMcheck
	Revision in Chapter 3 moved completely to Annex II

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 32 of 34



	Adjusted the schedule for Medical devices' RoHS compliancy in Chapter 3, Table 1
	Added hyperlink to RoHs recast in Official Journal of European Union and to BOMcheck with ELV and RoHS
	exemptions in Chapter 3, Table 1
	Adjusted table sub-header to "toys and childcare products" in Chapter 3, Table 2
	Organostannic compounds restriction corrected to "tri-substituted organostannic compounds"in Chapter 3,
	Table 2
	Dioctyltin and Dibutyltin compounds restriction added to Chapter 3, Table 6.
	Removed remarks from asbestos, Ozone depleting substances, PFOS exemptions in Chapter 3, Table 2Added
	new legislation concerning the phthalates use, based on Proposition 65 of California, USA, to Chapter 3, Table
	3
	Added a remark on the phthalates in the scope of new Proposition 65 regulation in Chapter 3, Table 3
	Added CAS-numbers and corrected faulty EC numbers for medical devices phthalates remark in Chapter 3,
	Table 3
	Formaldehyde, radioactive substances and lead advisory remarks removed in Chapter 3, Table 3
	Added new batteries regulations to Chapter 3, Table 4
	Cadmium remark for Medical devices removed from Chapter 3, Table 4
	Added word "declarations" to better describe the contents of Chapter 3, Table 6 contents
	Removed explanatory remark for PAH compounds in Chapter 4, Table 5
	Arsenic compounds concentration limit changed from 10 ppm to "no content permitted" in Chapter 3, Table 6
	Removed the substances table for REACH Candidate list substances and added a reference to BOMcheck as
	source of information for Chapter 3, Table 7
	Old Table 7 contents moved to be part of Chapter 3, Table 3
	Old Table 8 contents moved to be part of Chapter 3, Table 3
	Annex I on RoHS exemptions removed
	Annex II with examples on CAS-names removed
22-3- 2010	• Version A, CSO-BP01-2010-001
	The Philips Regulated Substances List covers not only restricted, but also declarable substances and,
	therefore, replaces both the Restricted and Relevant Substances Lists in Products (CSO-BP01-2006-11 and
	CSO-BP01-2006-12).
	The layout of the Philips RSL was aligned with the BOMcheck IT System.
	Inclusion of BOMcheck substances, such as tars oils, creosotes, and dioxins.
	Hg declaration - ErP(2009/125/EC) Implementing measure EC No 245/2009 and Philips policy for Lighting
	products in anticipation of the revision the EU ROHS exemption list.
	List of exemptions of Annex 1 updated (new exemptions added according to Decision 2009/443/EC. Expired
	exemptions are crossed out).
	 Updated Annex 1 with exemptions for ROHS Categories 8 and 9 in anticipation of ROHS Recast.
	The List has been broadened from Substances in products to other relevant applications like packaging and
	transport material. Also regulated declarable substances as requested by REACH have been included.
	Dimethylfumarate restricted in all applications according to Decision 2009/251/EC.
	Restriction of Phenol and Phenolic compounds in PCB's was removed, as there is no reason to believe it still
	represents a problem in this application.
	SCCP are no longer restricted but declarable, in line with the REACH regulation.
	PVC and BFR declaration should comply with Industry guide – IEC 61249-2-21.
	Expanded Polystyrene (EPS) restricted when used in consumer products.
	Limits for (gas) emissions from products, product-packaging and transport material as to fulfil with Dutch
	requirements (http://www.vrominspectie.nl/actueel/publicaties/uitvoering-motie-poppe-boelhouwer-
	containers-met-gevaarlijke-gassen.aspx). Substances being controlled are Carbon monoxide, Carbon dioxide,
	Cyanide, Ammonia, Sulfurylfluoride, Chloropicrine, Dichloroethane, Benzene, Styrene, Toluene and Xylene
	and fumigants, Phosphine and Methyl bromide.
1-1-2009	Lead in Childcare products according to USA requirements was added.
	Beryllium: exemption Be metal alloy added (where no feasible technological alternative exists).
	 EU ROHS substances for medical devices were added to the restricted List with a phase-out date of 1-1-2013.
	Formaldehyde emission levels from composite wood have been changed according to California legislation
	Restriction to Cr6+ in processes limited to passivation processes
	- Nestrodor to Grovin processes infliced to passivation processes

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 33 of 34

Printed copies are FOR REFERENCE ONLY, always confirm printed copies with the online latest, valid version



	EU ROHS exemptions lists is replaced by the December 3 2008 EU Commission proposal
	Annex 1.1 is added with an explanation on homogeneous and article product declaration
7-8-2008	Beryllium: few exemptions and possibility for waivers were included.
	Cadmium and Mercury declaration obligation above 50 ppm, moved from the footnote to one of the remarks
	just below the table for more visibility. There was no change on the content.
	Perfluoroctane Sulfonates (PFOS's) compounds were added to the list as they will be restricted as from 27
	June 2008 (EU DIRECTIVE 2006/122/ECOF).
	Sum of all Polycyclic Aromatic Hydrocarbons (PAHs) (16 mentioned in EPA list) and Benzoapyrene: Those
	substances are included in the UNECE Protocol to be formalized in Regulation 850/2004/EEC on Persistent
	Organic Pollutants (POPs). Furthermore, also the "German Stiftung Warentest" or GS imposes this
	requirements for consumer products, based on the German transposition of the General Product Safety
	Directive (2001/95/EC) and the regulation on food contact materials (EC/1935/2004) to justify the legal basis
	for this requirement.
	Formaldehyde: requirements have been split into two categories, namely in products (in e.g. wooden
	loudspeakers, bread roasters, etc.) and packaging material (incl. transportation material, like pellets). Official
	requirements exist in many countries, like Germany Chem Verbot, Denmark statut. order nr 289, Austria,
	Norway, Poland, Lithuania, Finland, The Netherlands, USA – CA (93120-93120.12, title 17, California Code of
	Regulations). The limits in CA for HWPW were corrected.
	Restricted Substances in Batteries: to follow legislation.
	Chlorobenzene: general "chlorobenzene" was replaced by the two hazardous forms, hexachlorobenzene and
	trichlorobenzene (CMR 1 and 2, respectively).
	• Chromiun 6+ in plating process: Due to the difficulties to control the plating Cr6+ process, posing compliance
	risks of products brought to the market by Philips, it is proposed to fully restrict use of this substance in any
	plating or passivation process.
	Ozone Depleting Substances in processes: ODCs are subject of federal excise tax law applied to all imported electronics in USA. As part of federal efforts to implement the Mantreal Protectal the U.S. tay ends applied.
	electronics in USA. As part of federal efforts to implement the Montreal Protocol, the U.S. tax code applies
	excise taxes on the importation of a range of products – including electronics – based on the use or presence of banned/restricted ODCs. These taxes apply even if the ODCs were only used as process chemicals in the
	manufacture of the products and were never intended to be in the finished product. While there is a minimis
	exception for certain types of products, this exception does not apply to electronics. Prove of non-use must
	be delivered in order to apply for exemption.
	For clarity and help, annexes containing a list with exemptions and more detailed information about the
	substances of this list (CAS numbers, names, legislation information, use) were added.
1-1-2007	Due to its toxicity (CMR category 1) and to prepare ourselves on REACH, Beryllium is made restricted now.
	To solve problems at numerous suppliers, who only guarantee the ROHS limits, the restriction thresholds
	limits for Cd in plastics and Hg are changed to the ROHS limits (100 and 1000 ppm, respectively). To be sure
	that these supplied materials have Cd and Hg concentrations well below the legal ROHS limits, declaration
	above 50 ppm is introduced for these substances. Therefore, also the text "declaration threshold" is changed
	into "restriction threshold" on the restricted substance list.
	Some minor text changes are made for phthalates on the restricted list and lead reporting for PMS on the
	relevant list.

Organization: Signify Document type: Requirements Reference: QS-014360

Function: Sustainability Document owner: Thomas Marinelli Process reference: 16.6.2

Requirements for products Last modified: 2025-07-30 Page: 34 of 34