# **PHILIPS** Lighting



## Philips Uni Posttop: Urban street light targets at residential areas, pathways, plazas, etc.

### Uni Posttop

The modern shaped post top attracts customers' attention with its unique, streamlined design. The fixture distributes soft and homogeneous light to pathways, residential areas thanks to the application of the reflector. Various quality test based on Philips standards offers robustness not only to its design but also functionality, delivering table and outstanding performance to customers.

#### Benefits

- Modern streamlined design fits various application scenarios, i.e., residential areas, pathways, plazas.
- Robust design ensures both appearance classy and quality stability.
- · Soft lighting due to the application of alumina reflector.

#### Features

- $\cdot$  Excellent thermal management
- Optimized optics for efficient and comfortable lighting levels
- Injection die-casting aluminum body
- High- quality PC diffuser

#### **Uni Posttop**

#### Application


- $\cdot$  Road and Street
- $\cdot$  Parks and Plazas
- $\cdot$  Residential
- $\cdot$  Main urban roads and streets, side and residential roads and streets
- $\cdot$  City centers and historical areas
- $\cdot$  Cycle and pedestrian paths, squares, parks and playgrounds

#### Versions



BDS400

#### Dimensional drawing



#### **Uni Posttop**

General Information		
Driver included	Yes	
Light Technical		
Color rendering index (CRI)	70	
Controls and Dimming		
Dimmable	No	
Mechanical and Housing		
Optical cover type	Polycarbonate	
	bowl/cover clear	
Housing Color	Gray	
Mech. impact protection code	IK08	
Ingress protection code	IP65	
Approval and Application		
CE mark	Yes	

#### Light Technical

		Correlated Color	
Full Product Name	Light source color	Temperature (Nom)	Luminous Flux
BDS400 LED WW 220V 30W WB	730 warm white	3000 K	3,900 lm
PSU 7012			
BDS400 LED WW 220V 60W WB	730 warm white	3000 K	7,800 lm
PSU 7012			
BDS400 LED NW 220V 30W WB	740 neutral white	4000 K	4,200 lm
PSU 7012			
BDS400 LED NW 220V 60W WB	740 neutral white	4000 K	8,400 lm
PSU 7012			
	BDS400 LED WW 220V 30W WB PSU 7012 BDS400 LED WW 220V 60W WB PSU 7012 BDS400 LED NW 220V 30W WB PSU 7012 BDS400 LED NW 220V 60W WB	BDS400 LED WW 220V 30W WB 730 warm white PSU 7012 BDS400 LED WW 220V 60W WB 730 warm white PSU 7012 BDS400 LED NW 220V 30W WB 740 neutral white PSU 7012 BDS400 LED NW 220V 60W WB 740 neutral white	Full Product NameLight source colorTemperature (Nom)BD5400 LED WW 220V 30W WB PSU 7012730 warm white 730 warm white3000 KBD5400 LED WW 220V 60W WB PSU 7012730 warm white 740 neutral white4000 KBD5400 LED NW 220V 30W WB PSU 7012740 neutral white 740 neutral white4000 K

#### **Operating and Electrical**

Order Code	Full Product Name	Power Consumption	Order Code	Full Product Name	Power Consumption
911401696308	BDS400 LED WW 220V 30W WB PSU 7012	30 W	911401696508	BDS400 LED NW 220V 30W WB PSU 7012	30 W
911401696408	BDS400 LED WW 220V 60W WB PSU 7012	60 W	911401696608	BDS400 LED NW 220V 60W WB PSU 7012	60 W



© 2024 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.

www.lighting.philips.com 2024, January 15 - data subject to change