



CoreLine Batten – For every project where light really matters

CoreLine Batten

The CoreLine Batten delivers on the CoreLine promise of innovative, easy-to-use and high-quality luminaires. The efficient design makes installation quick and easy, enabling seamless light-line creation without additional accessories. CoreLine Batten provides universal light distribution, supporting homogeneous illuminance and visual comfort. Interact Ready luminaires with integrated wireless communications are also available, for use with Interact gateways, sensors and software.

Benefits

- Energy savings and longer lifetime, to reduce operating costs.
- Direct replacement for conventional battens, in terms of light performance, length and installation flexibility.
- Easily create seamless and aesthetic light-lines in warehouses or industrial spaces, making it a straightforward choice for renovation projects.

Features

- Energy efficient and long lasting: up to 130lm/W and 50khrs L70 lifetime.
- Many options available: L600/L1200/L1500/L1800, up to 10000lm, 3000K and 4000K.
- Smart product architecture for tool-free, easy and flexible installation, with through-wiring possibility.
- Optional controls and versions available: DALI, Integrated wireless connectivity (Interact Ready), Emergency Lighting 3h (EL).

CoreLine Batten

Application

- Industrial production spaces, workshops and technical premises.
- Assembly and utility areas.
- Cove lighting.
- General area lighting.

Warnings and Safety


- The product is IPX0 & as such is not protected against water ingress & as such we strongly recommend that the environment in which the luminaire is to be installed is suitably checked
- If the above advice is not taken and the luminaires are subject to water ingress, Philips / Signify cannot guarantee safe failure & product warranty will become void

Versions



Standard, Coreline Batten G3

Dimensional drawing



CoreLine Batten

Product details

CoreLine batten, BN126C, opening



CoreLine batten, BN126C, light-line creation



CoreLine batten, BN126C, opening



CoreLine batten, BN126C, light-line creation




CoreLine batten, BN126C, front view



CoreLine batten, BN126C, back view



Polar Wide Diagrams



Polar Normal (separate) - null - 911401834184

