



Illuminating with Style

TownGlow LED Post Top

Exquisite, stylish yet classic design to beautify your space. State- of-the-art LEDs and drivers ensure better lighting performance and reliability. Comfort and safety for urban. Future-oriented

Benefits

- Urban and residential streets must create public realms that let people interact with each other and the environment. Make your streets better places to live, work and play with well-designed night-time lighting. Key Trends
- Night- time economy
- Quality environment
- Reduction of carbon footprint
- Road safety and street security

Features


- Perfect homogeneous lighting without any shadows cast.
- Glare free effect with excellent visual comfort
- Professional design to ensure reliability
- A sustainable and future proof choice

Application

- Urbans And Residential
- Bridges
- Squares and Pedestrianways
- Railways and motorways
- Bikes and pedestrian ways

TownGlow LED Post Top

Dimensional drawing



| General Information | |
|--|--|
| Driver included | Yes |
| Light Technical | |
| Luminaire light beam spread | 120° |
| Color rendering index (CRI) | ≥70 |
| Luminous Efficacy (rated) (Nom) | 110 lm/W |
| Optic type outdoor | Distribution symmetrical |
| Operating and Electrical | |
| Surge Protection (Common/ Differential) | Surge protection level until 4 kV |
| Controls and Dimming | |
| Dimmable | Yes |
| Mechanical and Housing | |
| Optical cover type | UV stabilized Polycarbonate cover |
| Housing Color | Dark gray |
| Mech. impact protection code | IK10 |
| Ingress protection code | IP66 |
| Approval and Application | |
| Ambient temperature range | +10 to +35 °C |
| Flammability mark | For mounting on normally flammable surfaces |

Light Technical

| Order Code | Full Product Name | Light source color | Correlated Color | |
|--------------|-----------------------------------|--------------------|-------------------|---------------|
| | | | Temperature (Nom) | Luminous Flux |
| 919515814025 | BGP300 LED28 757 PSU PC IN S1 | 757 cool white | 5700 K | 2,800 lm |
| 919515814026 | BGP300 LED28 740 PSU PC IN S1 | 740 neutral white | 4000 K | 2,800 lm |
| 919515814027 | BGP300 LED26 730 PSU PC IN S1 | 730 warm white | 3000 K | 2,600 lm |
| 919515814028 | BGP300 LED40 757 PSU PC IN S1 | 757 cool white | 5700 K | 4,000 lm |
| 919515814029 | BGP300 LED40 740 PSU PC IN S1 | 740 neutral white | 4000 K | 4,000 lm |
| 919515814030 | BGP300 LED37 730 PSU PC IN S1 | 730 warm white | 3000 K | 3,700 lm |
| 919515814031 | BGP300 LED50 757 PSU PC IN S1 | 757 cool white | 5700 K | 5,000 lm |
| 919515814032 | BGP300 LED50 740 PSU PC IN S1 | 740 neutral white | 4000 K | 5,000 lm |
| 919515814033 | BGP300 LED47 730 PSU PC IN S1 | 730 warm white | 3000 K | 4,700 lm |
| 919515814034 | BGP300 LED28 757 PSU PC SPD IN S1 | 757 cool white | 5700 K | 2,800 lm |
| 919515814035 | BGP300 LED28 740 PSU PC SPD IN S1 | 740 neutral white | 4000 K | 2,800 lm |
| 919515814036 | BGP300 LED26 730 PSU PC SPD IN S1 | 730 warm white | 3000 K | 2,600 lm |
| 919515814037 | BGP300 LED40 757 PSU PC SPD IN S1 | 757 cool white | 5700 K | 4,000 lm |
| 919515814038 | BGP300 LED40 740 PSU PC SPD IN S1 | 740 neutral white | 4000 K | 4,000 lm |
| 919515814039 | BGP300 LED37 730 PSU PC SPD IN S1 | 730 warm white | 3000 K | 3,700 lm |
| 919515814040 | BGP300 LED50 757 PSU PC SPD IN S1 | 757 cool white | 5700 K | 5,000 lm |
| 919515814041 | BGP300 LED50 740 PSU PC SPD IN S1 | 740 neutral white | 4000 K | 5,000 lm |
| 919515814042 | BGP300 LED47 730 PSU PC SPD IN S1 | 730 warm white | 3000 K | 4,700 lm |

Operating and Electrical

| Order Code | Full Product Name | Power Consumption |
|--------------|-------------------------------|-------------------|
| 919515814025 | BGP300 LED28 757 PSU PC IN S1 | 25 W |
| 919515814026 | BGP300 LED28 740 PSU PC IN S1 | 25 W |
| 919515814027 | BGP300 LED26 730 PSU PC IN S1 | 25 W |

| Order Code | Full Product Name | Power Consumption |
|--------------|-------------------------------|-------------------|
| 919515814028 | BGP300 LED40 757 PSU PC IN S1 | 35 W |
| 919515814029 | BGP300 LED40 740 PSU PC IN S1 | 35 W |
| 919515814030 | BGP300 LED37 730 PSU PC IN S1 | 35 W |

TownGlow LED Post Top

| Order Code | Full Product Name | Power Consumption |
|--------------|-----------------------------------|-------------------|
| 919515814031 | BGP300 LED50 757 PSU PC IN S1 | 45 W |
| 919515814032 | BGP300 LED50 740 PSU PC IN S1 | 45 W |
| 919515814033 | BGP300 LED47 730 PSU PC IN S1 | 45 W |
| 919515814034 | BGP300 LED28 757 PSU PC SPD IN S1 | 25 W |
| 919515814035 | BGP300 LED28 740 PSU PC SPD IN S1 | 25 W |
| 919515814036 | BGP300 LED26 730 PSU PC SPD IN S1 | 25 W |

| Order Code | Full Product Name | Power Consumption |
|--------------|-----------------------------------|-------------------|
| 919515814037 | BGP300 LED40 757 PSU PC SPD IN S1 | 35 W |
| 919515814038 | BGP300 LED40 740 PSU PC SPD IN S1 | 35 W |
| 919515814039 | BGP300 LED37 730 PSU PC SPD IN S1 | 35 W |
| 919515814040 | BGP300 LED50 757 PSU PC SPD IN S1 | 45 W |
| 919515814041 | BGP300 LED50 740 PSU PC SPD IN S1 | 45 W |
| 919515814042 | BGP300 LED47 730 PSU PC SPD IN S1 | 45 W |

