



Beautiful sparkle, simple use

MASTERColour CDM-R

Range of compact, high-efficiency, discharge reflector lamps with a stable color over lifetime and a crisp, sparkling light

Benefits

- · High lamp efficacy results in low operating costs and low heat generation
- · Long lamp life compared with incandescent and halogen lamps
- · Stable color impression over lifetime

Features

- · Crisp white light
- · Superior color quality
- High beam intensities are achieved very easy and efficiently from these compact reflector lamps

Application

- \cdot Shops and shop windows, offices and public buildings
- · Decorative outdoor: floodlighting and pedestrian areas

Warnings and Safety

- \cdot Control gear must include end-of-life protection (IEC61167, IEC 62035)
- Use only with electronic control gear. Color 830 lamps may also use electromagnetic gear.
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.


MASTERColour CDM-R

Versions




LPPR CDM-R 0001

Dimensional drawing




Product	D (max)	D	C (max)	С
MASTERC CDM-R 35W/830 E27 PAR30L 30D 1CT	97 mm	95 mm	123 mm	120 mm




MASTERColour CDM-R

Accent Diagrams



Accent Diagram - MASTERC CDM-R 35W/830 E27 PAR30L 30D 1CT

Beam Diagrams



Beam diagram - MASTERC CDM-R 35W/830 E27 PAR30L 30D 1CT



© 2024 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.