



# **Product Description**

#### **MASTER MHN-LA**

Compact guartz metal halide lamps with double-pinch

#### **Benefits**

- Allows compact and efficient luminaire systems with precision optics for good beam control and minimal spill light
- Good colour rendering creates a pleasant ambience with high visual comfort for players and spectators
- Continuous spectral distribution offers options for semi-professional stadiums and for professional stadiums with regular TV coverage

#### **Features**

- · Compact source (Long Arc) with high luminous efficacy
- · Double-pinch concept results in long lifetime
- $\cdot$  Natural white colour appearance, high colour rendering and good colour stability
- $\boldsymbol{\cdot}$  Daylight colour temperature eases transition from daylight to artificial lighting

#### **Application**

· Professional and semi-professional sports lighting and floodlighting

#### Warnings and Safety

- · Use only in totally enclosed luminaire, even during testing (IEC61167, IEC 62035, IEC60598)
- The luminaire must be able to contain hot lamp parts if the lamp ruptures
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

# **MASTER MHN-LA**


## Versions



LPPR MHN-LA 2000W

LPPR MHN-LA 1000W

## Dimensional drawing



Product	D (max)	0	Х	Α
MASTER MHN-LA 1000W/842 230V XWH	40 mm	40.5 mm	35 mm	286 mm
MASTER MHN-LA 2000W/842 400V YWH	40 mm	108 mm	58 mm	353 mm

General Information	
Cap-Base	X528
Operating Position	P5
Light Technical	
Chromaticity Coordinate Y (Nom)	370
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4200 K
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Clear
Bulb Shape	TD40

#### **Light Technical**

		Chromaticity	Color rendering	Luminous Efficacy
Order Code	Full Product Name	Coordinate X (Nom)	index (CRI)	(rated) (Nom)
928071305130	MASTER MHN-LA	370	72	104 lm/W
	2000W/842 400V XWH			
928073005130	MASTER MHN-LA	366	70	92.00 lm/W
	1000W/842 230V XWH			

## Operating and Electrical

Order Code	Full Product Name	Voltage (Nom)	Power Consumption
928071305130	MASTER MHN-LA 2000W/842	235 V	2,050 W
	400V XWH		

Order Code	Full Product Name	Voltage (Nom)	Power Consumption
928073005130	MASTER MHN-LA 1000W/842	125 V	1,040.0 W
	230V XWH		

## **Approval and Application**

## **MASTER MHN-LA**

		<b>Energy Consumption</b>	Mercury (Hg)
Order Code	Full Product Name	kWh/1000 h	Content (Nom)
928071305130	MASTER MHN-LA	2,244 kWh	194 mg
	2000W/842 400V XWH		

		Energy Consumption	Mercury (Hg)
Order Code	Full Product Name	kWh/1000 h	Content (Nom)
928073005130	MASTER MHN-LA	1,144 kWh	112 mg
	1000W/842 230V XWH		



© 2024 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.