PHILIPS Lighting



Philips GreenSpace Accent Gridlight Gen2: A serviceable and upgradeable gridlight for retail

GreenSpace Accent Gridlight Gen2

With GreenSpace Accent Gridlight Gen2, retailers and building operators can enjoy the superior quality of light and market-leading energy efficiency of PerfectAccent optics in an affordable and sustainable gridlight. Maintenance and upgrades of the driver, LED and optics is easy and requires only standard tools. Because of this, GreenSpace Accent Gridlight Gen2 can support a circular lighting installation. GreenSpace Accent Gridlight Gen2 can be configured as a single-, double- or triplespothead configurations, in which each spothead can be aimed independently. In addition to dimming options, multiple system integration options are available, including wired and wireless. Check out our Fashion catalog pages to find out more about our PremiumWhite and PremiumColor LED light recipes.

Benefits

- \cdot More sparkle and enhanced shopper eye comfort with PerfectAccent optics
- Extend the useful life of the product with easy maintenance and upgrades
- \cdot The neutral clean product design helps blend in with the ceiling
- Multi-spothead gridlights can help declutter the ceiling for a calmer atmosphere

Features

- \cdot Serviceable and upgradeable with standard tools
- Equipped with state-of-the-art PerfectAccent reflector optics
- \cdot Reduced carbon footprint due to high efficacy
- \cdot Available with specific LED flavors
- \cdot Wired (DALI) and wireless connectivity options
- Optional front glass (recommended for dusty environments)

Application

- Fashion
- Supermarkets and hypermarkets
- Large retail
- Shopping malls

Warnings and Safety

- All photometrical data is calculated without optional front glass. Flux should be reduced by 3.5% when using front glass.
- Cleaning of the optic should be done only with pressurized air. Touching the LED or reflector is forbidden. For food preparation areas and areas with high levels of dust, we strongly advise the use of the optional front glass, as it can be cleaned with a dry microfiber cloth.
- During maintenance, the product must be switched off and cooled down.
- The product must be installed out of arm's reach. Manipulating the product when hot is possible only with an insulated glove.

Versions




GD351B GreenSpace Accent Gridlight Single White



GD352B GreenSpace Accent Gridlight Double White

Dimensional drawing



Product details



GD351B GreenSpace Accent Gridlight Single White



GD352B GreenSpace Accent Gridlight Double White

General Information	
Driver included	Yes
Service tag	Yes
Light Technical	
Beam angle of light source	120 degree(s)
Correlated Color Temperature (Nom)	4000 K
Color rendering index (CRI)	>80
Luminous Efficacy (rated) (Nom)	140 lm/W
Luminous Flux	4,000 lm
Optic type	Medium beam
Operating and Electrical	
Protection class IEC	Safety class II
Input Voltage	220 to 240 V
Line Frequency	50 to 60 Hz
Suitable for random switching	No
Controls and Dimming	
Dimmable	No
Maximum dim level	Not applicable
Mechanical and Housing	
Explosion hazard class	-
Housing Color	White
Mech. impact protection code	IK02
Ingress protection code	IP20
Emergency Operation	
Central Emergency	No
Approval and Application	
Ambient temperature range	+10 to +35 °C
CE mark	Yes
ENEC mark	ENEC mark
Flammability mark	-
Glow-wire test	Temperature 650
	°C, duration 30 s
Flickering value (PstLM) - Flickering	0.9
value as per EN 61000-3-3	
Initial Performance (IEC Complian	t)
Initial chromaticity	(0.382, 0.380)
	SDCM <2
Luminous flux tolerance	-10% / +10%

General Information

Order Code	Full Product Name	Number of gear units
910505102774	GD351B 39S/840 PSU-E MB FG WH	1 unit
910505102780	GD352B 39S/840 PSU-E MB FG WH	2 units


Operating and Electrical


Order Code	Full Product Name	Power Consumption	Order Code	Full Product Name	Power Consumption
910505102774	GD351B 39S/840 PSU-E MB FG WH	28.5 W	910505102780	GD352B 39S/840 PSU-E MB FG WH	57 W

Product Data

Order Code	Full Product Name	Product family code	Order Code	Full Product Name	Product family code
910505102774	GD351B 39S/840 PSU-E MB FG WH	GD351B	910505102780	GD352B 39S/840 PSU-E MB FG WH	GD352B

Polar Wide Diagrams





Polar Normal (separate) - GD350BI -910505102774 Polar Normal (separate) - GD350BI -910505102780



© 2024 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.