



# **Reflector Flood**

# **Reflector Flood**

Philips Family of Specialty Incandescents provide the perfect light for dramatic accents and display lighting as well as general lighting in a variety of applications. These flood lamps produce homogeneous beams of high intensity for general illumination.

#### **Features**

- $\boldsymbol{\cdot}$  For parties, holiday lighting and decorative effects.
- Available in BR, R and PAR shapes in 45W, 50W, 65W, 85W, 120W and 300W versions.

#### **Application**

· Ideal for indoor recessed and track fixtures and outdoor landscape fixtures.

#### Versions



LPPR I-R E17 R14 FR



65W Medium Base Clear Incandescent Reflector Flood -RFT

# Dimensional drawing



#### Product

Product 45R20 130V 12/1

65W Medium Base Clear Incandescent Reflector Flood

C (max)

3.94 inch



1

General Information	
Cap-Base	E26
Rated Lifetime (Hours)	2,000 hour(s)
Operating Position	UNIVERSAL
Mechanical and Housing	
Bulb Finish	Frosted
	Frosted

#### **General Information**

Order Code	Full Product Name	Nominal lifetime
925154436103	45R20 130V 12/1	-
920681036369	65W Medium Base Clear Incandescent Reflector	2,000 hour(s)
	Flood	

# **Light Technical**

			Color	
		Beam Angle	rendering	Luminous
Order Code	Full Product Name	(Nom)	index (CRI)	Flux
925154436103	45R20 130V 12/1	-	-	380 lm
920681036369	65W Medium Base	55 degree(s)	100	620 lm
	Clear Incandescent			
	Reflector Flood			

# Operating and Electrical

# **Reflector Flood**

		Warm-up time	Voltage	Power
Order Code	Full Product Name	to 60% light	(Nom)	Consumption
925154436103	45R20 130V 12/1	-	130 V	45 W
920681036369	65W Medium Base	instant full	120 V	65 W
	Clear Incandescent	light s		
	Reflector Flood			

# Mechanical and Housing

Order Code	Full Product Name	Bulb Shape
925154436103	45R20 130V 12/1	R20

Order Code	Full Product Name	Bulb Shape
920681036369	65W Medium Base Clear Incandescent Reflector Flood	BR30

### **Approval and Application**

		Energy Consumption kWh/
Order Code	Full Product Name	1000 h
925154436103	45R20 130V 12/1	-
920681036369	65W Medium Base Clear Incandescent	7.82925 kWh
	Reflector Flood	

