

Classic LEDbulbs lamps for decorative lighting

Classic filament LEDbulbs

Featuring a classic heritage design, Classic filament LEDbulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

Benefits

- Around 90% energy saving
- Very long lifetime that reduces the need for replacement
- Easy replacement of classic conventional lamps

Features

- Heritage design with classic shape
- Designed to be seen, they look good on and off
- Perfect fit and high quality finishing
- High color rendering (CRI> 80) for vivid colors
- Environmentally friendly: contains no mercury or other hazardous substances

Application

- Perfect for decorative installations
- Domestic applications
- Hospitality: restaurants and hotels

Classic filament LEDbulbs

Versions



LEDclassic 60W A60 E27 CL
WGD90 SRT4 1





LEDclassic 60W G93 E27 CL
WGD90 1PF 4 1



LEDclassic 60W ST64 E27 CL
WGD90 SRT4 1

Dimensional drawing




| Product | D | C |
|--------------------------------------|-------|--------|
| LEDclassic 60W A60 2700K E27 D CL AU | 60 mm | 104 mm |

| Product | D | C |
|---------------------------------------|-------|--------|
| LEDclassic 60W ST64 2700K E27 D CL AU | 64 mm | 140 mm |

Classic filament LEDbulbs

Dimensional drawing



| Product | D | C |
|--------------------------------------|-------|--------|
| LEDclassic 60W G93 2700K E27 D CL AU | 95 mm | 137 mm |

| General Information | |
|---------------------------------------|----------------------------|
| Cap-Base | E27 |
| Rated Lifetime (Hours) | 15,000 hour(s) |
| Switching Cycle | 20,000 |
| Nominal lifetime | 15,000 hour(s) |
| Light Technical | |
| Correlated Color Temperature (Nom) | 2700 K |
| Color rendering index (CRI) | 90 |
| Color Code | 927 |
| LLMF At End Of Nominal Lifetime (Nom) | 70 % |
| Luminous Flux | 806 lm |
| Operating and Electrical | |
| Input Frequency | 50 to 60 Hz |
| Power Consumption | 6 W |
| Starting Time (Nom) | 0.5 s |
| Wattage Equivalent | 60 W |
| Temperature | |
| T-Case Maximum (Nom) | 70 °C |
| Controls and Dimming | |
| Dimmable | Only with specific dimmers |
| Mechanical and Housing | |
| Bulb Finish | Clear |
| Approval and Application | |
| Ambient temperature range | -20 to +45 °C |
| Energy Consumption kWh/1000 h | 6 kWh |

Mechanical and Housing

| Order Code | Full Product Name | Bulb Shape |
|--------------|---------------------------------------|------------|
| 929003010379 | LEDclassic 60W A60 2700K E27 D CL AU | A60 |
| 929003010979 | LEDclassic 60W G93 2700K E27 D CL AU | G93 |
| 929003010779 | LEDclassic 60W ST64 2700K E27 D CL AU | ST64 |

Classic filament LEDbulbs

