



MASTER LEDspot LV – The ideal solution for spot lighting

MASTER VALUE LEDspot LV

Delivering a warm, halogen-like accent beam, MASTER LEDspot LV is an ideal retrofit solution for spot and general lighting applications in the hospitality industry. It is particularly suited to public areas such as receptions, lobbies, corridors, stairwells and washrooms, where the light is on all the time. The robustly designed MASTER LEDspot offers a choice of beam angles for a clearly defined beam spread. There is no UV or IR in the beam, making it suitable for illuminating heat-sensitive objects (food, organic materials, paintings, etc.). The patented intelligent driver enables broad compatibility with existing electromagnetic and electronic halogen transformers. The dimmable versions drive further efficiencies, while helping to create the desired atmosphere.

Benefits

- Up to 80% energy saving compared with halogen lamp
- Broad compatibility with transformers
- Suitable to retrofit with low-voltage halogen lamps covering GU5.3 and GU4 base types

Features

- · Dimmable (6.5-35W versions)
- \cdot Innovative AirFlux technology for passive cooling, depending upon model
- · Warm and cool white light
- · Lifetime:
- · 40,000 hours MASTER LED
- · 25,000 hours MASTER LED VALUE
- TransforMax technology to ensure compatibility with existing transformers (depending upon model)

Application

• Ideal for accent lighting in hotels, hospitals, shops and museums (e.g. floors, elevators, displays)

Warnings and Safety


- Operating temperature range is between -20° C and 45° C ambient
- Only to apply in dry or damp locations and most of open fixtures with lamp-holders that offer sufficient space (10 mm free air space)
- Not intended for use with emergency light fixtures or exit lights


Versions





LEDspots MAS SLR 2 MR11 GU4

Dimensional drawing









Product	D	С
MASTER LED 5.5-50W 2700K MR16 24D	50.2 mm	49 mm
MASTER LED 5.5-50W 2700K MR16 36D	50.2 mm	49 mm
MASTER LED 5.5-50W 3000K MR16 36D	50.2 mm	49 mm

Product	D	С
MAS LED SPOT VLE D 7.5-50W MR16 927 36D	50.5 mm	45.5 mm
MAS LED SPOT VLE D 7.5-50W MR16 927 60D	50.5 mm	45.5 mm
MAS LED SPOT VLE D 7.5-50W MR16 930 36D	50.5 mm	45.5 mm
MAS LED SPOT VLE D 7.5-50W MR16 930 60D	50.5 mm	45.5 mm
MAS LED SPOT VLE D 7.5-50W MR16 940 36D	50.5 mm	45.5 mm
MAS LED SPOT VLE D 7.5-50W MR16 940 60D	50.5 mm	45.5 mm
MAS LED spot VLE D 5.8-35W MR16 927 36D	50.5 mm	45.5 mm
MAS LED spot VLE D 5.8-35W MR16 927 60D	50.5 mm	45.5 mm
MAS LED spot VLE D 5.8-35W MR16 930 36D	50.5 mm	45.5 mm
MAS LED spot VLE D 5.8-35W MR16 930 60D	50.5 mm	45.5 mm
MAS LED spot VLE D 5.8-35W MR16 940 36D	50.5 mm	45.5 mm
MAS LED spot VLE D 5.8-35W MR16 940 60D	50.5 mm	45.5 mm

Product	D	С
MAS LEDspotLV 3.5-20W 827 MR11 24D	35.1 mm	39.5 mm

Product	D	С
MASTER LED 3.9-35W 2700K MR16 24D	50.5 mm	50 mm
MASTER LED 3.9-35W 2700K MR16 36D	50.5 mm	50 mm
MASTER LED 3.9-35W 3000K MR16 24D	50.5 mm	50 mm
MASTER LED 3.9-35W 3000K MR16 36D	50.5 mm	50 mm
MASTER LED 4.9-50W 2700K MR16 24D	50.5 mm	50 mm
MASTER LED 4.9-50W 2700K MR16 36D	50.5 mm	50 mm
MASTER LED 4.9-50W 3000K MR16 24D	50.5 mm	50 mm
MASTER LED 4.9-50W 3000K MR16 36D	50.5 mm	50 mm
MASTER LED 4.9-50W 4000K MR16 24D	50.5 mm	50 mm
MASTER LED 4.9-50W 4000K MR16 36D	50.5 mm	50 mm

General Information	
Switching Cycle	50,000
Light Technical	
LLMF At End Of Nominal Lifetime	70 %
(Nom)	
Operating and Electrical	
Input Frequency	- Hz
Starting Time (Nom)	0.5 s

General Information

Order Code	Full Product Name	Cap-Base	Nominal lifetime
		•	
929002492502		GU5.3	25,000 hour(s)
	36D		
929002492602	MAS LED spot VLE D 5.8-35W MR16 930	GU5.3	25,000 hour(s)
	36D		
929002492702	MAS LED spot VLE D 5.8-35W MR16 940	GU5.3	25,000 hour(s)
	36D		
929002492802	MAS LED spot VLE D 5.8-35W MR16 927	GU5.3	25,000 hour(s)
	60D		
929002492902	MAS LED spot VLE D 5.8-35W MR16 930	GU5.3	25,000 hour(s)
	60D		
929002493002	MAS LED spot VLE D 5.8-35W MR16 940	GU5.3	25,000 hour(s)
	60D		
929002493202	MAS LED SPOT VLE D 7.5-50W MR16	GU5.3	25,000 hour(s)
	927 36D		
929002493302	MAS LED SPOT VLE D 7.5-50W MR16	GU5.3	25,000 hour(s)
	930 36D		
929002493402	MAS LED SPOT VLE D 7.5-50W MR16	GU5.3	25,000 hour(s)
	940 36D		
929001145908	MASTER LED 5.5-50W 2700K MR16 24D	GU5.3	25,000 hour(s)

			Nominal
Order Code	Full Product Name	Cap-Base	lifetime
929001146108	MASTER LED 5.5-50W 2700K MR16 36D	GU5.3	25,000 hour(s)
929001146608	MASTER LED 5.5-50W 3000K MR16 36D	GU5.3	25,000 hour(s)
929003087002	MAS LEDspotLV 3.5-20W 827 MR11 24D	GU4	40,000 hour(s)
929003610208	MASTER LED 3.9-35W 2700K MR16 24D	GU5.3	25,000 hour(s)
929003610308	MASTER LED 3.9-35W 3000K MR16 24D	GU5.3	25,000 hour(s)
929003610408	MASTER LED 3.9-35W 2700K MR16 36D	GU5.3	25,000 hour(s)
929003610508	MASTER LED 3.9-35W 3000K MR16 36D	GU5.3	25,000 hour(s)
929003610608	MASTER LED 4.9-50W 2700K MR16 24D	GU5.3	25,000 hour(s)
929003610708	MASTER LED 4.9-50W 3000K MR16 24D	GU5.3	25,000 hour(s)
929003610808	MASTER LED 4.9-50W 4000K MR16 24D	GU5.3	25,000 hour(s)
929003610908	MASTER LED 4.9-50W 2700K MR16 36D	GU5.3	25,000 hour(s)
929003611008	MASTER LED 4.9-50W 3000K MR16 36D	GU5.3	25,000 hour(s)
929003611108	MASTER LED 4.9-50W 4000K MR16 36D	GU5.3	25,000 hour(s)
929002493502	MAS LED SPOT VLE D 7.5-50W MR16	GU5.3	25,000 hour(s)
	927 60D		
929002493602	MAS LED SPOT VLE D 7.5-50W MR16	GU5.3	25,000 hour(s)
	930 60D		
929002493702	MAS LED SPOT VLE D 7.5-50W MR16	GU5.3	25,000 hour(s)
	940 60D		

Light Technical

•							
			Correlated Color	Color rendering			Luminous Intensity
Order Code	Full Product Name	Beam Angle (Nom)	Temperature (Nom)	index (CRI)	Color Code	Luminous Flux	(Nom)
929002492502	MAS LED spot VLE D 5.8-35W MR16 927 36D	36 degree(s)	2700 K	90	927	450 lm	1,300 cd
929002492602	MAS LED spot VLE D 5.8-35W MR16 930 36D	36 degree(s)	3000 K	90	930	460 lm	1,300 cd
929002492702	MAS LED spot VLE D 5.8-35W MR16 940 36D	36 degree(s)	4000 K	90	940	490 lm	1,200 cd
929002492802	MAS LED spot VLE D 5.8-35W MR16 927 60D	60 degree(s)	2700 K	90	927	450 lm	600 cd
929002492902	MAS LED spot VLE D 5.8-35W MR16 930 60D	60 degree(s)	3000 K	90	930	460 lm	600 cd
929002493002	MAS LED spot VLE D 5.8-35W MR16 940 60D	60 degree(s)	4000 K	90	940	490 lm	550 cd
929002493202	MAS LED SPOT VLE D 7.5-50W MR16 927 36D	36 degree(s)	2700 K	90	927	621 lm	1,600 cd
929002493302	MAS LED SPOT VLE D 7.5–50W MR16 930 36D	36 degree(s)	3000 K	90	930	630 lm	1,600 cd
929002493402	MAS LED SPOT VLE D 7.5-50W MR16 940 36D	36 degree(s)	4000 K	90	940	660 lm	1,500 cd
929001145908	MASTER LED 5.5-50W 2700K MR16 24D	24 degree(s)	2700 K	80	827	415 lm	1,800 cd
929001146108	MASTER LED 5.5-50W 2700K MR16 36D	36 degree(s)	2700 K	80	827	415 lm	1,000 cd
929001146608	MASTER LED 5.5-50W 3000K MR16 36D	36 degree(s)	3000 K	80	830	425 lm	1,000 cd
929003087002	MAS LEDspotLV 3.5-20W 827 MR11 24D	24 degree(s)	2700 K	80	827	200 lm	1,000 cd

			Correlated Color	Color rendering			Luminous Intensity
Order Code	Full Product Name	Beam Angle (Nom)	Temperature (Nom)	index (CRI)	Color Code	Luminous Flux	(Nom)
929003610208	MASTER LED 3.9-35W 2700K MR16 24D	24 degree(s)	2700 K	90	927	270 lm	1,000 cd
929003610308	MASTER LED 3.9-35W 3000K MR16 24D	24 degree(s)	3000 K	90	930	280 lm	1,000 cd
929003610408	MASTER LED 3.9-35W 2700K MR16 36D	36 degree(s)	2700 K	90	927	270 lm	600 cd
929003610508	MASTER LED 3.9-35W 3000K MR16 36D	36 degree(s)	3000 K	90	930	280 lm	600 cd
929003610608	MASTER LED 4.9-50W 2700K MR16 24D	24 degree(s)	2700 K	90	927	415 lm	1,600 cd
929003610708	MASTER LED 4.9-50W 3000K MR16 24D	24 degree(s)	3000 K	90	930	425 lm	1,700 cd
929003610808	MASTER LED 4.9-50W 4000K MR16 24D	24 degree(s)	4000 K	90	940	430 lm	1,700 cd
929003610908	MASTER LED 4.9-50W 2700K MR16 36D	36 degree(s)	2700 K	90	927	415 lm	900 cd
929003611008	MASTER LED 4.9-50W 3000K MR16 36D	36 degree(s)	3000 K	90	930	425 lm	950 cd
929003611108	MASTER LED 4.9-50W 4000K MR16 36D	36 degree(s)	4000 K	90	940	430 lm	950 cd
929002493502	MAS LED SPOT VLE D 7.5-50W MR16 927 60D	60 degree(s)	2700 K	90	927	621 lm	750 cd
929002493602	MAS LED SPOT VLE D 7.5-50W MR16 930 60D	60 degree(s)	3000 K	90	930	630 lm	800 cd
929002493702	MAS LED SPOT VLE D 7.5-50W MR16 940 60D	60 degree(s)	4000 K	90	940	660 lm	770 cd

Operating and Electrical

perating an		Line	Power	Wattage
Order Code	Full Product Name	Frequency	Consumption	Equivalent
929002492502	MAS LED spot VLE D	- Hz	5.8 W	35 W
	5.8-35W MR16 927			
	36D			
929002492602	MAS LED spot VLE D	- Hz	5.8 W	35 W
	5.8-35W MR16 930			
	36D			
929002492702	MAS LED spot VLE D	- Hz	5.8 W	35 W
	5.8-35W MR16 940			
	36D			
929002492802	MAS LED spot VLE D	- Hz	5.8 W	35 W
	5.8-35W MR16 927			
	60D			
929002492902	MAS LED spot VLE D	- Hz	5.8 W	35 W
	5.8-35W MR16 930			
	60D			
929002493002	MAS LED spot VLE D	- Hz	5.8 W	35 W
	5.8-35W MR16 940			
	60D			
929002493202	MAS LED SPOT VLE D	- Hz	7.5 W	50 W
	7.5-50W MR16 927			
	36D			
929002493302	MAS LED SPOT VLE D	- Hz	7.5 W	50 W
	7.5-50W MR16 930			
	36D			
929002493402	MAS LED SPOT VLE D	- Hz	7.5 W	50 W
	7.5-50W MR16 940			
	36D			
929001145908	MASTER LED	- Hz	5.5 W	50 W
	5.5-50W 2700K MR16			
	24D			
929001146108	MASTER LED	- Hz	5.5 W	50 W
	5.5-50W 2700K MR16			
	36D			

		Line	Power	Wattage
Order Code	Full Product Name	Frequency	Consumption	Equivalent
929003611108	MASTER LED	-	4.9 W	50 W
	4.9-50W 4000K MR16			
	36D			
929002493502	MAS LED SPOT VLE D	- Hz	7.5 W	50 W
	7.5-50W MR16 927			
	60D			

Order Code	Full Product Name	Line Frequency	Power Consumption	Wattage Equivalent
929002493602	MAS LED SPOT VLE D 7.5-50W MR16 930 60D	- Hz	7.5 W	50 W
929002493702	MAS LED SPOT VLE D 7.5-50W MR16 940 60D	- Hz	7.5 W	50 W

Temperature

Order Code	Full Product Name	(Nom)
929002492502	MAS LED spot VLE D 5.8-35W MR16 927 36D	85 ℃
929002492602	MAS LED spot VLE D 5.8-35W MR16 930 36D	85 ℃
929002492702	MAS LED spot VLE D 5.8-35W MR16 940 36D	85 ℃
929002492802	MAS LED spot VLE D 5.8-35W MR16 927 60D	85 ℃
929002492902	MAS LED spot VLE D 5.8-35W MR16 930 60D	85 ℃
929002493002	MAS LED spot VLE D 5.8-35W MR16 940 60D	85 ℃
929002493202	MAS LED SPOT VLE D 7.5-50W MR16 927 36D	95 ℃
929002493302	MAS LED SPOT VLE D 7.5-50W MR16 930 36D	95 ℃
929002493402	MAS LED SPOT VLE D 7.5-50W MR16 940 36D	95 ℃
929001145908	MASTER LED 5.5-50W 2700K MR16 24D	95 ℃
929001146108	MASTER LED 5.5-50W 2700K MR16 36D	95 ℃
929001146608	MASTER LED 5.5-50W 3000K MR16 36D	95 ℃
929003087002	MAS LEDspotLV 3.5-20W 827 MR11 24D	85 ℃

		T-Case Maximum
Order Code	Full Product Name	(Nom)
929003610208	MASTER LED 3.9-35W 2700K MR16 24D	68 °C
929003610308	MASTER LED 3.9-35W 3000K MR16 24D	68 °C
929003610408	MASTER LED 3.9-35W 2700K MR16 36D	68 °C
929003610508	MASTER LED 3.9-35W 3000K MR16 36D	68 °C
929003610608	MASTER LED 4.9-50W 2700K MR16 24D	72 ℃
929003610708	MASTER LED 4.9-50W 3000K MR16 24D	72 ℃
929003610808	MASTER LED 4.9-50W 4000K MR16 24D	72 ℃
929003610908	MASTER LED 4.9-50W 2700K MR16 36D	72 ℃
929003611008	MASTER LED 4.9-50W 3000K MR16 36D	72 ℃
929003611108	MASTER LED 4.9-50W 4000K MR16 36D	72 ℃
929002493502	MAS LED SPOT VLE D 7.5-50W MR16 927 60D	95 ℃
929002493602	MAS LED SPOT VLE D 7.5-50W MR16 930 60D	95 ℃
929002493702	MAS LED SPOT VLE D 7.5-50W MR16 940 60D	95 ℃

Controls and Dimming

Order Code	Full Product Name	Dimmable
929002492502	MAS LED spot VLE D 5.8-35W MR16 927 36D	Only with specific
		dimmers
929002492602	MAS LED spot VLE D 5.8-35W MR16 930 36D	Only with specific
		dimmers
929002492702	MAS LED spot VLE D 5.8-35W MR16 940 36D	Only with specific
		dimmers
929002492802	MAS LED spot VLE D 5.8-35W MR16 927 60D	Only with specific
		dimmers
929002492902	MAS LED spot VLE D 5.8-35W MR16 930 60D	Only with specific
		dimmers
929002493002	MAS LED spot VLE D 5.8-35W MR16 940 60D	Only with specific
		dimmers
929002493202	MAS LED SPOT VLE D 7.5–50W MR16 927 36D	Only with specific
		dimmers
929002493302	MAS LED SPOT VLE D 7.5–50W MR16 930 36D	Only with specific
		dimmers
929002493402	MAS LED SPOT VLE D 7.5–50W MR16 940 36D	Only with specific
		dimmers
929001145908	MASTER LED 5.5-50W 2700K MR16 24D	No

Order Code	Full Product Name	Dimmable
929001146108	MASTER LED 5.5-50W 2700K MR16 36D	No
929001146608	MASTER LED 5.5-50W 3000K MR16 36D	No
929003087002	MAS LEDspotLV 3.5-20W 827 MR11 24D	No
929003610208	MASTER LED 3.9-35W 2700K MR16 24D	No
929003610308	MASTER LED 3.9-35W 3000K MR16 24D	No
929003610408	MASTER LED 3.9-35W 2700K MR16 36D	No
929003610508	MASTER LED 3.9-35W 3000K MR16 36D	No
929003610608	MASTER LED 4.9-50W 2700K MR16 24D	No
929003610708	MASTER LED 4.9-50W 3000K MR16 24D	No
929003610808	MASTER LED 4.9-50W 4000K MR16 24D	No
929003610908	MASTER LED 4.9-50W 2700K MR16 36D	No
929003611008	MASTER LED 4.9-50W 3000K MR16 36D	No
929003611108	MASTER LED 4.9-50W 4000K MR16 36D	No
929002493502	MAS LED SPOT VLE D 7.5-50W MR16 927 60D	Only with specific
		dimmers
929002493602	MAS LED SPOT VLE D 7.5-50W MR16 930 60D	Only with specific
		dimmers
929002493702	MAS LED SPOT VLE D 7.5-50W MR16 940 60D	Only with specific
		dimmers

Mechanical and Housing


		Bulb	Bulb
Order Code	Full Product Name	Finish	Shape
929002492502	MAS LED spot VLE D 5.8-35W MR16 927 36D	-	MR16
929002492602	MAS LED spot VLE D 5.8-35W MR16 930 36D	-	MR16
929002492702	MAS LED spot VLE D 5.8-35W MR16 940 36D	-	MR16
929002492802	MAS LED spot VLE D 5.8-35W MR16 927 60D	-	MR16
929002492902	MAS LED spot VLE D 5.8-35W MR16 930 60D	-	MR16
929002493002	MAS LED spot VLE D 5.8-35W MR16 940 60D	-	MR16
929002493202	MAS LED SPOT VLE D 7.5-50W MR16 927	-	MR16
	36D		
929002493302	MAS LED SPOT VLE D 7.5-50W MR16 930	-	MR16
	36D		
929002493402	MAS LED SPOT VLE D 7.5-50W MR16 940	-	MR16
	36D		
929001145908	MASTER LED 5.5-50W 2700K MR16 24D	-	MR16
929001146108	MASTER LED 5.5-50W 2700K MR16 36D	-	MR16
929001146608	MASTER LED 5.5-50W 3000K MR16 36D	-	MR16
929003087002	MAS LEDspotLV 3.5-20W 827 MR11 24D	-	MR11


		Bulb	Bulb
Order Code	Full Product Name	Finish	Shape
929003610208	MASTER LED 3.9-35W 2700K MR16 24D	Clear	MR16
929003610308	MASTER LED 3.9-35W 3000K MR16 24D	Clear	MR16
929003610408	MASTER LED 3.9-35W 2700K MR16 36D	Clear	MR16
929003610508	MASTER LED 3.9-35W 3000K MR16 36D	Clear	MR16
929003610608	MASTER LED 4.9-50W 2700K MR16 24D	Clear	MR16
929003610708	MASTER LED 4.9-50W 3000K MR16 24D	Clear	MR16
929003610808	MASTER LED 4.9-50W 4000K MR16 24D	Clear	MR16
929003610908	MASTER LED 4.9-50W 2700K MR16 36D	Clear	MR16
929003611008	MASTER LED 4.9-50W 3000K MR16 36D	Clear	MR16
929003611108	MASTER LED 4.9-50W 4000K MR16 36D	Clear	MR16
929002493502	MAS LED SPOT VLE D 7.5-50W MR16 927	-	MR16
	60D		
929002493602	MAS LED SPOT VLE D 7.5-50W MR16 930	-	MR16
	60D		
929002493702	MAS LED SPOT VLE D 7.5-50W MR16 940	-	MR16
	60D		


Approval and Application


		Ambient temperature	Energy Consumption
Order Code	Full Product Name	range	kWh/1000 h
929002492502	MAS LED spot VLE D 5.8-35W	-	6 kWh
	MR16 927 36D		
929002492602	MAS LED spot VLE D 5.8-35W	-	6 kWh
	MR16 930 36D		
929002492702	MAS LED spot VLE D 5.8-35W	-	6 kWh
	MR16 940 36D		
929002492802	MAS LED spot VLE D 5.8-35W	-	6 kWh
	MR16 927 60D		
929002492902	MAS LED spot VLE D 5.8-35W	-	6 kWh
	MR16 930 60D		
929002493002	MAS LED spot VLE D 5.8-35W	-	6 kWh
	MR16 940 60D		
929002493202	MAS LED SPOT VLE D 7.5-50W	-	8 kWh
	MR16 927 36D		
929002493302	MAS LED SPOT VLE D 7.5-50W	-	8 kWh
	MR16 930 36D		
929002493402	MAS LED SPOT VLE D 7.5-50W	-	8 kWh
	MR16 940 36D		
929001145908	MASTER LED 5.5-50W 2700K	-	_
	MR16 24D		
929001146108	MASTER LED 5.5-50W 2700K	-	-
	MR16 36D		
929001146608	MASTER LED 5.5-50W 3000K	-	-
	MR16 36D		
929003087002	MAS LEDspotLV 3.5-20W 827	-	4 kWh
	MR11 24D		
929003610208	MASTER LED 3.9-35W 2700K	-20 to +45 °C	-
	MR16 24D		


		Ambient	France:
			Energy
		temperature	Consumption
Order Code	Full Product Name	range	kWh/1000 h
929003610308	MASTER LED 3.9-35W 3000K	-20 to +45 °C	-
	MR16 24D		
929003610408	MASTER LED 3.9-35W 2700K	-20 to +45 °C	-
	MR16 36D		
929003610508	MASTER LED 3.9-35W 3000K	-20 to +45 °C	-
	MR16 36D		
929003610608	MASTER LED 4.9-50W 2700K	-20 to +45 °C	_
	MR16 24D		
929003610708	MASTER LED 4.9-50W 3000K	20 to +45 °C	-
	MR16 24D		
929003610808	MASTER LED 4.9-50W 4000K	-20 to +45 °C	-
	MR16 24D		
929003610908	MASTER LED 4.9-50W 2700K	-20 to +45 °C	-
	MR16 36D		
929003611008	MASTER LED 4.9-50W 3000K	-20 to +45 °C	-
	MR16 36D		
929003611108	MASTER LED 4.9-50W 4000K	-20 to +45 °C	-
	MR16 36D		
929002493502	MAS LED SPOT VLE D 7.5-50W	-	8 kWh
	MR16 927 60D		
929002493602	MAS LED SPOT VLE D 7.5-50W	-	8 kWh
	MR16 930 60D		
929002493702	MAS LED SPOT VLE D 7.5-50W	-	8 kWh
	MR16 940 60D		

















Accent Diagrams



Accent Diagram - MASTER LED 4.9-50W 2700K MR16 36D





Accent Diagram - MASTER LED 4.9-50W 2700K




Accent Diagram - MASTER LED 4.9-50W 3000K MR16 36D


Accent Diagrams









Accent Diagram - MASTER LED 5.5-50W 2700K MR16 24D




Accent Diagram - MASTER LED 5.5-50W 2700K MR16 36D




Accent Diagram - MASTER LED 5.5-50W 3000K MR16 36D




Accent Diagram - MASTER LED 3.9-35W 2700K MR16 24D




Accent Diagram - MAS LED SPOT VLE D 7.5-50W MR16 930 36D



Accent Diagram - MASTER LED 3.9-35W 3000K MR16 24D




Accent Diagram - MAS LED SPOT VLE D 7.5-50W MR16 940 36D




Accent Diagram - MASTER LED 3.9-35W 3000K MR16 36D


Accent Diagrams




Accent Diagram - MASTER LED 3.9-35W 2700K MR16 36D




Accent Diagram - MAS LED spot VLE D 5.8-35W MR16 940 36D




Accent Diagram - MAS LED spot VLE D 5.8-35W MR16 927 36D




Accent Diagram - MASTER LED 4.9-50W 4000K MR16 24D




Accent Diagram - MAS LED spot VLE D 5.8-35W MR16 930 60D




Accent Diagram - MAS LED spot VLE D 5.8-35W MR16 940 60D



Accent Diagram - MAS LEDspotLV 3.5-20W 827 MR11 24D




Accent Diagram - MAS LED SPOT VLE D 7.5-50W MR16 930 60D




Accent Diagram - MASTER LED 4.9-50W 4000K MR16 36D


Accent Diagrams




Accent Diagram - MAS LED spot VLE D 5.8-35W MR16 930 36D




Accent Diagram - MASTER LED 4.9-50W 3000K MR16 24D



Accent Diagram - MAS LED SPOT VLE D 7.5-50W MR16 940 60D




Accent Diagram - MAS LED spot VLE D 5.8-35W MR16 927 60D




Accent Diagram - MAS LED SPOT VLE D 7.5-50W MR16 927 36D


Beam Diagrams



Beam diagram - MAS LED SPOT VLE D 7.5-50W MR16 927 36D





Beam diagram - MASTER LED 4.9-50W 3000K MR16 24D




Beam diagram - MASTER LED 5.5-50W 2700K MR16 24D

Beam Diagrams










Beam diagram - MASTER LED 5.5-50W 2700K MR16 36D

Beam diagram - MASTER LED 5.5-50W 3000K MR16 36D

Beam diagram - MAS LED spot VLE D 5.8-35W MR16 940 60D










Beam diagram - MASTER LED 4.9-50W 4000K MR16 24D

Beam diagram - MAS LED spot VLE D 5.8-35W MR16 927 60D

Beam diagram - MASTER LED 3.9-35W 3000K MR16 24D









Beam diagram - MAS LED SPOT VLE D 7.5-50W MR16 940 60D


Beam diagram - MAS LED spot VLE D 5.8-35W MR16 930 60D

Beam diagram - MASTER LED 4.9-50W 4000K MR16 36D

Beam Diagrams










Beam diagram - MASTER LED 4.9-50W 3000K MR16 36D

Beam diagram - MASTER LED 3.9-35W 3000K MR16 36D

Beam diagram - MASTER LED 4.9-50W 2700K MR16 36D










Beam diagram - MAS LED SPOT VLE D 7.5-50W MR16 940 36D

Beam diagram - MASTER LED 3.9-35W 2700K MR16 36D

Beam diagram - MASTER LED 3.9-35W 2700K MR16 24D









Beam diagram - MAS LED spot VLE D 5.8-35W MR16 930 36D


Beam diagram - MAS LED SPOT VLE D 7.5-50W MR16 927 60D

Beam diagram - MAS LED spot VLE D 5.8-35W MR16 940 36D


Beam Diagrams








Beam diagram - MASTER LED 4.9-50W 2700K MR16 24D Beam diagram - MAS LEDspotLV 3.5-20W 827 MR11 24D Beam diagram - MAS LED SPOT VLE D 7.5-50W MR16 930 60D





Beam diagram - MAS LED SPOT VLE D 7.5-50W MR16 930 36D Beam diagram - MAS LED spot VLE D 5.8-35W MR16 927 36D



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.