



CoreLine Waterproof – the clear choice for LED

CoreLine Waterproof

Whether for a new building or renovation of an existing space, customers want lighting solutions that provide quality of light and substantial energy and maintenance savings. The new CoreLine Waterproof range of LED products can be used to replace traditional waterproof luminaires with fluorescent lamps. The process of selecting, installing and maintaining is so easy – it's a simple switch. Also available as an Interact Ready wireless CoreLine waterproof luminaire that works with Interact Pro lighting software and Interact Ready devices to provide a connected lighting system for SMEs

Benefits

- Up to 64% energy savings compared with TL-D
- Reliable LED technology – maintenance-free installation and a long lifetime
- Direct replacement for conventional waterproof luminaires in terms of light performance, installation flexibility and length

Features

- Can be used to replace traditional waterproof luminaires ranging from 18 to 58 W TL-D
- Wide-beam light distribution
- Diffuser with optical element ensures visual comfort
- Ceiling-mounted bracket and suspension hooks included
- Vandal-proof by additional mounting bracket
- Optional external connector version for easier installation (WEC)
- Optional 3 hour emergency versions available

CoreLine Waterproof

Application

- Underground Parking garages
- Warehouses
- General lighting
- Under canopy areas

Warnings and Safety

- UV radiation will damage the material over time, resulting in loss of waterproof sealing and IP66 rating.
- Do not install the luminaire in locations where it will be exposed to direct sunlight.

Versions

PH All In CoreLine SPP e cat HR
911401814985




CoreLine Waterproof WT120C G2
PCU -



PH All In CoreLine SPP e cat HR
911401815085




Dimensional drawing



CoreLine Waterproof

Dimensional drawing




Product details



CoreLine waterproof All in L1500




CoreLine Waterproof WT120C G2
PCU-7DPP



CoreLine waterproof All in,
WT120C G2, easy lumen switch



CoreLine Waterproof WT120C G2
PCU-3DPP



CoreLine Waterproof WT120C G2
PCU-10DPP




CoreLine Waterproof WT120C G2
PCU-9DPP

CoreLine Waterproof

Product details




CoreLine Waterproof WT120C G2
PCU-12DPP



CoreLine waterproof G2 (WT120C
G2),MDU, Motion Detection Unit



CoreLine waterproof All in L1500




CoreLine Waterproof WT120C G2
PCU-2DPP



CoreLine Waterproof WT120C G2
PCU-13DPP



CoreLine Waterproof WT120C G2
PCU-8DPP



CoreLine waterproof G2 (WT120C
G2),MDU, Motion Detection Unit



CoreLine Waterproof WT120C G2
PCU-11DPP

CoreLine Waterproof

Product details

CoreLine waterproof G2 (WT120C
G2),Emergency lighting, TrustSight



General Information	
Driver included	Yes
Number of gear units	Unit
Service Tag	Yes
Light Technical	
Colour rendering index (CRI)	>80
Operating and Electrical	
Protection class IEC	Safety class I
Line Frequency	50 or 60 Hz
Mechanical and Housing	
Housing Colour	Grey
Mech. impact protection code	IK08
Ingress protection code	IP65
Approval and Application	
CE mark	Yes
ENEC mark	ENEC mark
Glow-wire test	Temperature 850 °C, duration 30 s
Initial Performance (IEC Compliant)	
Luminous flux tolerance	+/-10%

General Information

Order Code	Full Product Name	Lamp family code	Light source replaceable
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	LED27S	No
96248700	WT120C G2 LED27S/840 PSU MDU L1200	LED27S	No
85418000	WT120C G2 LED27S/840 PSU ELB3 L1200	LED27S	No
88307500	WT120C G2 LED27S/840 PSD L1200	LED27S	No
88311200	WT120C G2 LED27S/840 PSD ELB3 L1200	LED27S	No
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	LED40S	No
96256200	WT120C G2 LED40S/840 PSU MDU L1200	LED40S	No
16316700	WT120C G2 LED40S/840 PSU WEC L1200	LED40S	No
16317400	WT120C G2 LED40S/840 PSU TW1 WEC L1200	LED40S	No
88309900	WT120C G2 LED40S/840 PSD L1200	LED40S	No
85419700	WT120C G2 LED40S/840 PSU ELB3 L1200	LED40S	No
88312900	WT120C G2 LED40S/840 PSD ELB3 L1200	LED40S	No
97576000	WT120C G2 LED40S/840 WIA L1200	-	No
97577700	WT120C G2 LED40S/840 WIA ELB3 L1200	-	No
97580700	WT120C G2 LED40S/840 WIA TW3 L1200	-	No
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	-	No
91687299	WT120C G2 LED40S/840 PSU TW3 L1200	-	No
75428799	WT120C G2 LED60S/840 PSU L1200	-	-
75429499	WT120C G2 LED80S/840 PSU L1200	-	-
75433199	WT120C G2 LED60S/840 PSD L1200	-	-
75434899	WT120C G2 LED80S/840 PSD L1200	-	-
84046600	WT120C G2 LED27S/840 PSU L1200	-	No
84048099	WT120C G2 LED40S/840 PSU L1200	-	No
36933499	WT120C G2 LED40S/865 PSU L1200	-	No
50019899	WT120C G2 LED27_45S/840 PSU L1200	-	No
96244900	WT120C G2 LED19S/840 PSU MDU L600	LED27S	No
88306800	WT120C G2 LED19S/840 PSD L600	LED19S	No
75426399	WT120C G2 LED20S/840 PSU L600	-	-
75427099	WT120C G2 LED40S/840 PSU L600	-	-
75432499	WT120C G2 LED40S/840 PSD L600	-	-
84045900	WT120C G2 LED19S/840 PSU L600	-	No
50020499	WT120C G2 LED37_60S/840 PSU L1500	-	No
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	LED34S	No
96267800	WT120C G2 LED34S/840 PSU MDU L1500	LED34S	No
88308200	WT120C G2 LED34S/840 PSD L1500	LED34S	No
85420300	WT120C G2 LED34S/840 PSU ELB3 L1500	LED34S	No
88313600	WT120C G2 LED34S/840 PSD ELB3 L1500	LED34S	No

Order Code	Full Product Name	Lamp family code	Light source replaceable
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	LED60S	No
96275300	WT120C G2 LED60S/840 PSU MDU L1500	LED60S	No
16318100	WT120C G2 LED60S/840 PSU WEC L1500	LED60S	No
16319800	WT120C G2 LED60S/840 PSU TW1 WEC L1500	LED60S	No
88310500	WT120C G2 LED60S/840 PSD L1500	LED60S	No
85421000	WT120C G2 LED60S/840 PSU ELB3 L1500	LED60S	No
88314300	WT120C G2 LED60S/840 PSD ELB3 L1500	LED60S	No
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	LED80S	No
96286900	WT120C G2 LED80S/840 PSU MDU L1500	LED80S	No
40929600	WT120C G2 LED80S/840 PSD L1500	LED80S	No
40931900	WT120C G2 LED80S/840 PSU L1500 ELB3	LED80S	No
97578400	WT120C G2 LED65S/840 WIA L1500	-	No
97579100	WT120C G2 LED65S/840 WIA ELB3 L1500	-	No
97581400	WT120C G2 LED65S/840 WIA TW3 L1500	-	No
96534800	WT120C G2 LED80S/840 WIA L1500	-	No
91686599	WT120C G2 LED34S/840 PSU TW3 L1500	-	No
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	-	No
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	-	No
75430099	WT120C G2 LED100S/840 PSU L1500	-	-
75431799	WT120C G2 LED120S/840 PSU L1500	-	-
75435599	WT120C G2 LED100S/840 PSD L1500	-	-
75436299	WT120C G2 LED120S/840 PSD L1500	-	-
84047399	WT120C G2 LED34S/840 PSU L1500	-	No
84049700	WT120C G2 LED60S/840 PSU L1500	-	No
40928900	WT120C G2 LED80S/840 PSU L1500	-	No
36934199	WT120C G2 LED34S/865 PSU L1500	-	No
36935899	WT120C G2 LED60S/865 PSU L1500	-	No

Light Technical (1/2)

Order Code	Full Product Name	All-in Type	Correlated Colour Temperature (Nom)	Luminous efficacy (rated) (nom.)	Luminous Flux
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	-	4000 K	126 lm/W	2,700 lm
96248700	WT120C G2 LED27S/840 PSU MDU L1200	-	4000 K	123 lm/W	2,700 lm
85418000	WT120C G2 LED27S/840 PSU ELB3 L1200	-	4000 K	104 lm/W	2,700 lm
88307500	WT120C G2 LED27S/840 PSD L1200	-	4000 K	123 lm/W	2,700 lm
88311200	WT120C G2 LED27S/840 PSD ELB3 L1200	-	4000 K	100 lm/W	2,700 lm
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	-	4000 K	133 lm/W	4,000 lm
Order Code	Full Product Name	All-in Type	Correlated Colour Temperature (Nom)	Luminous efficacy (rated) (nom.)	Luminous Flux
96256200	WT120C G2 LED40S/840 PSU MDU L1200	-	4000 K	131 lm/W	4,000 lm
16316700	WT120C G2 LED40S/840 PSU WEC L1200	-	4000 K	138 lm/W	4,000 lm
16317400	WT120C G2 LED40S/840 PSU TW1 WEC L1200	-	4000 K	136 lm/W	4,000 lm
88309900	WT120C G2 LED40S/840 PSD L1200	-	4000 K	131 lm/W	4,000 lm
85419700	WT120C G2 LED40S/840 PSU ELB3 L1200	-	4000 K	121 lm/W	4,000 lm
88312900	WT120C G2 LED40S/840 PSD ELB3 L1200	-	4000 K	113 lm/W	4,000 lm

CoreLine Waterproof

Order Code	Full Product Name	All-in Type	Correlated Colour Temperature (Nom)	Luminous efficacy (rated) (nom.)	Luminous Flux
97576000	WT120C G2 LED40S/840 WIA L1200	-	4000 K	133 lm/W	4,000 lm
97577700	WT120C G2 LED40S/840 WIA ELB3 L1200	-	4000 K	121 lm/W	4,000 lm
97580700	WT120C G2 LED40S/840 WIA TW3 L1200	-	4000 K	133 lm/W	4,000 lm
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	-	4000 K	131 lm/W	2,700 lm
91687299	WT120C G2 LED40S/840 PSU TW3 L1200	-	4000 K	140 lm/W	4,000 lm
75428799	WT120C G2 LED60S/840 PSU L1200	-	4000 K	160 lm/W	6,000 lm
75429499	WT120C G2 LED80S/840 PSU L1200	-	4000 K	160 lm/W	8,000 lm
75433199	WT120C G2 LED60S/840 PSD L1200	-	4000 K	160 lm/W	6,000 lm
75434899	WT120C G2 LED80S/840 PSD L1200	-	4000 K	160 lm/W	8,000 lm
84046600	WT120C G2 LED27S/840 PSU L1200	-	4000 K	132 lm/W	2,700 lm
84048099	WT120C G2 LED40S/840 PSU L1200	-	4000 K	140 lm/W	4,000 lm
36933499	WT120C G2 LED40S/865 PSU L1200	-	6500 K	140 lm/W	4,000 lm
50019899	WT120C G2 LED27_45S/840 PSU L1200	All-in, Multi Lumen	4000 K	141 lm/W	2,700 lm
96244900	WT120C G2 LED19S/840 PSU MDU L600	-	4000 K	116 lm/W	1,900 lm
88306800	WT120C G2 LED19S/840 PSD L600	-	4000 K	115 lm/W	1,900 lm
75426399	WT120C G2 LED20S/840 PSU L600	-	4000 K	156 lm/W	2,000 lm

Order Code	Full Product Name	All-in Type	Correlated Colour Temperature (Nom)	Luminous efficacy (rated) (nom.)	Luminous Flux
75427099	WT120C G2 LED40S/840 PSU L600	-	4000 K	160 lm/W	4,000 lm
75432499	WT120C G2 LED40S/840 PSD L600	-	4000 K	160 lm/W	4,000 lm
84045900	WT120C G2 LED19S/840 PSU L600	-	4000 K	127 lm/W	1,900 lm
50020499	WT120C G2 LED37_60S/840 PSU L1500	All-in, Multi Lumen	4000 K	140 lm/W	3,700 lm
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	-	4000 K	133 lm/W	3,400 lm
96267800	WT120C G2 LED34S/840 PSU MDU L1500	-	4000 K	131 lm/W	3,400 lm
88308200	WT120C G2 LED34S/840 PSD L1500	-	4000 K	131 lm/W	3,400 lm
85420300	WT120C G2 LED34S/840 PSU ELB3 L1500	-	4000 K	113 lm/W	3,400 lm
88313600	WT120C G2 LED34S/840 PSD ELB3 L1500	-	4000 K	110 lm/W	3,400 lm
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	-	4000 K	135 lm/W	6,000 lm
96275300	WT120C G2 LED60S/840 PSU MDU L1500	-	4000 K	133 lm/W	6,000 lm
16318100	WT120C G2 LED60S/840 PSU WEC L1500	-	4000 K	135 lm/W	6,000 lm
16319800	WT120C G2 LED60S/840 PSU TW1 WEC L1500	-	4000 K	136 lm/W	6,000 lm
88310500	WT120C G2 LED60S/840 PSD L1500	-	4000 K	133 lm/W	6,000 lm
85421000	WT120C G2 LED60S/840 PSU ELB3 L1500	-	4000 K	121 lm/W	6,000 lm
88314300	WT120C G2 LED60S/840 PSD ELB3 L1500	-	4000 K	121 lm/W	6,000 lm

CoreLine Waterproof

Order Code	Full Product Name	All-in Type	Correlated Colour Temperature (Nom)	Luminous efficacy (rated) (nom.)	Luminous Flux
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	-	4000 K	133 lm/W	8,000 lm
96286900	WT120C G2 LED80S/840 PSU MDU L1500	-	4000 K	131 lm/W	8,000 lm
40929600	WT120C G2 LED80S/840 PSD L1500	-	4000 K	129 lm/W	8,000 lm
40931900	WT120C G2 LED80S/840 PSU L1500 ELB3	-	4000 K	126 lm/W	8,000 lm
97578400	WT120C G2 LED65S/840 WIA L1500	-	4000 K	144 lm/W	6,500 lm
97579100	WT120C G2 LED65S/840 WIA ELB3 L1500	-	4000 K	135 lm/W	6,500 lm
97581400	WT120C G2 LED65S/840 WIA TW3 L1500	-	4000 K	141 lm/W	6,500 lm
96534800	WT120C G2 LED80S/840 WIA L1500	-	4000 K	131 lm/W	8,000 lm
91686599	WT120C G2 LED34S/840 PSU TW3 L1500	-	4000 K	138 lm/W	3,400 lm
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	-	4000 K	139 lm/W	6,000 lm

Light Technical (2/2)

Order Code	Full Product Name	Optic type
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	Wide beam
96248700	WT120C G2 LED27S/840 PSU MDU L1200	Wide beam
85418000	WT120C G2 LED27S/840 PSU ELB3 L1200	Wide beam
88307500	WT120C G2 LED27S/840 PSD L1200	Wide beam
88311200	WT120C G2 LED27S/840 PSD ELB3 L1200	Wide beam
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	Wide beam
96256200	WT120C G2 LED40S/840 PSU MDU L1200	Wide beam
16316700	WT120C G2 LED40S/840 PSU WEC L1200	Wide beam
16317400	WT120C G2 LED40S/840 PSU TW1 WEC L1200	Wide beam
88309900	WT120C G2 LED40S/840 PSD L1200	Wide beam
85419700	WT120C G2 LED40S/840 PSU ELB3 L1200	Wide beam
88312900	WT120C G2 LED40S/840 PSD ELB3 L1200	Wide beam
97576000	WT120C G2 LED40S/840 WIA L1200	Wide beam
97577700	WT120C G2 LED40S/840 WIA ELB3 L1200	Wide beam
97580700	WT120C G2 LED40S/840 WIA TW3 L1200	Wide beam

Order Code	Full Product Name	All-in Type	Correlated Colour Temperature (Nom)	Luminous efficacy (rated) (nom.)	Luminous Flux
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	-	4000 K	140 lm/W	8,000 lm
75430099	WT120C G2 LED100S/840 PSU L1500	-	4000 K	160 lm/W	10,000 lm
75431799	WT120C G2 LED120S/840 PSU L1500	-	4000 K	160 lm/W	12,000 lm
75435599	WT120C G2 LED100S/840 PSD L1500	-	4000 K	160 lm/W	10,000 lm
75436299	WT120C G2 LED120S/840 PSD L1500	-	4000 K	160 lm/W	12,000 lm
84047399	WT120C G2 LED34S/840 PSU L1500	-	4000 K	140 lm/W	3,400 lm
84049700	WT120C G2 LED60S/840 PSU L1500	-	4000 K	140 lm/W	6,000 lm
40928900	WT120C G2 LED80S/840 PSU L1500	-	4000 K	140 lm/W	8,000 lm
36934199	WT120C G2 LED34S/865 PSU L1500	-	6500 K	139 lm/W	3,400 lm
36935899	WT120C G2 LED60S/865 PSU L1500	-	6500 K	140 lm/W	6,000 lm

Order Code	Full Product Name	Optic type
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	Beam angle 110°
91687299	WT120C G2 LED40S/840 PSU TW3 L1200	Beam angle 110°
75428799	WT120C G2 LED60S/840 PSU L1200	Symmetrical
75429499	WT120C G2 LED80S/840 PSU L1200	Symmetrical
75433199	WT120C G2 LED60S/840 PSD L1200	Symmetrical
75434899	WT120C G2 LED80S/840 PSD L1200	Symmetrical
84046600	WT120C G2 LED27S/840 PSU L1200	Wide beam
84048099	WT120C G2 LED40S/840 PSU L1200	Wide beam
36933499	WT120C G2 LED40S/865 PSU L1200	Wide beam
50019899	WT120C G2 LED27_45S/840 PSU L1200	Symmetrical
96244900	WT120C G2 LED19S/840 PSU MDU L600	Wide beam
88306800	WT120C G2 LED19S/840 PSD L600	Wide beam
75426399	WT120C G2 LED20S/840 PSU L600	Symmetrical
75427099	WT120C G2 LED40S/840 PSU L600	Symmetrical
75432499	WT120C G2 LED40S/840 PSD L600	Symmetrical

CoreLine Waterproof

Order Code	Full Product Name	Optic type
84045900	WT120C G2 LED19S/840 PSU L600	Wide beam
50020499	WT120C G2 LED37_60S/840 PSU L1500	Symmetrical
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	Wide beam
96267800	WT120C G2 LED34S/840 PSU MDU L1500	Wide beam
88308200	WT120C G2 LED34S/840 PSD L1500	Wide beam
85420300	WT120C G2 LED34S/840 PSU ELB3 L1500	Wide beam
88313600	WT120C G2 LED34S/840 PSD ELB3 L1500	Wide beam
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	Wide beam
96275300	WT120C G2 LED60S/840 PSU MDU L1500	Wide beam
16318100	WT120C G2 LED60S/840 PSU WEC L1500	Wide beam
16319800	WT120C G2 LED60S/840 PSU TW1 WEC L1500	Wide beam
88310500	WT120C G2 LED60S/840 PSD L1500	Wide beam
85421000	WT120C G2 LED60S/840 PSU ELB3 L1500	Wide beam
88314300	WT120C G2 LED60S/840 PSD ELB3 L1500	Wide beam
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	Wide beam
96286900	WT120C G2 LED80S/840 PSU MDU L1500	Wide beam
40929600	WT120C G2 LED80S/840 PSD L1500	Wide beam

Order Code	Full Product Name	Optic type
40931900	WT120C G2 LED80S/840 PSU L1500 ELB3	Wide beam
97578400	WT120C G2 LED65S/840 WIA L1500	Wide beam
97579100	WT120C G2 LED65S/840 WIA ELB3 L1500	Wide beam
97581400	WT120C G2 LED65S/840 WIA TW3 L1500	Wide beam
96534800	WT120C G2 LED80S/840 WIA L1500	Wide beam
91686599	WT120C G2 LED34S/840 PSU TW3 L1500	Beam angle 110°
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	Beam angle 110°
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	Beam angle 110°
75430099	WT120C G2 LED100S/840 PSU L1500	Symmetrical
75431799	WT120C G2 LED120S/840 PSU L1500	Symmetrical
75435599	WT120C G2 LED100S/840 PSD L1500	Symmetrical
75436299	WT120C G2 LED120S/840 PSD L1500	Symmetrical
84047399	WT120C G2 LED34S/840 PSU L1500	Wide beam
84049700	WT120C G2 LED60S/840 PSU L1500	Wide beam
40928900	WT120C G2 LED80S/840 PSU L1500	Wide beam
36934199	WT120C G2 LED34S/865 PSU L1500	Wide beam
36935899	WT120C G2 LED60S/865 PSU L1500	Wide beam

Operating and Electrical

Order Code	Full Product Name	Power		Suitable for random switching
		Input Voltage	Consumption	
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	220 to 240 V	21.5 W	Not applicable
96248700	WT120C G2 LED27S/840 PSU MDU L1200	220 to 240 V	22 W	Yes
85418000	WT120C G2 LED27S/840 PSU ELB3 L1200	220 to 240 V	26 W	Not applicable
88307500	WT120C G2 LED27S/840 PSD L1200	220 to 240 V	22 W	Not applicable
88311200	WT120C G2 LED27S/840 PSD ELB3 L1200	220 to 240 V	27 W	Not applicable
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	220 to 240 V	30 W	Not applicable
96256200	WT120C G2 LED40S/840 PSU MDU L1200	220 to 240 V	30.5 W	Yes
16316700	WT120C G2 LED40S/840 PSU WEC L1200	220 to 240 V	29 W	Not applicable
16317400	WT120C G2 LED40S/840 PSU TW1 WEC L1200	220 to 240 V	29.5 W	Not applicable
88309900	WT120C G2 LED40S/840 PSD L1200	220 to 240 V	30.5 W	Not applicable
85419700	WT120C G2 LED40S/840 PSU ELB3 L1200	220 to 240 V	33 W	Not applicable
88312900	WT120C G2 LED40S/840 PSD ELB3 L1200	220 to 240 V	35.5 W	Not applicable
97576000	WT120C G2 LED40S/840 WIA L1200	220 to 240 V	30 W	Not applicable
97577700	WT120C G2 LED40S/840 WIA ELB3 L1200	220 to 240 V	33 W	Not applicable

Order Code	Full Product Name	Power		Suitable for random switching
		Input Voltage	Consumption	
97580700	WT120C G2 LED40S/840 WIA TW3 L1200	220 to 240 V	30 W	Not applicable
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	220 to 240 V	20.5 W	Not applicable
91687299	WT120C G2 LED40S/840 PSU TW3 L1200	220 to 240 V	28.5 W	Not applicable
75428799	WT120C G2 LED60S/840 PSU L1200	220 to 240 V	37.5 W	No
75429499	WT120C G2 LED80S/840 PSU L1200	220 to 240 V	50 W	No
75433199	WT120C G2 LED60S/840 PSD L1200	220 to 240 V	37.5 W	No
75434899	WT120C G2 LED80S/840 PSD L1200	220 to 240 V	50 W	No
84046600	WT120C G2 LED27S/840 PSU L1200	220 to 240 V	20.5 W	Not applicable
84048099	WT120C G2 LED40S/840 PSU L1200	220 to 240 V	28.6 W	Not applicable
36933499	WT120C G2 LED40S/865 PSU L1200	220 to 240 V	28.5 W	Not applicable
50019899	WT120C G2 LED27_45S/840 PSU L1200	220 to 240 V	32 W	Yes
96244900	WT120C G2 LED19S/840 PSU MDU L600	220 to 240 V	16.4 W	Yes
88306800	WT120C G2 LED19S/840 PSD L600	220 to 240 V	16.5 W	Not applicable
75426399	WT120C G2 LED20S/840 PSU L600	220 to 240 V	12.8 W	No

CoreLine Waterproof

Order Code	Full Product Name	Input Voltage	Power	Suitable for random switching
			Consumption	
75427099	WT120C G2 LED40S/840 PSU L600	220 to 240 V	25 W	No
75432499	WT120C G2 LED40S/840 PSD L600	220 to 240 V	25 W	No
84045900	WT120C G2 LED19S/840 PSU L600	220 to 240 V	15 W	Not applicable
50020499	WT120C G2 LED37_60S/840 PSU L1500	220 to 240 V	43 W	Yes
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	220 to 240 V	25.5 W	Not applicable
96267800	WT120C G2 LED34S/840 PSU MDU L1500	220 to 240 V	26 W	Yes
88308200	WT120C G2 LED34S/840 PSD L1500	220 to 240 V	26 W	Not applicable
85420300	WT120C G2 LED34S/840 PSU ELB3 L1500	220 to 240 V	30 W	Not applicable
88313600	WT120C G2 LED34S/840 PSD ELB3 L1500	220 to 240 V	31 W	Not applicable
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	220 to 240 V	44.5 W	Not applicable
96275300	WT120C G2 LED60S/840 PSU MDU L1500	220 to 240 V	45 W	Yes
16318100	WT120C G2 LED60S/840 PSU WEC L1500	220 to 240 V	44.5 W	Not applicable
16319800	WT120C G2 LED60S/840 PSU TW1 WEC L1500	220 to 240 V	44 W	Not applicable
88310500	WT120C G2 LED60S/840 PSD L1500	220 to 240 V	45 W	Not applicable
85421000	WT120C G2 LED60S/840 PSU ELB3 L1500	220 to 240 V	49.5 W	Not applicable
88314300	WT120C G2 LED60S/840 PSD ELB3 L1500	220 to 240 V	49.5 W	Not applicable
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	220 to 240 V	60 W	Not applicable
96286900	WT120C G2 LED80S/840 PSU MDU L1500	220 to 240 V	61 W	Yes

Controls and Dimming

Order Code	Full Product Name	Dimmable	Embedded	Maximum dim level
			control	
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	No	-	Not applicable
96248700	WT120C G2 LED27S/840 PSU MDU L1200	Yes	Movement and light sensor (On/Off)	Not applicable
85418000	WT120C G2 LED27S/840 PSU ELB3 L1200	No	-	Not applicable

Order Code	Full Product Name	Input Voltage	Power	Suitable for random switching
			Consumption	
40929600	WT120C G2 LED80S/840 PSD L1500	220 to 240 V	62 W	Not applicable
40931900	WT120C G2 LED80S/840 PSU L1500 ELB3	220 to 240 V	63.5 W	Not applicable
97578400	WT120C G2 LED65S/840 WIA L1500	220 to 240 V	45 W	Not applicable
97579100	WT120C G2 LED65S/840 WIA ELB3 L1500	220 to 240 V	48 W	Not applicable
97581400	WT120C G2 LED65S/840 WIA TW3 L1500	220 to 240 V	46 W	Not applicable
96534800	WT120C G2 LED80S/840 WIA L1500	220-240 V	61 W	Not applicable
91686599	WT120C G2 LED34S/840 PSU TW3 L1500	220 to 240 V	24.5 W	Not applicable
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	220 to 240 V	43 W	Not applicable
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	220 to 240 V	57 W	Not applicable
75430099	WT120C G2 LED100S/840 PSU L1500	220 to 240 V	62 W	No
75431799	WT120C G2 LED120S/840 PSU L1500	220 to 240 V	75 W	No
75435599	WT120C G2 LED100S/840 PSD L1500	220 to 240 V	62 W	No
75436299	WT120C G2 LED120S/840 PSD L1500	220 to 240 V	75 W	No
84047399	WT120C G2 LED34S/840 PSU L1500	220 to 240 V	24.3 W	Not applicable
84049700	WT120C G2 LED60S/840 PSU L1500	220 to 240 V	42.9 W	Not applicable
40928900	WT120C G2 LED80S/840 PSU L1500	220 to 240 V	57.1 W	Not applicable
36934199	WT120C G2 LED34S/865 PSU L1500	220 to 240 V	24.5 W	Not applicable
36935899	WT120C G2 LED60S/865 PSU L1500	220 to 240 V	43 W	Not applicable

CoreLine Waterproof

Order Code	Full Product Name	Dimmable	Embedded control	Maximum dim level
96256200	WT120C G2 LED40S/840 PSU MDU L1200	Yes	Movement and light sensor (On/Off)	Not applicable
16316700	WT120C G2 LED40S/840 PSU WEC L1200	No	-	Not applicable
16317400	WT120C G2 LED40S/840 PSU TW1 WEC L1200	No	-	Not applicable
88309900	WT120C G2 LED40S/840 PSD L1200	Yes	-	1%
85419700	WT120C G2 LED40S/840 PSU ELB3 L1200	No	-	Not applicable
88312900	WT120C G2 LED40S/840 PSD ELB3 L1200	Yes	-	1%
97576000	WT120C G2 LED40S/840 WIA L1200	Yes	-	10%
97577700	WT120C G2 LED40S/840 WIA ELB3 L1200	Yes	-	10%
97580700	WT120C G2 LED40S/840 WIA TW3 L1200	Yes	-	10%
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	No	-	Not applicable
91687299	WT120C G2 LED40S/840 PSU TW3 L1200	No	-	Not applicable
75428799	WT120C G2 LED60S/840 PSU L1200	No	-	-
75429499	WT120C G2 LED80S/840 PSU L1200	No	-	-
75433199	WT120C G2 LED60S/840 PSD L1200	Yes	-	-
75434899	WT120C G2 LED80S/840 PSD L1200	Yes	-	-
84046600	WT120C G2 LED27S/840 PSU L1200	No	-	Not applicable
84048099	WT120C G2 LED40S/840 PSU L1200	No	-	Not applicable
36933499	WT120C G2 LED40S/865 PSU L1200	No	-	Not applicable
50019899	WT120C G2 LED27_45S/840 PSU L1200	No	-	-
96244900	WT120C G2 LED19S/840 PSU MDU L600	Yes	Movement and light sensor (On/Off)	Not applicable
88306800	WT120C G2 LED19S/840 PSD L600	Yes	-	1%
75426399	WT120C G2 LED20S/840 PSU L600	No	-	-
75427099	WT120C G2 LED40S/840 PSU L600	No	-	-
75432499	WT120C G2 LED40S/840 PSD L600	Yes	-	-

Order Code	Full Product Name	Dimmable	Embedded control	Maximum dim level
84045900	WT120C G2 LED19S/840 PSU L600	No	-	Not applicable
50020499	WT120C G2 LED37_60S/840 PSU L1500	No	-	-
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	No	-	Not applicable
96267800	WT120C G2 LED34S/840 PSU MDU L1500	Yes	Movement and light sensor (On/Off)	Not applicable
88308200	WT120C G2 LED34S/840 PSD L1500	Yes	-	1%
85420300	WT120C G2 LED34S/840 PSU ELB3 L1500	No	-	Not applicable
88313600	WT120C G2 LED34S/840 PSD ELB3 L1500	Yes	-	1%
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	No	-	Not applicable
96275300	WT120C G2 LED60S/840 PSU MDU L1500	Yes	Movement and light sensor (On/Off)	Not applicable
16318100	WT120C G2 LED60S/840 PSU WEC L1500	No	-	Not applicable
16319800	WT120C G2 LED60S/840 PSU TW1 WEC L1500	No	-	Not applicable
88310500	WT120C G2 LED60S/840 PSD L1500	Yes	-	1%
85421000	WT120C G2 LED60S/840 PSU ELB3 L1500	No	-	Not applicable
88314300	WT120C G2 LED60S/840 PSD ELB3 L1500	Yes	-	1%
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	No	-	Not applicable
96286900	WT120C G2 LED80S/840 PSU MDU L1500	Yes	Movement and light sensor (On/Off)	Not applicable
40929600	WT120C G2 LED80S/840 PSD L1500	Yes	-	1%
40931900	WT120C G2 LED80S/840 PSU L1500 ELB3	No	-	Not applicable
97578400	WT120C G2 LED65S/840 WIA L1500	Yes	-	10%
97579100	WT120C G2 LED65S/840 WIA ELB3 L1500	Yes	-	10%
97581400	WT120C G2 LED65S/840 WIA TW3 L1500	Yes	-	10%
96534800	WT120C G2 LED80S/840 WIA L1500	Yes	-	10%
91686599	WT120C G2 LED34S/840 PSU TW3 L1500	No	-	Not applicable
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	No	-	Not applicable

CoreLine Waterproof

Order Code	Full Product Name	Dimmable	Embedded control	Maximum dim level
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	No	-	Not applicable
75430099	WT120C G2 LED100S/840 PSU L1500	No	-	-
75431799	WT120C G2 LED120S/840 PSU L1500	No	-	-
75435599	WT120C G2 LED100S/840 PSD L1500	Yes	-	-
75436299	WT120C G2 LED120S/840 PSD L1500	Yes	-	-

Order Code	Full Product Name	Dimmable	Embedded control	Maximum dim level
84047399	WT120C G2 LED34S/840 PSU L1500	No	-	Not applicable
84049700	WT120C G2 LED60S/840 PSU L1500	No	-	Not applicable
40928900	WT120C G2 LED80S/840 PSU L1500	No	-	Not applicable
36934199	WT120C G2 LED34S/865 PSU L1500	No	-	Not applicable
36935899	WT120C G2 LED60S/865 PSU L1500	No	-	Not applicable

Emergency Operation (1/2)

Order Code	Full Product Name	Central Emergency	Emergency lighting	Emergency flux	Type of emergency lighting battery
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	-	-	-	-
96248700	WT120C G2 LED27S/840 PSU MDU L1200	-	-	-	-
85418000	WT120C G2 LED27S/840 PSU ELB3 L1200	No	Emergency lighting 3-hours duration basic version	500 lm	Lithium
88307500	WT120C G2 LED27S/840 PSD L1200	-	-	-	-
88311200	WT120C G2 LED27S/840 PSD ELB3 L1200	No	Emergency lighting 3-hours duration basic version	500 lm	Lithium
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	-	-	-	-
96256200	WT120C G2 LED40S/840 PSU MDU L1200	-	-	-	-
16316700	WT120C G2 LED40S/840 PSU WEC L1200	-	-	-	-
16317400	WT120C G2 LED40S/840 PSU TW1 WEC L1200	-	-	-	-
88309900	WT120C G2 LED40S/840 PSD L1200	-	-	-	-

Order Code	Full Product Name	Central Emergency	Emergency lighting	Emergency flux	Type of emergency lighting battery
85419700	WT120C G2 LED40S/840 PSU ELB3 L1200	No	Emergency lighting 3-hours duration basic version	500 lm	Lithium
88312900	WT120C G2 LED40S/840 PSD ELB3 L1200	No	Emergency lighting 3-hours duration basic version	500 lm	Lithium
97576000	WT120C G2 LED40S/840 WIA L1200	-	-	-	-
97577700	WT120C G2 LED40S/840 WIA ELB3 L1200	No	Emergency lighting 3-hours duration basic version	500 lm	Lithium
97580700	WT120C G2 LED40S/840 WIA TW3 L1200	-	-	-	-
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	-	-	-	-
91687299	WT120C G2 LED40S/840 PSU TW3 L1200	-	-	-	-
75428799	WT120C G2 LED60S/840 PSU L1200	No	-	-	-
75429499	WT120C G2 LED80S/840 PSU L1200	No	-	-	-

CoreLine Waterproof

Order Code	Full Product Name	Central Emergency	Emergency lighting	Emergency flux	Type of emergency lighting battery
75433199	WT120C G2 LED60S/840 PSD L1200	No	-	-	-
75434899	WT120C G2 LED80S/840 PSD L1200	No	-	-	-
84046600	WT120C G2 LED27S/840 PSU L1200	-	-	-	-
84048099	WT120C G2 LED40S/840 PSU L1200	-	-	-	-
36933499	WT120C G2 LED40S/86S PSU L1200	-	-	-	-
50019899	WT120C G2 LED27_45S/840 PSU L1200	-	-	-	-
96244900	WT120C G2 LED19S/840 PSU MDU L600	-	-	-	-
88306800	WT120C G2 LED19S/840 PSD L600	-	-	-	-
75426399	WT120C G2 LED20S/840 PSU L600	No	-	-	-
75427099	WT120C G2 LED40S/840 PSU L600	No	-	-	-
75432499	WT120C G2 LED40S/840 PSD L600	No	-	-	-
84045900	WT120C G2 LED19S/840 PSU L600	-	-	-	-
50020499	WT120C G2 LED37_60S/840 PSU L1500	-	-	-	-
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	-	-	-	-
96267800	WT120C G2 LED34S/840 PSU MDU L1500	-	-	-	-
88308200	WT120C G2 LED34S/840 PSD L1500	-	-	-	-

Order Code	Full Product Name	Central Emergency	Emergency lighting	Emergency flux	Type of emergency lighting battery
85420300	WT120C G2 LED34S/840 PSU ELB3 L1500	No	Emergency lighting 3- hours duration basic version	500 lm	Lithium
88313600	WT120C G2 LED34S/840 PSD ELB3 L1500	No	Emergency lighting 3- hours duration basic version	500 lm	Lithium
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	-	-	-	-
96275300	WT120C G2 LED60S/840 PSU MDU L1500	-	-	-	-
16318100	WT120C G2 LED60S/840 PSU WEC L1500	-	-	-	-
16319800	WT120C G2 LED60S/840 PSU TW1 WEC L1500	-	-	-	-
88310500	WT120C G2 LED60S/840 PSD L1500	-	-	-	-
85421000	WT120C G2 LED60S/840 PSU ELB3 L1500	No	Emergency lighting 3- hours duration basic version	500 lm	Lithium
88314300	WT120C G2 LED60S/840 PSD ELB3 L1500	No	Emergency lighting 3- hours duration basic version	500 lm	Lithium
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	-	-	-	-
96286900	WT120C G2 LED80S/840 PSU MDU L1500	-	-	-	-
40929600	WT120C G2 LED80S/840 PSD L1500	-	-	-	-
40931900	WT120C G2 LED80S/840 PSU L1500 ELB3	No	Emergency lighting 3- hours duration basic version	500 lm	Lithium

CoreLine Waterproof

Order Code	Full Product Name	Central	Emergency	Emergency	Type of
		Emergency	lighting	flux	emergency
					lighting
					battery
97578400	WT120C G2 LED65S/840 WIA L1500	-	-	-	-
97579100	WT120C G2 LED65S/840 WIA ELB3 L1500	No	Emergency lighting 3- hours duration basic version	500 lm	Lithium
97581400	WT120C G2 LED65S/840 WIA TW3 L1500	-	-	-	-
96534800	WT120C G2 LED80S/840 WIA L1500	-	-	-	-
91686599	WT120C G2 LED34S/840 PSU TW3 L1500	-	-	-	-
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	-	-	-	-
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	-	-	-	-
75430099	WT120C G2 LED100S/840 PSU L1500	No	-	-	-

Emergency Operation (2/2)

Order Code	Full Product Name	Rated duration of the	
		emergency lighting (when	
		fully charged)	
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	-	
96248700	WT120C G2 LED27S/840 PSU MDU L1200	-	
85418000	WT120C G2 LED27S/840 PSU ELB3 L1200	3 h	
88307500	WT120C G2 LED27S/840 PSD L1200	-	
88311200	WT120C G2 LED27S/840 PSD ELB3 L1200	3 h	
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	-	
96256200	WT120C G2 LED40S/840 PSU MDU L1200	-	
16316700	WT120C G2 LED40S/840 PSU WEC L1200	-	
16317400	WT120C G2 LED40S/840 PSU TW1 WEC L1200	-	
88309900	WT120C G2 LED40S/840 PSD L1200	-	
85419700	WT120C G2 LED40S/840 PSU ELB3 L1200	3 h	
88312900	WT120C G2 LED40S/840 PSD ELB3 L1200	3 h	
97576000	WT120C G2 LED40S/840 WIA L1200	-	
97577700	WT120C G2 LED40S/840 WIA ELB3 L1200	3 h	
97580700	WT120C G2 LED40S/840 WIA TW3 L1200	-	
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	-	
91687299	WT120C G2 LED40S/840 PSU TW3 L1200	-	

Order Code	Full Product Name	Central	Emergency	Emergency	Type of
		Emergency	lighting	flux	emergency
					lighting
					battery
75431799	WT120C G2 LED120S/840 PSU L1500	No	-	-	-
75435599	WT120C G2 LED100S/840 PSD L1500	No	-	-	-
75436299	WT120C G2 LED120S/840 PSD L1500	No	-	-	-
84047399	WT120C G2 LED34S/840 PSU L1500	-	-	-	-
84049700	WT120C G2 LED60S/840 PSU L1500	-	-	-	-
40928900	WT120C G2 LED80S/840 PSU L1500	-	-	-	-
36934199	WT120C G2 LED34S/865 PSU L1500	-	-	-	-
36935899	WT120C G2 LED60S/865 PSU L1500	-	-	-	-

Order Code	Full Product Name	Rated duration of the	
		emergency lighting (when	
		fully charged)	
75428799	WT120C G2 LED60S/840 PSU L1200	-	
75429499	WT120C G2 LED80S/840 PSU L1200	-	
75433199	WT120C G2 LED60S/840 PSD L1200	-	
75434899	WT120C G2 LED80S/840 PSD L1200	-	
84046600	WT120C G2 LED27S/840 PSU L1200	-	
84048099	WT120C G2 LED40S/840 PSU L1200	-	
36933499	WT120C G2 LED40S/865 PSU L1200	-	
50019899	WT120C G2 LED27_45S/840 PSU L1200	-	
96244900	WT120C G2 LED19S/840 PSU MDU L600	-	
88306800	WT120C G2 LED19S/840 PSD L600	-	
75426399	WT120C G2 LED20S/840 PSU L600	-	
75427099	WT120C G2 LED40S/840 PSU L600	-	
75432499	WT120C G2 LED40S/840 PSD L600	-	
84045900	WT120C G2 LED19S/840 PSU L600	-	
50020499	WT120C G2 LED37_60S/840 PSU L1500	-	
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	-	
96267800	WT120C G2 LED34S/840 PSU MDU L1500	-	

Order Code	Full Product Name	Rated duration of the emergency lighting (when fully charged)
88308200	WT120C G2 LED34S/840 PSD L1500	-
85420300	WT120C G2 LED34S/840 PSU ELB3 L1500	3 h
88313600	WT120C G2 LED34S/840 PSD ELB3 L1500	3 h
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	-
96275300	WT120C G2 LED60S/840 PSU MDU L1500	-
16318100	WT120C G2 LED60S/840 PSU WEC L1500	-
16319800	WT120C G2 LED60S/840 PSU TW1 WEC L1500	-
88310500	WT120C G2 LED60S/840 PSD L1500	-
85421000	WT120C G2 LED60S/840 PSU ELB3 L1500	3 h
88314300	WT120C G2 LED60S/840 PSD ELB3 L1500	3 h
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	-
96286900	WT120C G2 LED80S/840 PSU MDU L1500	-
40929600	WT120C G2 LED80S/840 PSD L1500	-
40931900	WT120C G2 LED80S/840 PSU L1500 ELB3	3 h
97578400	WT120C G2 LED65S/840 WIA L1500	-

Order Code	Full Product Name	Rated duration of the emergency lighting (when fully charged)
97579100	WT120C G2 LED65S/840 WIA ELB3 L1500	3 h
97581400	WT120C G2 LED65S/840 WIA TW3 L1500	-
96534800	WT120C G2 LED80S/840 WIA L1500	-
91686599	WT120C G2 LED34S/840 PSU TW3 L1500	-
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	-
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	-
75430099	WT120C G2 LED100S/840 PSU L1500	-
75431799	WT120C G2 LED120S/840 PSU L1500	-
75435599	WT120C G2 LED100S/840 PSD L1500	-
75436299	WT120C G2 LED120S/840 PSD L1500	-
84047399	WT120C G2 LED34S/840 PSU L1500	-
84049700	WT120C G2 LED60S/840 PSU L1500	-
40928900	WT120C G2 LED80S/840 PSU L1500	-
36934199	WT120C G2 LED34S/865 PSU L1500	-
36935899	WT120C G2 LED60S/865 PSU L1500	-

Approval and Application

Order Code	Full Product Name	Ambient temperature range	Flammability mark	Flickering value (PstLM)	Stroboscopic effect
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	-20 to +35 °C	For mounting on easily flammable surfaces	1	1.6
96248700	WT120C G2 LED27S/840 PSU MDU L1200	-20 to +35 °C	For mounting on easily flammable surfaces	1	1.6
85418000	WT120C G2 LED27S/840 PSU ELB3 L1200	0 to +25 °C	For mounting on easily flammable surfaces	1	1.6
88307500	WT120C G2 LED27S/840 PSD L1200	-20 to +35 °C	For mounting on easily flammable surfaces	1	1.6
88311200	WT120C G2 LED27S/840 PSD ELB3 L1200	0 to +25 °C	For mounting on easily flammable surfaces	1	1.6
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	-20 to +35 °C	For mounting on easily flammable surfaces	1	1.6
96256200	WT120C G2 LED40S/840 PSU MDU L1200	-20 to +35 °C	For mounting on easily flammable surfaces	1	1.6

Order Code	Full Product Name	Ambient temperature range	Flammability mark	Flickering value (PstLM)	Stroboscopic effect
16316700	WT120C G2 LED40S/840 PSU WEC L1200	-20 to +35 °C	For mounting on easily flammable surfaces	1	1.6
16317400	WT120C G2 LED40S/840 PSU TW1 WEC L1200	-20 to +35 °C	For mounting on easily flammable surfaces	1	1.6
88309900	WT120C G2 LED40S/840 PSD L1200	-20 to +35 °C	For mounting on easily flammable surfaces	1	1.6
85419700	WT120C G2 LED40S/840 PSU ELB3 L1200	0 to +25 °C	For mounting on easily flammable surfaces	1	1.6
88312900	WT120C G2 LED40S/840 PSD ELB3 L1200	0 to +25 °C	For mounting on easily flammable surfaces	1	1.6
97576000	WT120C G2 LED40S/840 WIA L1200	-20 to +35 °C	For mounting on easily flammable surfaces	1	1.6
97577700	WT120C G2 LED40S/840 WIA ELB3 L1200	0 to +25 °C	For mounting on easily flammable surfaces	1	1.6

CoreLine Waterproof

Order Code	Full Product Name	Ambient temperature range	Flammability mark	Flickering value (PstLM)	Stroboscopic effect
97580700	WT120C G2 LED40S/840 WIA TW3 L1200	-20 to +35 °C	For mounting on easily flammable surfaces	1	1.6
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	-20 to +40 °C	For mounting on easily flammable surfaces	1	1.6
91687299	WT120C G2 LED40S/840 PSU TW3 L1200	-20 to +40 °C	For mounting on easily flammable surfaces	1	1.6
75428799	WT120C G2 LED60S/840 PSU L1200	-20 to +40 °C	For mounting on easily flammable surfaces	-	0.4
75429499	WT120C G2 LED80S/840 PSU L1200	-20 to +40 °C	For mounting on easily flammable surfaces	-	0.4
75433199	WT120C G2 LED60S/840 PSD L1200	-20 to +40 °C	For mounting on easily flammable surfaces	-	0.4
75434899	WT120C G2 LED80S/840 PSD L1200	-20 to +40 °C	For mounting on easily flammable surfaces	-	0.4
84046600	WT120C G2 LED27S/840 PSU L1200	-20 to +40 °C	For mounting on easily flammable surfaces	1	1.6
84048099	WT120C G2 LED40S/840 PSU L1200	-20 to +40 °C	For mounting on easily flammable surfaces	1	1.6
36933499	WT120C G2 LED40S/865 PSU L1200	-20 to +40 °C	For mounting on easily flammable surfaces	1	1.6
50019899	WT120C G2 LED27_45S/84 O PSU L1200	-20 to +40 °C	For mounting on normally flammable surfaces	1	0.4
96244900	WT120C G2 LED19S/840 PSU MDU L600	-20 to +35 °C	For mounting on easily flammable surfaces	1	1.6

Order Code	Full Product Name	Ambient temperature range	Flammability mark	Flickering value (PstLM)	Stroboscopic effect
88306800	WT120C G2 LED19S/840 PSD L600	-20 to +35 °C	For mounting on easily flammable surfaces	1	1.6
75426399	WT120C G2 LED20S/840 PSU L600	-20 to +40 °C	For mounting on easily flammable surfaces	-	0.4
75427099	WT120C G2 LED40S/840 PSU L600	-20 to +40 °C	For mounting on easily flammable surfaces	-	0.4
75432499	WT120C G2 LED40S/840 PSD L600	-20 to +40 °C	For mounting on easily flammable surfaces	-	0.4
84045900	WT120C G2 LED19S/840 PSU L600	-20 to +40 °C	For mounting on easily flammable surfaces	1	1.6
50020499	WT120C G2 LED37_60S/84 O PSU L1500	-20 to +40 °C	For mounting on normally flammable surfaces	1	0.4
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	-20 to +35 °C	For mounting on easily flammable surfaces	1	1.6
96267800	WT120C G2 LED34S/840 PSU MDU L1500	-20 to +35 °C	For mounting on easily flammable surfaces	1	1.6
88308200	WT120C G2 LED34S/840 PSD L1500	-20 to +35 °C	For mounting on easily flammable surfaces	1	1.6
85420300	WT120C G2 LED34S/840 PSU ELB3 L1500	0 to +25 °C	For mounting on easily flammable surfaces	1	1.6
88313600	WT120C G2 LED34S/840 PSD ELB3 L1500	0 to +25 °C	For mounting on easily flammable surfaces	1	1.6
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	-20 to +35 °C	For mounting on easily flammable surfaces	1	1.6
96275300	WT120C G2 LED60S/840	-20 to +35 °C	For mounting on easily	1	1.6

CoreLine Waterproof

Order Code	Full Product Name	Ambient temperature range	Flammability mark	Flickering value (PstLM)	Stroboscopic effect
16318100	PSU MDU L1500	-20 to +35 °C	flammable surfaces	1	1.6
	WT120C G2		For mounting		
	LED60S/840		on easily		
16319800	PSU WEC L1500	-20 to +35 °C	flammable surfaces	1	1.6
	WT120C G2		For mounting		
	LED60S/840		on easily		
88310500	PSU TW1 WEC L1500	-20 to +35 °C	flammable surfaces	1	1.6
	WT120C G2		For mounting		
	LED60S/840		on easily		
85421000	PSD L1500	-20 to +35 °C	flammable surfaces	1	1.6
	WT120C G2		For mounting		
	LED60S/840		on easily		
88314300	PSU ELB3 L1500	0 to +25 °C	flammable surfaces	1	1.6
	WT120C G2		For mounting		
	LED60S/840		on easily		
40930200	PSD ELB3 L1500	0 to +25 °C	flammable surfaces	1	1.6
	WT120C G2		For mounting		
	LED60S/840		on easily		
96286900	PSU TW3 L1500	-20 to +35 °C	flammable surfaces	1	1.6
	WT120C G2		For mounting		
	LED80S/840		on easily		
40929600	PSU MDU L1500	-20 to +35 °C	flammable surfaces	1	1.6
	WT120C G2		For mounting		
	LED80S/840		on easily		
40931900	PSD L1500	-20 to +35 °C	flammable surfaces	1	1.6
	WT120C G2		For mounting		
	LED80S/840		on easily		
97578400	PSU L1500 ELB3	0 to +25 °C	flammable surfaces	1	1.6
	WT120C G2		For mounting		
	LED65S/840		on easily		
97579100	WIA L1500	-20 to +35 °C	flammable surfaces	1	1.6
	WT120C G2		For mounting		
	LED65S/840		on easily		
97581400	WIA ELB3 L1500	0 to +25 °C	flammable surfaces	1	1.6
	WT120C G2		For mounting		
	LED65S/840		on easily		
	WIA TW3 L1500	-20 to +35 °C	flammable surfaces	1	1.6
	WT120C G2		For mounting		
	LED65S/840		on easily		

Order Code	Full Product Name	Ambient temperature range	Flammability mark	Flickering value (PstLM)	Stroboscopic effect
96534800	WT120C G2	-20 to +35 °C	For mounting	1	1.6
	LED80S/840		on easily		
	WIA L1500		flammable surfaces		
91686599	WT120C G2	-20 to +40 °C	For mounting	1	1.6
	LED34S/840		on easily		
	PSU TW3 L1500		flammable surfaces		
91688900	WT120C G2	-20 to +40 °C	For mounting	1	1.6
	LED60S/840		on easily		
	PSU TW3 L1500		flammable surfaces		
40930200	WT120C G2	-20 to +40 °C	For mounting	1	1.6
	LED80S/840		on easily		
	PSU TW3 L1500		flammable surfaces		
75430099	WT120C G2	-20 to +40 °C	For mounting	-	0.4
	LED100S/840		on easily		
	PSU L1500		flammable surfaces		
75431799	WT120C G2	-20 to +40 °C	For mounting	-	0.4
	LED120S/840		on easily		
	PSU L1500		flammable surfaces		
75435599	WT120C G2	-20 to +40 °C	For mounting	-	0.4
	LED100S/840		on easily		
	PSD L1500		flammable surfaces		
75436299	WT120C G2	-20 to +40 °C	For mounting	-	0.4
	LED120S/840		on easily		
	PSD L1500		flammable surfaces		
84047399	WT120C G2	-20 to +40 °C	For mounting	1	1.6
	LED34S/840		on easily		
	PSU L1500		flammable surfaces		
84049700	WT120C G2	-20 to +40 °C	For mounting	1	1.6
	LED60S/840		on easily		
	PSU L1500		flammable surfaces		
40928900	WT120C G2	-20 to +40 °C	For mounting	1	1.6
	LED80S/840		on easily		
	PSU L1500		flammable surfaces		
36934199	WT120C G2	-20 to +40 °C	For mounting	1	1.6
	LED34S/865		on easily		
	PSU L1500		flammable surfaces		

CoreLine Waterproof

Order Code	Full Product Name	Ambient	Flammability mark	Flickering	
		temperature range		value (PstLM)	Stroboscopic effect
36935899	WT120C G2 LED60S/865 PSU L1500	-20 to +40 °C	For mounting on easily flammable surfaces	1	1.6

Initial Performance (IEC Compliant)

Order Code	Full Product Name	Initial chromaticity
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	(0.38,0.38)SDCM<=3
96248700	WT120C G2 LED27S/840 PSU MDU L1200	(0.38,0.38)SDCM<=3
85418000	WT120C G2 LED27S/840 PSU ELB3 L1200	(0.38,0.38)SDCM<=3
88307500	WT120C G2 LED27S/840 PSD L1200	(0.38,0.38)SDCM<=3
88311200	WT120C G2 LED27S/840 PSD ELB3 L1200	(0.38,0.38)SDCM<=3
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	(0.38,0.38)SDCM<=3
96256200	WT120C G2 LED40S/840 PSU MDU L1200	(0.38,0.38)SDCM<=3
16316700	WT120C G2 LED40S/840 PSU WEC L1200	(0.38,0.38)SDCM<=3
16317400	WT120C G2 LED40S/840 PSU TW1 WEC L1200	(0.38,0.38)SDCM<=3
88309900	WT120C G2 LED40S/840 PSD L1200	(0.38,0.38)SDCM<=3
85419700	WT120C G2 LED40S/840 PSU ELB3 L1200	(0.38,0.38)SDCM<=3
88312900	WT120C G2 LED40S/840 PSD ELB3 L1200	(0.38,0.38)SDCM<=3
97576000	WT120C G2 LED40S/840 WIA L1200	(0.38,0.38)SDCM<=3
97577700	WT120C G2 LED40S/840 WIA ELB3 L1200	(0.38,0.38)SDCM<=3
97580700	WT120C G2 LED40S/840 WIA TW3 L1200	(0.38,0.38)SDCM<=3
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	(0.38,0.38)SDCM<=3
91687299	WT120C G2 LED40S/840 PSU TW3 L1200	(0.38,0.38)SDCM<=3
75428799	WT120C G2 LED60S/840 PSU L1200	(0.38,0.38)SDCM≤3
75429499	WT120C G2 LED80S/840 PSU L1200	(0.38,0.38)SDCM≤3
75433199	WT120C G2 LED60S/840 PSD L1200	(0.38,0.38)SDCM≤3
75434899	WT120C G2 LED80S/840 PSD L1200	(0.38,0.38)SDCM≤3
84046600	WT120C G2 LED27S/840 PSU L1200	(0.38,0.38)SDCM<=3
84048099	WT120C G2 LED40S/840 PSU L1200	(0.38,0.38)SDCM<=3
36933499	WT120C G2 LED40S/865 PSU L1200	(0.31,0.32)SDCM<=3
50019899	WT120C G2 LED27_45S/840 PSU L1200	(0.38,0.38)SDCM<=3
96244900	WT120C G2 LED19S/840 PSU MDU L600	(0.38,0.38)SDCM<=3
88306800	WT120C G2 LED19S/840 PSD L600	(0.38,0.38)SDCM<=3
75426399	WT120C G2 LED20S/840 PSU L600	(0.38,0.38)SDCM≤3
75427099	WT120C G2 LED40S/840 PSU L600	(0.38,0.38)SDCM≤3
75432499	WT120C G2 LED40S/840 PSD L600	(0.38,0.38)SDCM≤3
84045900	WT120C G2 LED19S/840 PSU L600	(0.38,0.38)SDCM<=3
50020499	WT120C G2 LED37_60S/840 PSU L1500	(0.38,0.38)SDCM<=3

Order Code	Full Product Name	Initial chromaticity
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	(0.38,0.38)SDCM<=3
96267800	WT120C G2 LED34S/840 PSU MDU L1500	(0.38,0.38)SDCM<=3
88308200	WT120C G2 LED34S/840 PSD L1500	(0.38,0.38)SDCM<=3
85420300	WT120C G2 LED34S/840 PSU ELB3 L1500	(0.38,0.38)SDCM<=3
88313600	WT120C G2 LED34S/840 PSD ELB3 L1500	(0.38,0.38)SDCM<=3
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	(0.38,0.38)SDCM<=3
96275300	WT120C G2 LED60S/840 PSU MDU L1500	(0.38,0.38)SDCM<=3
16318100	WT120C G2 LED60S/840 PSU WEC L1500	(0.38,0.38)SDCM<=3
16319800	WT120C G2 LED60S/840 PSU TW1 WEC L1500	(0.38,0.38)SDCM<=3
88310500	WT120C G2 LED60S/840 PSD L1500	(0.38,0.38)SDCM<=3
85421000	WT120C G2 LED60S/840 PSU ELB3 L1500	(0.38,0.38)SDCM<=3
88314300	WT120C G2 LED60S/840 PSD ELB3 L1500	(0.38,0.38)SDCM<=3
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	(0.38,0.38)SDCM<=3
96286900	WT120C G2 LED80S/840 PSU MDU L1500	(0.38,0.38)SDCM<=3
40929600	WT120C G2 LED80S/840 PSD L1500	(0.38,0.38)SDCM<=3
40931900	WT120C G2 LED80S/840 PSU L1500 ELB3	(0.38,0.38)SDCM<=3
97578400	WT120C G2 LED65S/840 WIA L1500	(0.38,0.38)SDCM<=3
97579100	WT120C G2 LED65S/840 WIA ELB3 L1500	(0.38,0.38)SDCM<=3
97581400	WT120C G2 LED65S/840 WIA TW3 L1500	(0.38,0.38)SDCM<=3
96534800	WT120C G2 LED80S/840 WIA L1500	(0.38,0.38)SDCM<=3
91686599	WT120C G2 LED34S/840 PSU TW3 L1500	(0.38,0.38)SDCM<=3
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	(0.38,0.38)SDCM<=3
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	(0.38,0.38)SDCM<=3
75430099	WT120C G2 LED100S/840 PSU L1500	(0.38,0.38)SDCM≤3
75431799	WT120C G2 LED120S/840 PSU L1500	(0.38,0.38)SDCM≤3
75435599	WT120C G2 LED100S/840 PSD L1500	(0.38,0.38)SDCM≤3
75436299	WT120C G2 LED120S/840 PSD L1500	(0.38,0.38)SDCM≤3
84047399	WT120C G2 LED34S/840 PSU L1500	(0.38,0.38)SDCM<=3
84049700	WT120C G2 LED60S/840 PSU L1500	(0.38,0.38)SDCM<=3
40928900	WT120C G2 LED80S/840 PSU L1500	(0.38,0.38)SDCM<=3
36934199	WT120C G2 LED34S/865 PSU L1500	(0.31,0.32)SDCM<=3
36935899	WT120C G2 LED60S/865 PSU L1500	(0.31,0.32)SDCM<=3

Product Data


Order Code	Full Product Name	Product family code
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	WT130C
96248700	WT120C G2 LED27S/840 PSU MDU L1200	WT130C
85418000	WT120C G2 LED27S/840 PSU ELB3 L1200	WT130C
88307500	WT120C G2 LED27S/840 PSD L1200	WT130C
88311200	WT120C G2 LED27S/840 PSD ELB3 L1200	WT130C

Order Code	Full Product Name	Product family code
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	WT130C
96256200	WT120C G2 LED40S/840 PSU MDU L1200	WT130C
16316700	WT120C G2 LED40S/840 PSU WEC L1200	WT130C
16317400	WT120C G2 LED40S/840 PSU TW1 WEC L1200	WT130C
88309900	WT120C G2 LED40S/840 PSD L1200	WT130C


Order Code	Full Product Name	Product family code
85419700	WT120C G2 LED40S/840 PSU ELB3 L1200	WT130C
88312900	WT120C G2 LED40S/840 PSD ELB3 L1200	WT130C
97576000	WT120C G2 LED40S/840 WIA L1200	WT130C
97577700	WT120C G2 LED40S/840 WIA ELB3 L1200	WT130C
97580700	WT120C G2 LED40S/840 WIA TW3 L1200	WT130C
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	-
91687299	WT120C G2 LED40S/840 PSU TW3 L1200	WT130C
75428799	WT120C G2 LED60S/840 PSU L1200	-
75429499	WT120C G2 LED80S/840 PSU L1200	-
75433199	WT120C G2 LED60S/840 PSD L1200	-
75434899	WT120C G2 LED80S/840 PSD L1200	-
84046600	WT120C G2 LED27S/840 PSU L1200	-
84048099	WT120C G2 LED40S/840 PSU L1200	WT130C
36933499	WT120C G2 LED40S/865 PSU L1200	-
50019899	WT120C G2 LED27_45S/840 PSU L1200	-
96244900	WT120C G2 LED19S/840 PSU MDU L600	WT130C
88306800	WT120C G2 LED19S/840 PSD L600	WT130C
75426399	WT120C G2 LED20S/840 PSU L600	-
75427099	WT120C G2 LED40S/840 PSU L600	-
75432499	WT120C G2 LED40S/840 PSD L600	-
84045900	WT120C G2 LED19S/840 PSU L600	-
50020499	WT120C G2 LED37_60S/840 PSU L1500	-
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	WT130C
96267800	WT120C G2 LED34S/840 PSU MDU L1500	WT130C
88308200	WT120C G2 LED34S/840 PSD L1500	WT130C
85420300	WT120C G2 LED34S/840 PSU ELB3 L1500	WT130C
88313600	WT120C G2 LED34S/840 PSD ELB3 L1500	WT130C

Order Code	Full Product Name	Product family code
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	WT130C
96275300	WT120C G2 LED60S/840 PSU MDU L1500	WT130C
16318100	WT120C G2 LED60S/840 PSU WEC L1500	WT130C
16319800	WT120C G2 LED60S/840 PSU TW1 WEC L1500	WT130C
88310500	WT120C G2 LED60S/840 PSD L1500	WT130C
85421000	WT120C G2 LED60S/840 PSU ELB3 L1500	WT130C
88314300	WT120C G2 LED60S/840 PSD ELB3 L1500	WT130C
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	WT130C
96286900	WT120C G2 LED80S/840 PSU MDU L1500	WT130C
40929600	WT120C G2 LED80S/840 PSD L1500	WT130C
40931900	WT120C G2 LED80S/840 PSU L1500 ELB3	WT130C
97578400	WT120C G2 LED65S/840 WIA L1500	WT130C
97579100	WT120C G2 LED65S/840 WIA ELB3 L1500	WT130C
97581400	WT120C G2 LED65S/840 WIA TW3 L1500	WT130C
96534800	WT120C G2 LED80S/840 WIA L1500	WT130C
91686599	WT120C G2 LED34S/840 PSU TW3 L1500	WT130C
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	-
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	-
75430099	WT120C G2 LED100S/840 PSU L1500	-
75431799	WT120C G2 LED120S/840 PSU L1500	-
75435599	WT120C G2 LED100S/840 PSD L1500	-
75436299	WT120C G2 LED120S/840 PSD L1500	-
84047399	WT120C G2 LED34S/840 PSU L1500	WT130C
84049700	WT120C G2 LED60S/840 PSU L1500	-
40928900	WT120C G2 LED80S/840 PSU L1500	-
36934199	WT120C G2 LED34S/865 PSU L1500	-
36935899	WT120C G2 LED60S/865 PSU L1500	-


Polar Wide Diagrams



Polar Normal (separate) - WT120CI - 910505101272




Polar Normal (separate) - WT120CI - 910505100069




Polar Normal (separate) - WT120CI - 910505100036


Polar Wide Diagrams




Polar Normal (separate) - WT120CI - 910505100048




Polar Normal (separate) - WT120CI - 910505100073




Polar Normal (separate) - WT120CI - 910505100067




Polar Normal (separate) - WT120CI - 910505100042




Polar Normal (separate) - WT120CI - 910505100054




Polar Normal (separate) - WT120CI - 910505100057



Polar Normal (separate) - WT120CI - 910505100072




Polar Normal (separate) - WT120CI - 910505100079




Polar Normal (separate) - WT120CI - 910505100077


Polar Wide Diagrams




Polar Normal (separate) - WT120CI - 910505100040




Polar Normal (separate) - WT120CI - 910505100045




Polar Normal (separate) - WT120CI - 910505100064




Polar Normal (separate) - WT120CI - 910505100051




Polar Normal (separate) - WT120CI - 910505100039




Polar Normal (separate) - WT120CI - 910505100061



Polar Normal (separate) - WT120CI - 910505100078




Polar Normal (separate) - WT120CI - 910505100047




Polar Normal (separate) - WT120CI - 910505100080


Polar Wide Diagrams




Polar Normal (separate) - WT120CI - 910505100044




Polar Normal (separate) - WT120CI - 910505100059




Polar Normal (separate) - WT120CI - 910505100062




Polar Normal (separate) - WT120CI - 910505100076




Polar Normal (separate) - WT120CI - 910505100070




Polar Normal (separate) - WT120CI - 910505100053



Polar Normal (separate) - WT120CI - 910505101269




Polar Normal (separate) - WT120CI - 910505101271




Polar Normal (separate) - WT120CI - 910505101274


Polar Wide Diagrams




Polar Normal (separate) - WT120CI - 910505101270




Polar Normal (separate) - WT120CI - 910505100058




Polar Normal (separate) - WT120CI - 910505100038




Polar Normal (separate) - WT120CI - 910505100050




Polar Normal (separate) - WT120CI - 910505101273




Polar Normal (separate) - WT120CI - 911401535391



Polar Normal (separate) - WT120CI - 911401535491




Polar Normal (separate) - WT120CI - 911401823680




Polar Normal (separate) - WT120CI - 911401823780


Polar Wide Diagrams




Polar Normal (separate) - WT120CI - 910505100066




Polar Normal (separate) - WT120CI - 910505103013




Polar Normal (separate) - null - 911401535691




Polar Normal (separate) - null - 911401815887




Polar Normal (separate) - null - 911401814985




Polar Normal (separate) - null - 911401815687




Polar Normal (separate) - null - 911401815085




Polar Normal (separate) - null - 911401816087




Polar Normal (separate) - null - 911401816487




Polar Normal (separate) - null - 911401815587




Polar Normal (separate) - null - 911401816287 Polar Normal (separate) - null - 911401816387 Polar Normal (separate) - null - 911401815487



Polar Normal (separate) - null - 911401815987 Polar Normal (separate) - null - 911401816187 Polar Normal (separate) - null - 911401535291




Polar Normal (separate) - null - 911401824481 Polar Normal (separate) - null - 911401535591 Polar Normal (separate) - null - 911401815787




Polar Normal (separate) - null - 911401824381 Polar Normal (separate) - null - 911401824581 Polar Normal (separate) - null - 911401823480


Polar Wide Diagrams



Polar Normal (separate) - null - 911401823580



Polar Normal (separate) - null - 911401823880



Polar Normal (separate) - null - 911401823980

