



CoreLine Waterproof – the clear choice for LED

CoreLine Waterproof

Whether for a new building or renovation of an existing space, customers want lighting solutions that provide quality of light and substantial energy and maintenance savings. The new CoreLine Waterproof range of LED products can be used to replace traditional waterproof luminaires with fluorescent lamps. The process of selecting, installing and maintaining is so easy – it's a simple switch.

Benefits

- Up to 50% energy savings compared with TL-D
- Up to 50% energy savings compared with TL-D
- Reliable LED technology – maintenance-free
- Reliable LED technology – maintenance-free
- Direct replacement for conventional waterproof luminaires in terms of light performance, installation flexibility and length
- Direct replacement for conventional waterproof luminaires in terms of light performance, installation flexibility and length

CoreLine Waterproof

Features

- Reliable integrated LED technology, ensuring maintenance-free installation and a long lifetime
- Reliable integrated LED technology, ensuring maintenance-free installation and a long lifetime
- Can be used to replace traditional waterproof luminaires ranging from 18 to 58 W TL-D
- Can be used to replace traditional waterproof luminaires ranging from 18 to 58 W TL-D
- Wide-beam light distribution
- Wide-beam light distribution
- Diffuser with optical element ensures visual comfort
- Diffuser with optical element ensures visual comfort
- Ceiling-mounted bracket and suspension hooks included; installation can be made vandal-proof by additional screw fixation of mounting brackets
- Ceiling-mounted bracket and suspension hooks included; installation can be made vandal-proof by additional screw fixation of mounting brackets

Application

- Parking garages
- Parking garages
- Warehouses
- Warehouses
- General lighting
- General lighting

Warnings and Safety

- UV radiation will damage the material over time resulting in loss of waterproof sealing and IP66 rating.
- Do not install the luminaire in locations where it will be exposed to direct sunlight.




Versions



CoreLine Waterproof WT120C G2 PCU -

CoreLine Waterproof

Dimensional drawing



Product details



CoreLine Waterproof WT120C G2
PCU-7DPP



CoreLine Waterproof WT120C G2
PCU-3DPP



CoreLine Waterproof WT120C G2
PCU-10DPP



CoreLine Waterproof WT120C G2
PCU-9DPP

CoreLine Waterproof


Product details



CoreLine Waterproof WT120C G2
PCU-12DPP



CoreLine waterproof G2 (WT120C
G2),MDU, Motion Detection Unit




CoreLine Waterproof WT120C G2
PCU-2DPP



CoreLine Waterproof WT120C G2
PCU-13DPP



CoreLine Waterproof WT120C G2
PCU-8DPP



CoreLine waterproof G2 (WT120C
G2),MDU, Motion Detection Unit



CoreLine Waterproof WT120C G2
PCU-11DPP



CoreLine waterproof G2 (WT120C
G2),Emergency lighting, TrustSight

General Information	
Driver included	Yes
Light source replaceable	No
Number of gear units	1 unit
Service tag	Yes
Light Technical	
Correlated Color Temperature (Nom)	4000 K
Color rendering index (CRI)	>80
Optic type	Wide beam
Operating and Electrical	
Protection class IEC	Safety class I
Input Voltage	220 to 240 V
Line Frequency	50 or 60 Hz
Mechanical and Housing	
Housing Color	Gray
Mech. impact protection code	IK08
Ingress protection code	IP65
Approval and Application	
CE mark	Yes
ENEC mark	ENEC mark
Flammability mark	For mounting on easily flammable surfaces
Glow-wire test	Temperature 850 °C, duration 30 s
Flickering value (PstLM) - Flickering value as per EN 61000-3-3	1
Stroboscopic effect visibility measure (SVM)	1.6
Initial Performance (IEC Compliant)	
Initial chromaticity	(0.38,0.38)SDCM<=3
Luminous flux tolerance	+/-10%

General Information

Order Code	Full Product Name	Lamp family code
910505100042	WT120C G2 LED27S/840 PSU ELB3 L1200	LED27S
910505100044	WT120C G2 LED27S/840 PSD L1200	LED27S
910505100045	WT120C G2 LED27S/840 PSD ELB3 L1200	LED27S
910505100050	WT120C G2 LED40S/840 PSU WEC L1200	LED40S
910505100053	WT120C G2 LED40S/840 PSD L1200	LED40S
910505100054	WT120C G2 LED40S/840 PSU ELB3 L1200	LED40S
910505100057	WT120C G2 LED40S/840 PSD ELB3 L1200	LED40S
910505101269	WT120C G2 LED40S/840 WIA L1200	-
911401823580	WT120C G2 LED27S/840 PSU L1200	-
911401823780	WT120C G2 LED40S/840 PSU L1200	-
910505100038	WT120C G2 LED19S/840 PSD L600	LED19S
911401823480	WT120C G2 LED19S/840 PSU L600	-
910505100061	WT120C G2 LED34S/840 PSD L1500	LED34S
910505100062	WT120C G2 LED34S/840 PSU ELB3 L1500	LED34S
910505100064	WT120C G2 LED34S/840 PSD ELB3 L1500	LED34S
910505100072	WT120C G2 LED60S/840 PSD L1500	LED60S
910505100073	WT120C G2 LED60S/840 PSU ELB3 L1500	LED60S
910505100076	WT120C G2 LED60S/840 PSD ELB3 L1500	LED60S
910505100078	WT120C G2 LED80S/840 PSU MDU L1500	LED80S
910505100079	WT120C G2 LED80S/840 PSD L1500	LED80S
910505100080	WT120C G2 LED80S/840 PSU L1500 ELB3	LED80S
910505101271	WT120C G2 LED65S/840 WIA L1500	-
911401823880	WT120C G2 LED60S/840 PSU L1500	-
911401823980	WT120C G2 LED80S/840 PSU L1500	-

Light Technical

		Luminous Efficacy	
Order Code	Full Product Name	(rated) (Nom)	Luminous Flux
910505100042	WT120C G2 LED27S/840 PSU ELB3 L1200	104 lm/W	2,700 lm
910505100044	WT120C G2 LED27S/840 PSD L1200	123 lm/W	2,700 lm
910505100045	WT120C G2 LED27S/840 PSD ELB3 L1200	100 lm/W	2,700 lm
910505100050	WT120C G2 LED40S/840 PSU WEC L1200	138 lm/W	4,000 lm
910505100053	WT120C G2 LED40S/840 PSD L1200	131 lm/W	4,000 lm
		Luminous Efficacy	
Order Code	Full Product Name	(rated) (Nom)	Luminous Flux
910505100054	WT120C G2 LED40S/840 PSU ELB3 L1200	121 lm/W	4,000 lm
910505100057	WT120C G2 LED40S/840 PSD ELB3 L1200	113 lm/W	4,000 lm
910505101269	WT120C G2 LED40S/840 WIA L1200	133 lm/W	4,000 lm
911401823580	WT120C G2 LED27S/840 PSU L1200	132 lm/W	2,700 lm
911401823780	WT120C G2 LED40S/840 PSU L1200	140 lm/W	4,000 lm

CoreLine Waterproof

Order Code	Full Product Name	Luminous Efficacy	
		(rated) (Nom)	Luminous Flux
910505100038	WT120C G2 LED19S/840 PSD L600	115 lm/W	1,900 lm
911401823480	WT120C G2 LED19S/840 PSU L600	127 lm/W	1,900 lm
910505100061	WT120C G2 LED34S/840 PSD L1500	131 lm/W	3,400 lm
910505100062	WT120C G2 LED34S/840 PSU ELB3 L1500	113 lm/W	3,400 lm
910505100064	WT120C G2 LED34S/840 PSD ELB3 L1500	110 lm/W	3,400 lm
910505100072	WT120C G2 LED60S/840 PSD L1500	133 lm/W	6,000 lm
910505100073	WT120C G2 LED60S/840 PSU ELB3 L1500	121 lm/W	6,000 lm

Order Code	Full Product Name	Luminous Efficacy	
		(rated) (Nom)	Luminous Flux
910505100076	WT120C G2 LED60S/840 PSD ELB3 L1500	121 lm/W	6,000 lm
910505100078	WT120C G2 LED80S/840 PSU MDU L1500	131 lm/W	8,000 lm
910505100079	WT120C G2 LED80S/840 PSD L1500	129 lm/W	8,000 lm
910505100080	WT120C G2 LED80S/840 PSU L1500 ELB3	126 lm/W	8,000 lm
910505101271	WT120C G2 LED65S/840 WIA L1500	144 lm/W	6,500 lm
911401823880	WT120C G2 LED60S/840 PSU L1500	140 lm/W	6,000 lm
911401823980	WT120C G2 LED80S/840 PSU L1500	140 lm/W	8,000 lm

Operating and Electrical

Order Code	Full Product Name	Power Consumption	Suitable for random switching
910505100042	WT120C G2 LED27S/840 PSU ELB3 L1200	26 W	Not applicable
910505100044	WT120C G2 LED27S/840 PSD L1200	22 W	Not applicable
910505100045	WT120C G2 LED27S/840 PSD ELB3 L1200	27 W	Not applicable
910505100050	WT120C G2 LED40S/840 PSU WEC L1200	29 W	Not applicable
910505100053	WT120C G2 LED40S/840 PSD L1200	30.5 W	Not applicable
910505100054	WT120C G2 LED40S/840 PSU ELB3 L1200	33 W	Not applicable
910505100057	WT120C G2 LED40S/840 PSD ELB3 L1200	35.5 W	Not applicable
910505101269	WT120C G2 LED40S/840 WIA L1200	30 W	Not applicable
911401823580	WT120C G2 LED27S/840 PSU L1200	20.5 W	Not applicable
911401823780	WT120C G2 LED40S/840 PSU L1200	28.6 W	Not applicable
910505100038	WT120C G2 LED19S/840 PSD L600	16.5 W	Not applicable
911401823480	WT120C G2 LED19S/840 PSU L600	15 W	Not applicable

Order Code	Full Product Name	Power Consumption	Suitable for random switching
910505100061	WT120C G2 LED34S/840 PSD L1500	26 W	Not applicable
910505100062	WT120C G2 LED34S/840 PSU ELB3 L1500	30 W	Not applicable
910505100064	WT120C G2 LED34S/840 PSD ELB3 L1500	31 W	Not applicable
910505100072	WT120C G2 LED60S/840 PSD L1500	45 W	Not applicable
910505100073	WT120C G2 LED60S/840 PSU ELB3 L1500	49.5 W	Not applicable
910505100076	WT120C G2 LED60S/840 PSD ELB3 L1500	49.5 W	Not applicable
910505100078	WT120C G2 LED80S/840 PSU MDU L1500	61 W	Yes
910505100079	WT120C G2 LED80S/840 PSD L1500	62 W	Not applicable
910505100080	WT120C G2 LED80S/840 PSU L1500 ELB3	63.5 W	Not applicable
910505101271	WT120C G2 LED65S/840 WIA L1500	45 W	Not applicable
911401823880	WT120C G2 LED60S/840 PSU L1500	42.9 W	Not applicable
911401823980	WT120C G2 LED80S/840 PSU L1500	57.1 W	Not applicable

Controls and Dimming

CoreLine Waterproof

Order Code	Full Product Name	Dimmable	Embedded control	Maximum dim level
910505100042	WT120C G2 LED27S/840 PSU ELB3 L1200	No	-	Not applicable
910505100044	WT120C G2 LED27S/840 PSD L1200	Yes	-	1%
910505100045	WT120C G2 LED27S/840 PSD ELB3 L1200	Yes	-	1%
910505100050	WT120C G2 LED40S/840 PSU WEC L1200	No	-	Not applicable
910505100053	WT120C G2 LED40S/840 PSD L1200	Yes	-	1%
910505100054	WT120C G2 LED40S/840 PSU ELB3 L1200	No	-	Not applicable
910505100057	WT120C G2 LED40S/840 PSD ELB3 L1200	Yes	-	1%
910505101269	WT120C G2 LED40S/840 WIA L1200	Yes	-	10%
911401823580	WT120C G2 LED27S/840 PSU L1200	No	-	Not applicable
911401823780	WT120C G2 LED40S/840 PSU L1200	No	-	Not applicable
910505100038	WT120C G2 LED19S/840 PSD L600	Yes	-	1%
911401823480	WT120C G2 LED19S/840 PSU L600	No	-	Not applicable
910505100061	WT120C G2 LED34S/840 PSD L1500	Yes	-	1%

Order Code	Full Product Name	Dimmable	Embedded control	Maximum dim level
910505100062	WT120C G2 LED34S/840 PSU ELB3 L1500	No	-	Not applicable
910505100064	WT120C G2 LED34S/840 PSD ELB3 L1500	Yes	-	1%
910505100072	WT120C G2 LED60S/840 PSD L1500	Yes	-	1%
910505100073	WT120C G2 LED60S/840 PSU ELB3 L1500	No	-	Not applicable
910505100076	WT120C G2 LED60S/840 PSD ELB3 L1500	Yes	-	1%
910505100078	WT120C G2 LED80S/840 PSU MDU L1500	Yes	Movement and light sensor (On/Off)	Not applicable
910505100079	WT120C G2 LED80S/840 PSD L1500	Yes	-	1%
910505100080	WT120C G2 LED80S/840 PSU L1500 ELB3	No	-	Not applicable
910505101271	WT120C G2 LED65S/840 WIA L1500	Yes	-	10%
911401823880	WT120C G2 LED60S/840 PSU L1500	No	-	Not applicable
911401823980	WT120C G2 LED80S/840 PSU L1500	No	-	Not applicable

Emergency Operation (1/2)

Order Code	Full Product Name	Central Emergency	Emergency lighting	Emergency flux	Type of emergency lighting battery
910505100042	WT120C G2 LED27S/840 PSU ELB3 L1200	No	Emergency lighting 3 hours duration basic version	500 lm	Lithium
910505100044	WT120C G2 LED27S/840 PSD L1200	-	-	-	-
910505100045	WT120C G2 LED27S/840 PSD ELB3 L1200	No	Emergency lighting 3 hours duration basic version	500 lm	Lithium
910505100050	WT120C G2 LED40S/840 PSU WEC L1200	-	-	-	-

Order Code	Full Product Name	Central Emergency	Emergency lighting	Emergency flux	Type of emergency lighting battery
910505100053	WT120C G2 LED40S/840 PSD L1200	-	-	-	-
910505100054	WT120C G2 LED40S/840 PSU ELB3 L1200	No	Emergency lighting 3 hours duration basic version	500 lm	Lithium
910505100057	WT120C G2 LED40S/840 PSD ELB3 L1200	No	Emergency lighting 3 hours duration basic version	500 lm	Lithium
910505101269	WT120C G2 LED40S/840 WIA L1200	-	-	-	-

CoreLine Waterproof

Order Code	Full Product Name	Central Emergency	Emergency lighting	Emergency flux	Type of emergency lighting battery
911401823580	WT120C G2 LED27S/840 PSU L1200	-	-	-	-
911401823780	WT120C G2 LED40S/840 PSU L1200	-	-	-	-
910505100038	WT120C G2 LED19S/840 PSD L600	-	-	-	-
911401823480	WT120C G2 LED19S/840 PSU L600	-	-	-	-
910505100061	WT120C G2 LED34S/840 PSD L1500	-	-	-	-
910505100062	WT120C G2 LED34S/840 PSU ELB3 L1500	No	Emergency lighting 3 hours duration basic version	500 lm	Lithium
910505100064	WT120C G2 LED34S/840 PSD ELB3 L1500	No	Emergency lighting 3 hours duration basic version	500 lm	Lithium
910505100072	WT120C G2 LED60S/840 PSD L1500	-	-	-	-
910505100073	WT120C G2 LED60S/840	No	Emergency lighting 3	500 lm	Lithium

Emergency Operation (2/2)

Order Code	Full Product Name	Rated duration of the emergency lighting (when fully charged)
910505100042	WT120C G2 LED27S/840 PSU ELB3 L1200	3 hour(s)
910505100044	WT120C G2 LED27S/840 PSD L1200	-
910505100045	WT120C G2 LED27S/840 PSD ELB3 L1200	3 hour(s)
910505100050	WT120C G2 LED40S/840 PSU WEC L1200	-
910505100053	WT120C G2 LED40S/840 PSD L1200	-
910505100054	WT120C G2 LED40S/840 PSU ELB3 L1200	3 hour(s)
910505100057	WT120C G2 LED40S/840 PSD ELB3 L1200	3 hour(s)
910505101269	WT120C G2 LED40S/840 WIA L1200	-
911401823580	WT120C G2 LED27S/840 PSU L1200	-
911401823780	WT120C G2 LED40S/840 PSU L1200	-
910505100038	WT120C G2 LED19S/840 PSD L600	-
911401823480	WT120C G2 LED19S/840 PSU L600	-

Order Code	Full Product Name	Central Emergency	Emergency lighting	Emergency flux	Type of emergency lighting battery
	PSU ELB3 L1500		hours duration basic version		
910505100076	WT120C G2 LED60S/840 PSD ELB3 L1500	No	Emergency lighting 3 hours duration basic version	500 lm	Lithium
910505100078	WT120C G2 LED80S/840 PSU MDU L1500	-	-	-	-
910505100079	WT120C G2 LED80S/840 PSD L1500	-	-	-	-
910505100080	WT120C G2 LED80S/840 PSU L1500 ELB3	No	Emergency lighting 3 hours duration basic version	500 lm	Lithium
910505101271	WT120C G2 LED65S/840 WIA L1500	-	-	-	-
911401823880	WT120C G2 LED60S/840 PSU L1500	-	-	-	-
911401823980	WT120C G2 LED80S/840 PSU L1500	-	-	-	-

Order Code	Full Product Name	Rated duration of the emergency lighting (when fully charged)
910505100061	WT120C G2 LED34S/840 PSD L1500	-
910505100062	WT120C G2 LED34S/840 PSU ELB3 L1500	3 hour(s)
910505100064	WT120C G2 LED34S/840 PSD ELB3 L1500	3 hour(s)
910505100072	WT120C G2 LED60S/840 PSD L1500	-
910505100073	WT120C G2 LED60S/840 PSU ELB3 L1500	3 hour(s)
910505100076	WT120C G2 LED60S/840 PSD ELB3 L1500	3 hour(s)
910505100078	WT120C G2 LED80S/840 PSU MDU L1500	-
910505100079	WT120C G2 LED80S/840 PSD L1500	-
910505100080	WT120C G2 LED80S/840 PSU L1500 ELB3	3 hour(s)
910505101271	WT120C G2 LED65S/840 WIA L1500	-
911401823880	WT120C G2 LED60S/840 PSU L1500	-
911401823980	WT120C G2 LED80S/840 PSU L1500	-

Approval and Application

Order Code	Full Product Name	Ambient temperature range
910505100042	WT120C G2 LED27S/840 PSU ELB3 L1200	0 to +25 °C
910505100044	WT120C G2 LED27S/840 PSD L1200	-20 to +35 °C
910505100045	WT120C G2 LED27S/840 PSD ELB3 L1200	0 to +25 °C
910505100050	WT120C G2 LED40S/840 PSU WEC L1200	-20 to +35 °C
910505100053	WT120C G2 LED40S/840 PSD L1200	-20 to +35 °C
910505100054	WT120C G2 LED40S/840 PSU ELB3 L1200	0 to +25 °C
910505100057	WT120C G2 LED40S/840 PSD ELB3 L1200	0 to +25 °C
910505101269	WT120C G2 LED40S/840 WIA L1200	-20 to +35 °C
911401823580	WT120C G2 LED27S/840 PSU L1200	-20 to +40 °C
911401823780	WT120C G2 LED40S/840 PSU L1200	-20 to +40 °C
910505100038	WT120C G2 LED19S/840 PSD L600	-20 to +35 °C
911401823480	WT120C G2 LED19S/840 PSU L600	-20 to +40 °C
910505100061	WT120C G2 LED34S/840 PSD L1500	-20 to +35 °C
910505100062	WT120C G2 LED34S/840 PSU ELB3 L1500	0 to +25 °C


Order Code	Full Product Name	Ambient temperature range
910505100064	WT120C G2 LED34S/840 PSD ELB3 L1500	0 to +25 °C
910505100072	WT120C G2 LED60S/840 PSD L1500	-20 to +35 °C
910505100073	WT120C G2 LED60S/840 PSU ELB3 L1500	0 to +25 °C
910505100076	WT120C G2 LED60S/840 PSD ELB3 L1500	0 to +25 °C
910505100078	WT120C G2 LED80S/840 PSU MDU L1500	-20 to +35 °C
910505100079	WT120C G2 LED80S/840 PSD L1500	-20 to +35 °C
910505100080	WT120C G2 LED80S/840 PSU L1500 ELB3	0 to +25 °C
910505101271	WT120C G2 LED65S/840 WIA L1500	-20 to +35 °C
911401823880	WT120C G2 LED60S/840 PSU L1500	-20 to +40 °C
911401823980	WT120C G2 LED80S/840 PSU L1500	-20 to +40 °C

Product Data


Order Code	Full Product Name	Product family code
910505100042	WT120C G2 LED27S/840 PSU ELB3 L1200	WT130C
910505100044	WT120C G2 LED27S/840 PSD L1200	WT130C
910505100045	WT120C G2 LED27S/840 PSD ELB3 L1200	WT130C
910505100050	WT120C G2 LED40S/840 PSU WEC L1200	WT130C
910505100053	WT120C G2 LED40S/840 PSD L1200	WT130C
910505100054	WT120C G2 LED40S/840 PSU ELB3 L1200	WT130C
910505100057	WT120C G2 LED40S/840 PSD ELB3 L1200	WT130C
910505101269	WT120C G2 LED40S/840 WIA L1200	WT130C
911401823580	WT120C G2 LED27S/840 PSU L1200	-
911401823780	WT120C G2 LED40S/840 PSU L1200	WT130C
910505100038	WT120C G2 LED19S/840 PSD L600	WT130C
911401823480	WT120C G2 LED19S/840 PSU L600	-

Order Code	Full Product Name	Product family code
910505100061	WT120C G2 LED34S/840 PSD L1500	WT130C
910505100062	WT120C G2 LED34S/840 PSU ELB3 L1500	WT130C
910505100064	WT120C G2 LED34S/840 PSD ELB3 L1500	WT130C
910505100072	WT120C G2 LED60S/840 PSD L1500	WT130C
910505100073	WT120C G2 LED60S/840 PSU ELB3 L1500	WT130C
910505100076	WT120C G2 LED60S/840 PSD ELB3 L1500	WT130C
910505100078	WT120C G2 LED80S/840 PSU MDU L1500	WT130C
910505100079	WT120C G2 LED80S/840 PSD L1500	WT130C
910505100080	WT120C G2 LED80S/840 PSU L1500 ELB3	WT130C
910505101271	WT120C G2 LED65S/840 WIA L1500	WT130C
911401823880	WT120C G2 LED60S/840 PSU L1500	-
911401823980	WT120C G2 LED80S/840 PSU L1500	-


Polar Wide Diagrams



Polar Normal (separate) - WT120CI - 910505100073




Polar Normal (separate) - WT120CI - 910505100042




Polar Normal (separate) - WT120CI - 910505100054


Polar Wide Diagrams




Polar Normal (separate) - WT120CI - 910505100057




Polar Normal (separate) - WT120CI - 910505100072




Polar Normal (separate) - WT120CI - 910505100079




Polar Normal (separate) - WT120CI - 910505100045




Polar Normal (separate) - WT120CI - 910505100064




Polar Normal (separate) - WT120CI - 910505100061



Polar Normal (separate) - WT120CI - 910505100078




Polar Normal (separate) - WT120CI - 910505100080




Polar Normal (separate) - WT120CI - 910505100044


Polar Wide Diagrams




Polar Normal (separate) - WT120CI - 910505100062




Polar Normal (separate) - WT120CI - 910505100076




Polar Normal (separate) - WT120CI - 910505100053




Polar Normal (separate) - WT120CI - 910505101269




Polar Normal (separate) - WT120CI - 910505101271



Polar Normal (separate) - WT120CI - 910505100038



Polar Normal (separate) - WT120CI - 910505100050



Polar Normal (separate) - WT120CI - 911401823780

