



Sophisticated yet simple energy-efficient lighting control solutions

Dynalite Multipurpose Controllers

Within any project, many different lighting load types may be required to achieve a desired result. Each of these load types may require a different style of control. The Dynalite range of multipurpose controllers allows customization of output types via different output module units. When using DIN-rail multipurpose controllers, a specific type of control can be chosen for each circuit: relay, leading-edge dimmer, trailing-edge dimmer, driver control, controller with out-of-the-box functionality, fan control, and blind/screen control. In any combination, multiple load types can be controlled from a single device. This simplifies installation and prevents wasted capacity of circuits that are not required.

Benefits

- Controllers support distributed intelligence, i.e. each device has a CPU with presets and can act as a stand-alone control unit
- \cdot Some devices have out-of-the-box functionality with re-configuration capability
- · Simplified network messages and commissioning process

Application

- · Retail and Hospitality, Office and Industry
- · Public spaces, Stadiums and multi-purpose Event Centers
- Residential

Versions



Track Diffusion Filter



RC170B LED38S SCCT PSU W30L120 AU



LEDspot GU10 36D 220-240V



C2RDL Calculite 2" Round
Downlight



Crisp White LED Color Recipe AccuRender



DSM2 XX Supply module



DDMC802 8 x 2A Multipurpose Modular Controller



DGBM200 2 Channel Signal dimmer driver module

Versions



DGLM1051 x 5 A Leading edge dimmer module



DGLM402 4 x 2 A Leading edge dimmer module



DGRM204 2 x 4 A Relay control module



DGTM402 4 x 2 A Trailing edge dimmer module



DGLM202 2 x 2 A Leading edge dimmer module




DGTM1041 x 4 A Trailing edge dimmer module





DGTM202 2 x 2 A Trailing edge dimmer module




Dimensional drawing














. .





753 mm (29 65 in)




. .









. .






Dimensional drawing


- -




- -



- -



Product details



DMC2 Multipurpose Modular Controller - Front



DMC2 Multipurpose Modular Controller - exploded view



DMC2 Multipurpose Modular Controller - open



DMC4-CE Multipurpose Modular Controller - exploded view

Product details



DMC4-CE Multipurpose Modular Controller - front



DMC4 Complete BottomOpen Front



DMC4 DSM4 DMR316 DMD316 DMR610 DMP603 BottomClose



DMC4 DSM4 DMR316 DMD316 DMR610 DMP603 BottomOpen



DMC4 DSM4 DMR316 DMD316 DMR610 DMP603



DMC4 DSM4 DMR316 DMD316 DMR610 DMP603 Front



DMC4 DSM4 DMR316 DMD316 DMR610 Front



DMC4 DSM4 DMR316 DMD316

Product details







DMC4 DSM4 DMR316 Front



DMC4 DSM4 Front



DMC4 Empty BottomOpen



DMC4 UL BS



DMC4 UL Empty



DMC4 UL Empty Front



DMD316 FR UL Front

Product details

DMP603 GL UL Front

DMR316 FR UL Front





DMR610 GL UL Front

DSM4 XX Front





DMP310_GL_UL Front

DMD316_UL Front





DMR316_UL Front

DSM2_XX Supply Module Front






Product details

DDMC802 front detail





DGBM200 2 Channel Signal dimmer driver module







DGLM402 4 x 2 A Leading edge dimmer module







DGTM402 4 x 2 A Trailing edge dimmer module







DGTM1041 x 4 A Trailing edge dimmer module

Product details



DGTM202 2 x 2 A Trailing edge dimmer module



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.