PHILIPS Lighting



Sophisticated yet simple energyefficient lighting control solutions

Dynalite Integration Devices

Within any modern project, many third-party systems can be found performing different roles. Each separate system may use a different protocol for communication. Dynalite has developed a range of gateway devices that can be used to synchronize these systems' functions into one integrated system solution.

Benefits

- By utilizing the correct gateway, different systems can be integrated, allowing end-users access to a fully automated site from one interface.
- By successfully integrating third-party systems with a Dynalite solution, repetitive end-user interaction is reduced.

Application

- Retail and Hospitality, Office and Industry
- Public spaces, Stadiums and multi-purpose Event Centers
- \cdot Residential

Dynalite Integration Devices

Versions










DPMI940-DALI Dry Contact Interface


Product photo IRT9090_01


SlimBlend SR-RC400B VPC ACL


PDEG Ethernet Gateway

Dimensional drawing











mm (3.8 in)





105 mm (4.13 in) 75 mm (2.95 in)

Dynalite Integration Devices

Product details

Front of the PDEG Ethernet Gateway



DDMIDC8 Low Level Input Integrator front







© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.

www.lighting.philips.com 2023, August 2 - data subject to change