



# LEDLamps

## LEDBulb 14.5W E27 3000K 230VA67 1CT/6APR

LED Lamps are a perfect fit for general lighting applications. Compatible with most existing fixtures and designed as a retrofit replacement for incandescent and halogen lamps, LED Lamps deliver huge energy savings and minimize maintenance cost

### Product data


<b>General Information</b>		<b>Power Consumption</b>	
Cap-Base	E27		14.5 W
Nominal lifetime	15,000 hour(s)	Lamp Current (Nom)	135 mA
Switching Cycle	50,000	Wattage Equivalent	120 W
Rated Lifetime (Hours)	12,000 hour(s)	Starting Time (Nom)	0.5 s
Lighting Technology	LED	Warm-up time to 60% light	0.5 s
EU RoHS compliant	Yes	Power Factor (Fraction)	0.51
<b>Light Technical</b>		Voltage (Nom)	220-240 V
Color Code	830 [CCT of 3000K]	<b>Temperature</b>	
Color Code	830 [CCT of 3000K]	Ambient temperature range	-20 to +45 °C
Beam Angle (Nom)	150 degree(s)	T-Case Maximum (Nom)	90 °C
Luminous Flux	1,650 lm	<b>Controls and Dimming</b>	
Color Designation	White (WH)	Dimmable	No
Correlated Color Temperature (Nom)	3000 K	<b>Mechanical and Housing</b>	
Luminous Efficacy (rated) (Nom)	113 lm/W	Bulb Finish	Frosted
Color Consistency	<6	Bulb Material	Plastic
Color rendering index (CRI)	80	Bulb Shape	A67
LLMF At End Of Nominal Lifetime (Nom)	70 %	<b>Approval and Application</b>	
Photobiological safety according to EN 62471 RG1		Energy Consumption kWh/1000 h	15 kWh
<b>Operating and Electrical</b>			
Input Frequency	50 to 60 Hz		

LEDLamps

EyeComfort	No
Application Conditions	
can it be used in closed luminaires	No
Product Data	
Order product name	LEDBulb 14.5W E27 3000K 230VA67 1CT/ 6APR
Full product name	LEDBulb 14.5W E27 3000K 230VA67 1CT/ 6APR



Full product code	871869964047700
Order code	929002003849
Material Nr. (12NC)	929002003849
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718699640477
Numerator - Packs per outer box	6
EAN/UPC - Case	8718699640484

Dimensional drawing



Product	D	C
LEDBulb 14.5W E27 3000K 230VA67 1CT/6APR	68 mm	132 mm


Photometric data



General uniform lighting - LEDBulb 14.5W E27 3000K 230VA67 1CT/6APR

Light Distribution Diagram - LEDBulb 14.5W E27 3000K 230VA67 1CT/6APR

Photometric data




Spectral Power Distribution Colour - LEDBulb 14.5W E27 3000K 230VA67 1CT/6APR

Lifetime



Life Expectancy Diagram - LEDBulb 14.5W E27 3000K 230VA67 1CT/6APR



Lumen Maintenance Diagram - LEDBulb 14.5W E27 3000K 230VA67 1CT/6APR

